

"Superseded by  
Cert. No. 54740 76118"

CERTIFICATE NO. 53258

Application No. G 8665

Permit No. 9 8209

STATE OF OREGON WATER RESOURCES DEPARTMENT

Application for a Permit to Appropriate Ground Water

I, Jack E. Zabransky & Norma J. Zabransky, husband and wife; Stephen J. Zabransky & Tana J. Zabransky, husband and wife; Charles G. Clark & Sandra J. Clark, husband and wife, dba Zabransky & Sons

(Mailing Address) Stanfield (City)  
State of Oregon, 97875 (Zip Code) Phone No. 449-3317 do hereby

make application for a permit to appropriate the following described ground waters of the State of Oregon:

1. The development will consist of three wells; see attached supplemental information for specific information regarding each well & in answer having a diameter of ..... and an estimated depth of ..... feet.  
to questions 2, 4 and 5.

2. The well or other source is to be located ..... ft. (N. or S.) and ..... ft. (E. or W.)  
from the ..... corner of .....  
(Public Land Survey Corner)

SEE ATTACHED LIST

(If there is more than one well, each must be described)

..... being within the .....  $\frac{1}{4}$  of the .....  $\frac{1}{4}$  of

Sec. .... Tp. .... R. ...., W. M., in the county of UMATILLA

3. Location of area to be irrigated, or place of use if use other than irrigation.

| Township | Range | Section | List $\frac{1}{4}$ $\frac{1}{4}$ of Section | List use and/or number of acres to be irrigated |
|----------|-------|---------|---------------------------------------------|-------------------------------------------------|
| 4N       | 29    | 24      | SW $\frac{1}{4}$ SW $\frac{1}{4}$           | 32.5                                            |
| 4N       | 29    | 24      | SE $\frac{1}{4}$ SW $\frac{1}{4}$           | 32.5                                            |
| 4N       | 29    | 24      | NW $\frac{1}{4}$ SW $\frac{1}{4}$           | 32.5                                            |
| 4N       | 29    | 24      | NE $\frac{1}{4}$ SW $\frac{1}{4}$           | 32.5                                            |
| 4N       | 29    | 24      | SW $\frac{1}{4}$ SE $\frac{1}{4}$           | 32.5                                            |
| 4N       | 29    | 24      | SE $\frac{1}{4}$ SE $\frac{1}{4}$           | 32.5                                            |
| 4N       | 29    | 24      | NE $\frac{1}{4}$ SE $\frac{1}{4}$           | 32.5                                            |
| 4N       | 29    | 24      | NW $\frac{1}{4}$ SE $\frac{1}{4}$           | 32.5                                            |
| 4N       | 29    | 25      | NE $\frac{1}{4}$ NW $\frac{1}{4}$           | Stanfield Irr. Dist. & Wells<br>38.0            |
| 4N       | 29    | 25      | SE $\frac{1}{4}$ NW $\frac{1}{4}$           | Stanfield Irr. Dist. & Wells<br>37.6            |

4. It is estimated that ..... feet of the well will require ..... casing.

(Kind)

5. Depth to water table is estimated ..... Well drilled by .....

(Feet)

6. The amount of water which the applicant intends to apply to beneficial use is ...15.77.... cubic feet per second or ...71.00..... gallons per minute.

7. The use to which the water is to be applied is ...irrigation of potatoes, wheat, barley, sugar beets and alfalfa

8. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

9. If the location of the well, or other development work is less than one-fourth mile from a natural stream channel, give the distance to the channel and the difference in elevation between the stream bed and the ground surface at the source of development.

10.

#### DESCRIPTION OF WORKS

Include length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

Underground pipelines in dimensions 14", 12" and 10" to circle pivot irrigation machines, wheel lines and hand lines together with three 130 acre circle pivot machines, one 170 acre circle pivot machine, two 60 acre circle pivot machines, one 30 acre circle pivot machine, one 1/4 mile wheel line, two 1/4 mile 3" hand lines; one 300 h/p Lane electric motor with pump, one 400 h/p Lane electric motor with pump, and one 125 h/p Lane electric motor with pump.

11. Construction work will begin on or before June 1, 1975

12. Construction work will be completed on or before April 1, 1978

13. The water will be completely applied to the proposed use on or before April 1, 1978

14. If the ground water supply is supplemental to an existing supply, identify the supply and existing water right. Stanfield Irrigation District Permit No. 30789, Application No. 41015

Application No. G 8665

Permit No. G 8209

8800

Zabransky 7 Sons

Supplemental Information  
(amended)

Page 2

**RECEIVED**

JUL 20 1978

WATER RESOURCES DEPT.  
SALEM, OREGON

**RECEIVED**

JUN 22 1978

WATER RESOURCES DEPT.  
SALEM, OREGON

ZABRANSKY #1

1. This well has a diameter of 16" and an estimated depth of 1030 feet.
2. The well or other source is to be located 6446 ft. east and 739 ft. south of the NW corner of Section 26, Township 4 North, Range 29, EWM in Umatilla County, Oregon, being within the NW $\frac{1}{4}$ NW $\frac{1}{4}$  of Section 25, Township 4 North, Range 29, EWM in Umatilla County, Oregon.
4. It is estimated that 60 feet of the well will require casing.
5. Depth of the water table is estimated 250 ft. Well drilled by Melvin Collier.

ZABRANSKY #2

1. This well has a diameter of 16" and an estimated depth of 1340 feet.
2. The well or other source is to be located 7940 ft. east and 150 ft. north of the NW corner of Section 26, Township 4 North, Range 29, EWM in Umatilla County, being within the SE $\frac{1}{4}$ SW $\frac{1}{4}$  of Section 24, Township 4 North, Range 29, EWM in the County of Umatilla.
4. It is estimated that 70 feet of the well will require steel casing.
5. Depth to the water table is estimated 284 feet. Well drilled by applicant.

ZABRANSKY #3

1. This well has a diameter of 16" and 12" and an estimated depth of 1023 feet.
2. The well or other source is to be located 9300 ft. east and 8000 ft. south of the NW corner of Section 26, Township 4 North, Range 29, EWM in Umatilla County, Oregon, being within the NE $\frac{1}{4}$ SE $\frac{1}{4}$  Section 36, Township 4 North, Range 29, EWM in Umatilla County, Oregon.
4. It is estimated that 670 feet of the well will require steel casing.
5. The depth of the water table is estimated 80 feet. Well drilled by applicant.

Application No. G 8665

Permit No. G 8200

Zabransky & Sons  
#3 Continued

**RECEIVED**

JUN 22 1978

WATER RESOURCES DEPT.  
SALEM, OREGON

| Township      | Range         | Section       | $\frac{1}{4}$ $\frac{1}{4}$ of Section                          | No. Acres       | Water Sources                          |
|---------------|---------------|---------------|-----------------------------------------------------------------|-----------------|----------------------------------------|
| 4N            | 29            | 25            | NW $\frac{1}{4}$ NW $\frac{1}{4}$                               | 23.9            | Stanfield Irrig. & Wells               |
| 4N            | 29            | 25            | SW $\frac{1}{4}$ NW $\frac{1}{4}$                               | 12.0            | Stanfield Irrig. & Wells               |
| <del>4N</del> | <del>29</del> | <del>25</del> | <del>SE<math>\frac{1}{4}</math>NW<math>\frac{1}{4}</math></del> | <del>17.6</del> | <del>Stanfield Irrig. &amp; Well</del> |
| 4N            | 29            | 25            | NW $\frac{1}{4}$ SW $\frac{1}{4}$                               | .8              | Stanfield Irrig. & Well                |
| 4N            | 29            | 25            | SW $\frac{1}{4}$ SW $\frac{1}{4}$                               | 22.8            | Stanfield Irrig. & Well                |
| 4N            | 29            | 25            | SE $\frac{1}{4}$ SW $\frac{1}{4}$                               | 36.2            | Stanfield Irrig. & Well                |
| 4N            | 29            | 25            | NE $\frac{1}{4}$ SW $\frac{1}{4}$                               | 31.0            | Stanfield Irrig. & Well                |
| 4N            | 29            | 25            | NW $\frac{1}{4}$ SE $\frac{1}{4}$                               | 21.6            | Well                                   |
| 4N            | 29            | 25            | SW $\frac{1}{4}$ SE $\frac{1}{4}$                               | 21.8            | Well                                   |
| 4N            | 29            | 25            | SE $\frac{1}{4}$ SE $\frac{1}{4}$                               | 28.6            | Well                                   |
| 4N            | 29            | 25            | NE $\frac{1}{4}$ SE $\frac{1}{4}$                               | 18.6            | Well                                   |
| 4N            | 29            | 36            | NW $\frac{1}{4}$ NW $\frac{1}{4}$                               | 36              | Well                                   |
| 4N            | 29            | 36            | SW $\frac{1}{4}$ NW $\frac{1}{4}$                               | 10.6            | Well                                   |
| 4N            | 29            | 36            | SE $\frac{1}{4}$ NW $\frac{1}{4}$                               | 19.6            | Well                                   |
| 4N            | 29            | 36            | NE $\frac{1}{4}$ NW $\frac{1}{4}$                               | 40              | Well                                   |
| 4N            | 29            | 36            | NW $\frac{1}{4}$ NE $\frac{1}{4}$                               | 26.6            | Well                                   |
| 4N            | 29            | 36            | SW $\frac{1}{4}$ NE $\frac{1}{4}$                               | 36.2            | Well                                   |
| 4N            | 29            | 36            | NE $\frac{1}{4}$ NE $\frac{1}{4}$                               | 13.6            | Well                                   |
| 4N            | 29            | 36            | SE $\frac{1}{4}$ NE $\frac{1}{4}$                               | 37.6            | Well                                   |
| 4N            | 29            | 36            | NW $\frac{1}{4}$ SE $\frac{1}{4}$                               | 8.6             | Well                                   |
| 4N            | 29            | 36            | NE $\frac{1}{4}$ SE $\frac{1}{4}$                               | 9               | Well                                   |
| 4N            | 29            | 25            | NW $\frac{1}{4}$ NE $\frac{1}{4}$                               | 40              | Well                                   |
| 4N            | 29            | 25            | SW $\frac{1}{4}$ NE $\frac{1}{4}$                               | 32.5            | Well                                   |
| 4N            | 29            | 25            | NE $\frac{1}{4}$ NE $\frac{1}{4}$                               | 32.5            | Well                                   |
| 4N            | 29            | 25            | SE $\frac{1}{4}$ NE $\frac{1}{4}$                               | 32.5            | Well                                   |

**RECEIVED**

JUL 20 1978

WATER RESOURCES DEPT.  
SALEM, OREGON

Application No. **G 8665**  
Permit No. **G 8209**

928 *2-12*

Remarks: Well closest to each area to be irrigated will be used, but there will be overlapping of water use due to the common pipeline system.

Zabransky & Sons

By

*John E. Zabransky*  
Signature of Applicant

Partner

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion and correction

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before July 17, 1978, August 28, 1978

WITNESS my hand this 17th day of May, 1978, 27th June, 78

James E. Sexson

Water Resources Director

By

*Ves Garner*  
Ves Garner

RECEIVED

JUN 22 1978

WATER RESOURCES DEPT.  
SALEM, OREGON

RECEIVED

JUL 20 1978

WATER RESOURCES DEPT.  
SALEM, OREGON

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the

27th day of February, 1978, at 11:00 o'clock A.M.

Application No. G 8665

Permit No. G 8209

**Permit to Appropriate the Public Waters of the State of Oregon**

8500

*This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING MINIMUM FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:*

*The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 11.6 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Zabransky Wells #1, #2, and #3.*

*The use to which this water is to be applied is irrigation and supplemental irrigation.*

*If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein.*

*and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.*

*The well shall be constructed in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon.*

*The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.*


*The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.*

*The priority date of this permit is February 27, 1978*

*Actual construction work shall begin on or before September 5, 1979 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1979*

*Complete application of the water to the proposed use shall be made on or before October 1, 1980*

*WITNESS my hand this 5th day of September, 1978*

  
Water Resources Director