

## Permit No. G- 822

## APPLICATION FOR A PERMIT

## To Appropriate the Ground Waters of the State of Oregon

I,A. G. RUSHLIGHT & CO. (Hamo of applicant)
of
state of
If the applicant is a corporation, give date and place of incorporation
June, 1929. State of Oregon
1. Give name of nearest stream to which the well, tunnel or other source of water development
situated
tributary of
2. The amount of water which the applicant intends to apply to beneficial use is
3. The use to which the water is to be applied isfor Air Conditioning
4. The well or other source is located 33 ft. S. and 7 ft. E. from the (N. or B.)
corner of S. W. Corner, S. W. 10th and S. W. Washington (Section or subdivision)
N16°57E - 689Ft from SW Corner of Sec. 34 (If preferable, give distance and bearing to section corner)
being within the S.P. 1/4 of the 5.B. 1/4 of Sec. 34.  being within the S.P. 1/4 of the 5.B. 1/4 of Sec. 34.  Swing Swing Sec. 1/4 of Sec. 1/4 of Sec. 1 of
W. M., in the county of Multnomah
5. The to be mil
in length, terminating in the
R. W. M., the proposed location being shown throughout on the accompanying map.
6. The name of the well or other works is Dierks Medical Center.
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of t supply when not in use must be described.
Not applicable.
<b></b>
<b></b>
8. The development will consist of one Supply Well and one Disposal Well havin  (Give number of wells, tunnels, etc.)  each
diameter of 12 inches/and an estimated depth of 350 feet It is estimated that 300
feet of the well will require steel casing. Depth to water table is estimated (Kind)

fe	et; depth of water		feet; grade	feet fall per
and feet.				
(b) At	miles	from headge	ite: width on top (at water line	<b>;)</b>
	feet; width on bo	ttom	feet; depth of water	f
<b></b>	feet fall per	one thousand	i feet.	
(c) Length o	of pipe,	ft.; si:	ze at intake,in.; i	in size at
intake	in.; siz	e at place of t	use in.; differe	ence in elevation betu
e and place of	use,	ft. Is	grade uniform?	Estimated capa
······································	sec. ft.			
10. If pumps	s are to be used, gi	ve size and ty	ре	
			deep Well Turbine Pump	
Give horsepo	ower and type of n	notor or engir	te to be used U.S.Motor 40	H.P. 3 phase,
		60 cycle, 1	800 R.P.M.	
ral stream or difference in e	levation between t	give the dist	ance to the nearest point on e d and the ground surface at t	ach of such channels he source of develop
ral stream or difference in e	stream channel, levation between t	give the distante of the stream be	ance to the nearest point on e d and the ground surface at t	ach of such channels he source of develop
ral stream or difference in e	stream channel, levation between to  Not  n of area to be irri  Range E or W. of Willamette Meridian	give the distante of the stream be the Applicable of Appli	ance to the nearest point on ed and the ground surface at t  e  ce of use 515 S. W. 10th	Avenue, Portland,
ral stream or difference in e	stream channel, levation between to  Not  n of area to be irri	give the distante of the stream be to Applicable of the Applicable	ence to the nearest point on ed and the ground surface at t  e  ce of use 515 S. W. 10th A  Forty-acre Tract	Avenue, Portland,
ral stream or difference in e	stream channel, levation between to  Not  n of area to be irri  Range E or W. of Willamette Meridian	give the distante of the stream be the Applicable of Appli	ence to the nearest point on ed and the ground surface at t  e  ce of use 515 S. W. 10th A  Forty-acre Tract	Avenue, Portland,
ral stream or difference in e	stream channel, levation between to  Not  n of area to be irri  Range E or W. of Willamette Meridian	give the distante of the stream be the Applicable of Appli	ence to the nearest point on ed and the ground surface at t  e  ce of use 515 S. W. 10th A  Forty-acre Tract	Avenue, Portland,
ral stream or difference in e	stream channel, levation between to  Not  n of area to be irri  Range E or W. of Willamette Meridian	give the distante of the stream be the Applicable of Appli	ence to the nearest point on ed and the ground surface at t  e  ce of use 515 S. W. 10th A  Forty-acre Tract	Avenue, Portland,
ral stream or difference in e	stream channel, levation between to  Not  n of area to be irri  Range E or W. of Willamette Meridian	give the distante of the stream be the Applicable of Appli	ence to the nearest point on ed and the ground surface at t  e  ce of use 515 S. W. 10th A  Forty-acre Tract	Avenue, Portland,
ral stream or difference in e	stream channel, levation between to  Not  n of area to be irri  Range E or W. of Willamette Meridian	give the distante of the stream be the Applicable of Appli	ence to the nearest point on ed and the ground surface at t  e  ce of use 515 S. W. 10th A  Forty-acre Tract	Avenue, Portland,
ral stream or difference in e	stream channel, levation between to  Not  n of area to be irri  Range E or W. of Willamette Meridian	give the distante of the stream be the Applicable of Appli	ence to the nearest point on ed and the ground surface at t  e  ce of use 515 S. W. 10th A  Forty-acre Tract	Avenue, Portland,
ral stream or difference in e	stream channel, levation between to  Not  n of area to be irri  Range E or W. of Willamette Meridian	give the distante of the stream be the Applicable of Appli	ence to the nearest point on ed and the ground surface at t  e  ce of use 515 S. W. 10th A  Forty-acre Tract	Avenue, Portland,
ral stream or difference in e	stream channel, levation between to  Not  n of area to be irri  Range E or W. of Willamette Meridian	give the distante of the stream be the Applicable of Appli	ence to the nearest point on ed and the ground surface at t  e  ce of use 515 S. W. 10th A  Forty-acre Tract	Avenue, Portland,
ral stream or difference in e	stream channel, levation between to  Not  n of area to be irri  Range E or W. of Willamette Meridian	give the distante of the stream be the Applicable of Appli	ence to the nearest point on ed and the ground surface at t  e  ce of use 515 S. W. 10th A  Forty-acre Tract	Avenue, Portland,

¥	, sa constant of the constant
TUNECIPAL EXPELY-	82
22. To supply the city of	Not Applicable
***************************************	may, having a present population of
of an estimated parallelies of	in 18
ANSWER (	MINSTEGNS 14, 15, 24, 27 AND 18 DI ALL CASES Hell works, \$. 2,090,00
• 1 as	begin on or before PRINNEY 1. 1958
16. Construction work will b	se completed on or beforeIVMA 1, 1958
17. The water will be comple	etely applied to the proposed use on or beforeAugustl1958
ition for permit, permit, certific	pply is supplemental to an existing water supply, identify any appears or adjudicated right to appropriate water, made or held by
oplicant	ot Applicable
	A. G. RUSHLIGHT & CO.
	Frid Croush
Remarks:	Fred Crouch
	······································
	······································
	······································
	•••••••••••••••••••••••••••••••••••••••
	······································
TATE OF OREGON, County of Marion,	
This is to certify that I have	e examined the foregoing application, together with the accompan
	ne for
In order to retain its priorit	ly, this application must be returned to the State Engineer, with cor
ons on or before	, 19

STATE ENGINEER
ASSISTANT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed								
				other water users, from . a				
The	use to which this u	pater is to be applied in	s air co	nditioning				
				of one cub				
_				nited to a diversion of not				
acre feet p	er acre for each ac	ere irrigated during th	e irrigation	season of each year;				
•••••			••••					
			···		······································			
	•							
			••••					
and shall	be subject to such 1	reasonable rotation sys	rtem as may	be ordered by the proper	state officer.			
The	well shall be cased shall include proper	d as necessary in acco er capping and control	rdance with	n good practice and if the revent the waste of groun	e flow is artesian d water.			
The line, adeq	works constructed uate to determine	l shall include an air l water level elevation	line and pre in the well	ssure gauge or an access pat all times.	port for measuring			
The	permittee shall in	stall and maintain a w e amount of ground w	eir, meter, (	or other suitable measurin	g device, and shall			
				November 19. 1957				
				May 26, 1959	_			
				ompleted on or before O				
				hall be made on or before				
WI	TNESS my hand tr	is 20 cm day of		May 19				
				The second secon	STATE ENGINEES.			
! !		the gon,		6 S	5			
	UND	ed in 1, Ore		<b>3</b>	ENGINE			
88 7	E GROI	receiv Salem M be	·	4	etait engineer			
822	THE THE SON	first r er at 3 ove o		n page	Ω, 01			
Application No. G 808 Permit No. G	PERMIT APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 19 and of Makem ber 19 52, at 8:00 o'clock A. M.	at:	Approved:  May 26, 1958  Recorded in book No.  Ground Water Permits on page	STANIEY  Basin No. 3  state Printing			
ition No. (	PE OPRI OF	ment ate E day	Returned to applicant:	1958 in boo	Drainage Basin No.			
Application Permit No.	PI APPROPR WATERS OF	nstru he St	to ap	ded in Water	A.			
4 <u>r</u>	TO A	This in office of the on the 19.52, at	urned	Approved: May 26. Recorded	LE: IS Draina			
		on t	Ret	App.	:			