

RECEIVED

FEB 11 1956

STATE ENGINEER
SALEM, OREGON

Permit No. G-823

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, ANTONE J. VEY (Name of applicant)
of Echo (Postoffice Address), county of Umatilla
state of OREGON, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated BUTLER CREEK (Name of stream)

tributary of UMATILLA RIVER

2. The amount of water which the applicant intends to apply to beneficial use is _____ cubic feet per second or 2000 gallons per minute.

3. The use to which the water is to be applied is IRRIGATION

4. The well or other source is located 300 ft. S and 10 ft. W from the NE corner of The NE 1/4 of the NW 1/4 of SECTION 28 T14N R28E 28 1/2M (Section or subdivision)
WEST
It is located 410' South AND 20' North from the SE CORNER of The NW 1/4 of the NW 1/4 of SECTION 28 T14N R28E 28 1/2M (If there is more than one well, each must be described. Use separate sheet if necessary)
being within the #3 NE 1/4 NW 1/4; #2 NW 1/4 NW 1/4 of Sec. 28, Twp. 14N, R. 28E 1/2M W. M., in the county of UMATILLA

5. The _____ (Canal or pipe line) to be _____ miles in length, terminating in the _____ of Sec. _____, Twp. _____, R. _____, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is WELL # 3 USGS WELL # 2801
WELL # 2 " " " " 2801

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

WELL # 2 FLOWS AND IS CONTROLLED WITH A VALVE WHICH IS CLOSED WHEN NOT IN USE
WELL # 3 FLOWS AND IS CONTROLLED WITH A VALVE WHICH IS CLOSED WHEN NOT IN USE

8. The development will consist of 2 WELLS (Give number of wells, tunnels, etc.) having a diameter of 12 inches and an estimated depth of 500 feet. It is estimated that 500 feet of the well will require 12" std 14 1/2" casing. Depth to water table is estimated FLW (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type WELL #3 IS PUMPED WITH A TURBINE PUMP AT A RATE OF 1000 GAL PER MINUTE
Give horsepower and type of motor or engine to be used

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

WELL #2 600' APPROX FROM AND 50' ABOVE STREAMBED OF BUTLER CREEK
WELL #3 500' APPROX FROM AND 50' ABOVE STREAMBED OF BUTLER CREEK

12. Location of area to be irrigated, or place of use

Township N or S	Range E or W of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
ATLANTIC of 161.86 ACRES in part of NE 1/4 and NW 1/4 of SEC 28 NW 1/4 of SEC 29 and NW 1/4 of SEC 29				
1 N	28 E	28	NE 1/4 of NE 1/4	2 1/2
1 N	28 E	28	NW 1/4 of NE 1/4	11
1 N	28 E	28	NE 1/4 of NW 1/4	10
1 N	28 E	28	NW 1/4 of NW 1/4	32 1/2
1 N	28 E	29	NE 1/4 of NE 1/4	14
1 N	28 E	29	NW 1/4 of NE 1/4	17
1 N	28 E	29	NE 1/4 of NW 1/4	12 1/2
1 N	28 E	29	NW 1/4 of NW 1/4	2 1/2
1 N	28 E	29	SW 1/4 of NW 1/4	6 1/2
1 N	28 E	29	SE 1/4 of NW 1/4	5 1/2
Character of soil				113 1/2 ACRES
Kind of crops raised				

MUNICIPAL SUPPLY

12. To supply the city of

in county, having a present population of

and an estimated population of in 19.....

14. Estimated cost of proposed works, \$ 9000⁰⁰

15. Construction work will begin on or before Dec 18 1952

16. Construction work will be completed on or before July 13 1953

17. The water will be completely applied to the proposed use on or before Sept 1953

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. Water for 118 1/2 acres. State Water Board Volume 3 Page 250 date 1862. Water right not to exceed 1.89 C.F.S. from Butler Creek.

(Signature of applicant)

Remarks:

THE WATER FROM THESE WELLS IS SUPPLEMENTAL TO THE EXISTING WATER RIGHT TO THESE LANDS. THE WATER IN BUTLER CREEK IS NOT SUFFICIENT TO IRRIGATE THESE LANDS AFTER JUNE 16TH

STATE OF OREGON, } ss.
County of Marion, }

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before April 28, 19 58.

WITNESS my hand this 25th day of February, 19 58

LEWIS A. STANLEY STATE ENGINEER

By James W. Carver, Jr. Assistant

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.42 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Wells Nos. 2 and 3

The use to which this water is to be applied is supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the amount of water allowed herein, together with the amount secured under any other land existing for the same lands shall not exceed the limitation allowed herein.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is February 11, 1958, for 1.28 cfs and April 17, 1958, for 0.14 cfs

Actual construction work shall begin on or before May 26, 1959 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1959

Complete application of the water to the proposed use shall be made on or before October 1, 1960

WITNESS my hand this 26th day of May, 1958

[Signature] STATE ENGINEER

Application No. G- 858
Permit No. G- 823

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 26th day of May, 1958, at 6 o'clock P.M.

Returned to applicant:

Approved:

May 26, 1958

Recorded in book No. 4 of

823

Ground Water Permits on page

LEWIS A. STANLEY

STATE ENGINEER

Drainage Basin No. 7 page 39