

RECEIVED
APR 8 1958
STATE ENGINEER
SALEM, OREGON

Permit No. G-829

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, S. Curtis (Name of applicant)

of Rt. 1, Box 488, Cave Junction, county of Josephine
(Postoffice Address)

state of OREGON, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Sucker Creek
(Name of stream)

tributary of East Fork Illinois River

2. The amount of water which the applicant intends to apply to beneficial use is 0.16 cubic feet per second or 72 gallons per minute.

3. The use to which the water is to be applied is Irrigation

4. The well or other source is located 260 ft. N and 1050 ft. E from the SW corner of section 32
(N. or S.) (E. or W.)
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well each must be described. Use separate sheet if necessary)

being within the SE 1/4 SW 1/4 of Sec. 32, Twp. 39 S, R. 7 W

W. M., in the county of Josephine

5. The ditch and pipe to be 1000 feet miles
(Canal or pipe line)
in length, terminating in the SW 1/4 SW 1/4 of Sec. 32, Twp. 39 S
(Smallest legal subdivision)

R. 7 W W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Curtis

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of One infiltration trench having a length of 30 feet and width of 12 feet (Give number of wells, tunnels, etc.) diameter of 12 inches and an estimated depth of 12 feet. It is estimated that

feet of the well will require none casing. Depth to water table is estimated 0
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) 1 feet; width on bottom 0.8 feet; depth of water 0.3 feet; grade 6 feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 40 ft.; size at intake, 2 in.; in size at 40 ft. from intake 2 in.; size at place of use 2 in.; difference in elevation between intake and place of use, 10 ft. Is grade uniform? NO Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type 2" centrifugal pump

Give horsepower and type of motor or engine to be used 2 HP Electric motor

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
39 S	7 W	32	SW 1/4 SW 1/4	7
39 S	7 W	32	SE 1/4 SW 1/4	1
Description:				
Beginning at the Southwest corner of Section 32 in Township 39 South, Range 7 West of the Willamette Meridian; thence due East 1410 feet West; thence 492 feet 32° West of North; thence 1463 feet West; thence 65 feet South to the place of beginning.				
(Note) The Assessors record shows this tract to begin at the Southwest corner of said Section 32; thence East 1410 feet; thence North 492 feet; thence Southwesterly, along the County Road 1463 feet; thence South to the place of beginning.				

(If more space required, attach separate sheet)

Character of soil LOAM

Kind of crops raised Garden and pasture

MUNICIPAL SUPPLY

12. To supply the city of _____
in _____ county, having a present population of _____
and an estimated population of _____ in 19_____

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 1000
- 15. Construction work will begin on or before April 4th, 1959
- 16. Construction work will be completed on or before April 4th, 1960
- 17. The water will be completely applied to the proposed use on or before April 4, 1961

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

Remarks:

S. G. Curtis
(Signature of applicant)
Laure Junction Oregon
P.O. Box 428

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____ correction

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before June 23, 1958.

WITNESS my hand this 21 day of April, 19 58

LEWIS A. STANLEY

STATE ENGINEER

By

James W. Carver, Jr.
James W. Carver, Jr.

ASSISTANT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.10 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is April 8, 1958

Actual construction work shall begin on or before May 26, 1959 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1959

Complete application of the water to the proposed use shall be made on or before October 1, 1960

WITNESS my hand this 26th day of May, 1958

Lewis A. Stanley STATE ENGINEER

Application No. G- 924

Permit No. G- 829

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 26th day of May, 1958, at 6:00 o'clock P.M.

Returned to applicant:

Approved: May 26, 1958

Recorded in book No. 4 of

Ground Water Permits on page 829

LEWIS A. STANLEY STATE ENGINEER

Drainage Basin No. 15 page 86