Application No		1	$\overline{}$	_	. 🗴	C) =	~
$Application\ No$	 	 ج.	!		ر).)(Į.,_),

Permit No.

G. 83**33**.

Application for a Permit to Appropriate Ground Water AUG 2 4 105

<i>I,</i>	Vernon and	d/or Charlo	tte Fowler (Name of Applicant)	WATER RESOURCES D SALEM, OREGON
f	1199 Thoma	oson Creek		Applegate,
tate of		ailing Address) 97530 (Zip Code)	Phone No846-6315	do hereby
		-		and waters of the State of Oregon:
1. The de	velopment will c	consist of	Two Wells (Give number of wells, tile lin	nes, infiltration galleries, etc.)
2. The we	ell'or other source	e is to be located .	1340 ft. N. (N. or S.)	and 550 ft E
				the NW% NE%, Sec. 28
d Well #2	2 is locat	ed 1290! N.	and 530 E. fro	m the center of Section 2
•	•			¼ of the NE. ¼ of
				han irrigation.
Township	Range	Section	List ¼ ¼ of Section	List use and/or number of acres to be irrigated
Township	Range	Section 28	List ¼ ¼ of Section NV/¼ NE¼	List use and/or number of acres to be irrigated
				List use and/or number of acres to be irrigated 2.0 acres suppl. irrig
			NWW NEW	List use and/or number of acres to be irrigated 2.0 acres suppl. irrig
			NWW NEW	List use and/or number of acres to be irrigated 2.0 acres suppl. irrig
			NWW NEW	List use and/or number of acres to be irrigated 2.0 acres suppl. irrig
			NWW NEW	List use and/or number of acres to be irrigated 2.0 acres suppl. irrig
			NWW NEW	List use and/or number
			NWW NEW	List use and/or number of acres to be irrigated 2.0 acres suppl. irrig
			NWW NEW	List use and/or number of acres to be irrigated 2.0 acres suppl. irrig

^{4.} It is estimated that 1 16; #2 44 feet of the well will require rock; #2 0.250casing.

^{5.} Depth to water table is estimated #1 8: : / Well drilled by #1 - hand dug; #2 - McClanahan.

6. The amount of water which the applicant intends to apply to beneficial use is
7. The use to which the water is to be applied isirrigation_and_supplamental_irrigation being_0.03_c.f.s. 8. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described. 9. If the location of the well, or other development work is less than one-fourth mile from a natural stream channel, give the distance to the channel and the difference in elevation between the stream bed and the ground surface at the source of development. Well #1 and #2 - 200' East and +7' in elevation. 10. DESCRIPTION OF WORKS Include length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system. #1. Pump_is_a_2" x 14" centrifugal_pump_powered_by_a_2.0 HaP. electric mator.
8. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described. 9. If the location of the well, or other development work is less than one-fourth mile from a natural stream channel, give the distance to the channel and the difference in elevation between the stream bed and the ground surface at the source of development. Well #1 and #2 - 200' East and +7' in elevation. 10. DESCRIPTION OF WORKS Include length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system. #1. Pump is a 2" x 1½" centrifugal pump powered by a 2.0 H.P. electric motor.
8. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described. 9. If the location of the well, or other development work is less than one-fourth mile from a natural stream channel, give the distance to the channel and the difference in elevation between the stream bed and the ground surface at the source of development. Well #1 and #2 - 200' East and +7' in elevation. 10. DESCRIPTION OF WORKS Include length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system. #1. Pump is a 2" x 1%" centrifugal pump powered by a 2.0 H.P. electric motor.
9. If the location of the well, or other development work is less than one-fourth mile from a natural stream channel, give the distance to the channel and the difference in elevation between the stream bed and the ground surface at the source of development. Well #1 and #2 - 200' East and +7' in elevation. 10. DESCRIPTION OF WORKS Include length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system. #1. Pump_is_a_2" x 14" centrifugal_pump_powered_by_a_2.0_H.P. electric_motor.
9. If the location of the well, or other development work is less than one-fourth mile from a natural stream channel, give the distance to the channel and the difference in elevation between the stream bed and the ground surface at the source of development. Well #1 and #2 - 200' East and +7' in elevation. 10. DESCRIPTION OF WORKS Include length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system. #1. Pump is a 2" x 1%" centrifugal pump powered by a 2.0 H.P. electric motor.
Include length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system. #1. Pump is a 2" x 1%" centrifugal pump powered by a 2.0 H.P. electric motor.
Include length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system. #1 Pump is a 2" x 1%" centrifugal pump powered by a 2.0 H.P. electric motor.
Include length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system. #1 Pump is a 2" x 1%" centrifugal pump powered by a 2.0 H.P. electric motor.
system to adequately describe the proposed distribution system. #1 Pump is a 2" x 1%" centrifugal pump powered by a 2.0 H.P. electric motor.
motor.
#2 Fump is 2" submersible pump powered by a 3.0 H.P. electric motor.
#2 Fump is 2" submersible pump powered by a 3.0 H.P. electric motor.
11. Construction work will begin on or before one year from date of priority.
12. Construction work will be completed on or beforeQc.tober 1, 1980.
13. The water will be completely applied to the proposed use on or beforeQc.toberl.,1981
14. If the ground water supply is supplemental to an existing supply, identify the supply and existing
water right Supplemental to 2 acres under Certificate #16468, priority
.868, from Thompson Creek.

Application No. G-8932

in supply to be made up from Well #2.	
;	•••••
8) APYLICATION PORTARED BY;	•••••
tolin F. Cummin	
OM IMFORMATION FURNISHED BY	
E APPLICANT,	
+1/ennon P. F.	wells
Signature of Applica	Fowlor
Mandell	10 cerces_
This is to certify that I have examined the foregoing application, together with the	e accompanying m
nd data, and return the same for	
	D: /
In order to retain its priority, this application must be returned to the Water Re	
rrections on or before	, 19
	•
WITNESS my hand this day of, 19,	
Water Resources Director	
By	
This instrument was first received in the office of the Water Resources Director at	
24 day of August , 19 78 , as	t .// o'cl
. <i>А</i> м.	•
······································	
	<u>^</u>

Application No.	G-8932	Permit No	\mathbf{G}	8
Application No	······································	Permii No		

Permit to Appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING MINIMUM FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use of	ind
shall not exceed0.08 cubic feet per second measured at the point of diversion from	the
well or source of appropriation, or its equivalent in case of rotation with other water users, fromWell#1.	·
with any deficiency in the available supply of Well #1 to be made up by an appropation from Well #2. The use to which this water is to be applied is irrigation and supplemental irrigation.	
If for irrigation, this appropriation shall be limited to	per
second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exc	eed
2½ acre feet per acre for each acre irrigated during the irrigation season of each year;	
provided further that the right allowed herein shall be limited to any deficiency	Y
in the available supply of any prior right existing for the same land and shall r	ņọṭ
exceed the limitation allowed herein.	•••••
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be constructed in accordance with the General Standards for the Construction of Maintenance of Water Wells in Oregon. The works constructed shall include an air line and pressure gauge or an access port for measuring landequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shale a complete record of the amount of ground water withdrawn.	and ine,
The priority date of this permit is	
Actual construction work shall begin on or beforeNovember 7., 1979 and sh	hall
thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1980	
Complete application of the water to the proposed use shall be made on or before October 1, 1981	
WITNESS my hand this7th day of	

Water Resources Director