

RECEIVED
APR 15 1958

STATE ENGINEER
SALEM, OREGON

Permit No. G- **834**

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, The First National Bank of Portland, Oregon, a Banking Association
(Name of applicant)

of P. O. Box 3457, Portland, county of Multnomah,
(Postoffice Address)

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

July 4, 1865 Portland, Oregon

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Willamette River
(Name of stream)

tributary of Columbia River

2. The amount of water which the applicant intends to apply to beneficial use is _____ cubic feet per second or 30 gallons per minute.

3. The use to which the water is to be applied is ~~Domestic purposes~~ Air Conditioning *

4. The well or other source is located 100 ft. S and 874 ft. E from the NW corner of NW 1/4 of SW 1/4
(N. or S.) (E. or W.) (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well each must be described. Use separate sheet if necessary)

being within the NW 1/4 of SW 1/4 of Sec. 2, Twp. 7, R. SR3W, W. M., in the county of Marion

5. The _____ to be _____ miles in length, terminating in the _____ of Sec. _____, Twp. _____, R. _____, W. M., the proposed location being shown throughout on the accompanying map.
(Canal or pipe line) (Smallest legal subdivision)

6. The name of the well or other works is No name

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8" drilled well with jet type pump and pressure tank. Connected to building plumbing system.

8. The development will consist of 1 well having a diameter of 8 inches and an estimated depth of 121 feet. It is estimated that 121 feet of the well will require 1/4" steel casing. Depth to water table is estimated _____
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type 1 1/2" jet

Give horsepower and type of motor or engine to be used Electric motor 1 1/2 H.P.

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use No irrigation

| Township N. or S. | Range E. or W. of Willamette Meridian | Section | Forty-acre Tract | Number Acres To Be Irrigated |
|-------------------|---------------------------------------|---------|------------------|------------------------------|
| 7 S | 3 W | 2 | NW 1/4 SW 1/4 | Air Cond. * |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

(If more space required, attach separate sheet)

Character of soil
 Kind of crops raised

MUNICIPAL SUPPLY--

B. To supply the city of

in county, having a present population of

and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

14. Estimated cost of proposed works, \$ 2,500.00.....

15. Construction work will begin on or before April 29, 1957.....

16. Construction work will be completed on or before

17. The water will be completely applied to the proposed use on or before July Sept 14, 1957

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

The First National Bank of Portland, Oregon
By: [Signature] Assistant Vice President

Remarks:

* See W. F. Bushnell letter of April 24, 1958

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19

STATE ENGINEER

By ASSISTANT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.02 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is air conditioning

If for irrigation, this appropriation shall be limited to - - of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is April 15, 1958

Actual construction work shall begin on or before May 26, 1959 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1959

Complete application of the water to the proposed use shall be made on or before October 1, 1960

WITNESS my hand this 26th day of May, 1958

STATE ENGINEER

Application No. G-926
Permit No. G-834

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 25th day of April, 1958, at 5 o'clock A.M.

Returned to applicant:

Approved:

May 26, 1958

Recorded in book No. 4 of

Ground Water Permits on page 834

LEWIS A. STALEY STATE ENGINEER

Drainage Basin No. 2 page 92A