RECEIVED

TEB 1 8 1977

SOURCES DEPT.

OREGON

Permit No. G. G. 8350

\$84,30 EXAM

To Appropriate the	Ground	waters	OI LNG	State	oi Oreş	gon
2		1 -	i	127		ese de g
I, Byron HAG						
11382 Whis	Han	Name of applica	., county o	MAr	low	
te of Salem of Growing described ground waters of	303, do	hereby make Oregon, SUI	application	ı for a perm EXISTING	it to approp	riate t
If the applicant is a corporation		NO SERVICE				
1) the applicant is a corporation	, give date d	na place of t	ncorporati	n L		
N O	And the second second					Taganer Tagan
1. Give name of nearest stream	∧	the term and a second	and the second second		11 July 42 50 6 1 50 1	pment
iated Missian B	ahe	Name of stream)	lonel	& Sur	~/`	
		tri		A for order		
→ 2. The amount of water which	the applican	t intende to	male to be	r yerd	0 1=	2.2
t per second or gallor	ine applicat is per minut	e.	ippig io de	nejiciai use	well	-88 c
3. The use to which the water	is to be any	lied is W	r) cu	eter L	1/1/1/	110
ut of the seaso						Lega
	H (480)	5 600 5			30 V 40	N.
4. The well or other source is le		(N. or S.)	_and	ft. (E. or W	from the	W U
ner of # 2 5 = 2 1 6 5	$\frac{3\omega}{4\omega}$	A William	1.30	940 (n	30 A.	
Vel1 # 1 40' N& 129	70' W.	from	SE CO.	r. Sec .	3 4 :	753
less #2 780'5. (If projection of the projection	rable, give distan	ce and pearing to se	action corner)	Tor Sec	27	5.56
(If there is monothan o	ne well, each mus	it be described. Use	sen mate sheet	if necessary)	2	2-34
ig within the#2 NW NW	Salet	of Sec	2	Twp 2.	Ī, R≉	2-36
M., in the county of Smal	ia.	unitaria (h. 18			in the second	
5. The Port main (Canal or p			to be	* 0 h	* ***	
アンドラ かいさい 音楽 道道 アンドラ こうしょう アンドラ さんしん しゅんしょ	pipe line)		1000			mil
ength, terminating in the	(Smallest legal st	ıbdivision)	of Sec		, Twp	
, W. M., the proposed loc	ation being	shown throug	hout on th	e accompan	ying map.	
6. The name of the well or other			- Milita	A		47
				New Control		
	DESCRIPTI	ON OF WO	RKS			
7. If the flow to be utilized is art		orks to be use	d for the	control and	conservatio	n of th
ly when not in use must be descri	bed.					
<u>, 하다 개발 기업을 하는 것이 되었다. 그런 경기 기업을 하는 것이 되었다. 그런 기업을 되었다. 그런 기업을 하는 것이 되었다. 그런 기업을 되었다. 그런 기업을 하는 것이 되었다. 그런 기업을 되었다. 그런 그런 그런 그런 그런 그런 그런</u>	araj di sumberi. Granaj		10.7 E. 15 A.			
그 경영하셨다고요요 그는 동안 경기를 내려왔다.						2887
	and the same of the same					

CTZCIDENE	OD DIDE LINE			G 8350
ANAL SYSTEM (9. (a) Give (limensions at ea	— ich point of ca	nal where materially change	ed in size, stating miles from
				feet; width on bottom
			feet; grade	
	jeer, depire of a			
housand feet.		t-t-m band	gate: width on top (at water	line)
(b) At				
			그는 사람들이 위한 하는 그루, 회사이를 다니다.	ater feet;
rade	feet fall p	per one thousa	nd feet.	
(c) Length o	f pipe,	ft.; si	ze at intake in.	; in size at ft.
rom intake	1 :	en at alace of a	use in.: diff	erence in elevation between
rtake and place of	use,	ft. I	s grade uniform?	Estimated capacity,
	sec. ft.		$\mathcal{I}_{i,i} \cup \mathcal{I}_{i}$	
10. If pumps	are to be used,	give size and t	ype Tifly hp-6	urbre:
2040 Ce	strifies	$\mathcal{D}^{r_{i_{i_{i_{i_{i_{i_{i_{i_{i_{i_{i_{i_{i_$	SECTOR ROLL TO SECURE TO CAN THE	
			ngine to be used	
Cine horsen	ower and type	טו ווטנטנטו טו פ		
Give horsep	richelling of A			
" 11. If the lo	cation of the we	ll, tunnel, or o	ther development work is le	ss than one-fourth mile from n each of such channels and
11. If the lo a natural stream o the difference in e	cation of the we r stream channe levation betwee	ll, tunnel, or o el, give the dis n the stream b	ther development work is lestance to the nearest point of the dand the ground surface of	ss than one-fourth mile from n each of such channels and at the source of development
11. If the lo a natural stream o the difference in e	cation of the we r stream channe levation betwee	ll, tunnel, or o el, give the dis n the stream b	ther development work is lestance to the nearest point of the dand the ground surface of	ss than one-fourth mile from n each of such channels and at the source of development
11. If the lo a natural stream o the difference in e	cation of the we r stream channe levation betwee	ll, tunnel, or o el, give the dis n the stream b	ther development work is le	ss than one-fourth mile from n each of such channels and at the source of development
11. If the lo a natural stream o the difference in e	cation of the we r stream channe levation betwee	ll, tunnel, or o el, give the dis n the stream b	ther development work is lestance to the nearest point of the dand the ground surface of	ss than one-fourth mile from n each of such channels and at the source of development
11. If the lo a natural stream o the difference in e # 1250A	cation of the we r stream channe levation betwee	il, tunnel, or o el, give the dis n the stream b	ther development work is lestance to the nearest point of the and the ground surface of the control of the cont	ss than one-fourth mile from n each of such channels and at the source of development
11. If the lo a natural stream o the difference in e # 1250St # 2 12. Location	cation of the were stream channel levation between two and the control of the con	ll, tunnel, or or el, give the dis n the stream b	ther development work is lestance to the nearest point of the and the ground surface of the control of the cont	ss than one-fourth mile from n each of such channels and at the source of development
11. If the lo a natural stream o the difference in e # 12505t	cation of the we r stream channelevation between	ll, tunnel, or or el, give the dis n the stream b	ther development work is lestance to the nearest point of seed and the ground surface of the seed of use	ss than one-fourth mile from m each of such channels and it the source of development l. Change
11. If the loan natural stream of the difference in endinger of the difference in th	cation of the we restream channel evation between the control of area to be in the control of a control of a control of a control of area to be in the control of a con	ll, tunnel, or or el, give the dis n the stream b	ther development work is lestance to the nearest point of the and the ground surface of the control of the cont	ss than one-fourth mile from m each of such channels and it the source of development l. Change
11. If the lo a natural stream o the difference in e # 1250Cl	cation of the were stream channel levation between two and the control of the con	ll, tunnel, or or el, give the dis n the stream b	ther development work is letance to the nearest point of the deal and the ground surface of the second surface surfa	ss than one-fourth mile from meach of such channels and it the source of development l. hards. Number Acres To Be Irrigated.
11. If the loan natural stream of the difference in endinger of the difference in th	cation of the we restream channel evation between the control of area to be in the control of a control of a control of a control of area to be in the control of a con	Il, tunnel, or or el, give the dis n the stream b	ther development work is letance to the nearest point of the deal and the ground surface of the second surface	ss than one-fourth mile from n each of such channels and it the source of development l. Change To Be Irrigated To Be Irrigated 35.4
11. If the loan natural stream of the difference in endinger of the difference in th	cation of the we restream channel evation between the control of area to be in the control of a control of a control of a control of area to be in the control of a con	ll, tunnel, or or el, give the dis n the stream b	ther development work is lestance to the nearest point of the and the ground surface of the control of the cont	ss than one-fourth mile from n each of such channels and it the source of development l. Change To Be Irrigated, Number Acres To Be Irrigated, 0.6 32.4 35.4 14.8 39.9
11. If the loan natural stream of the difference in e # 12 SOSH # 2 12. Location Township N. or S. Well # 55	cation of the we restream channel evation between the control of area to be in the control of th	Il, tunnel, or or el, give the dis n the stream b	ther development work is lestance to the nearest point of the deal and the ground surface of the second surface su	ss than one-fourth mile from n each of such channels and it the source of development l. Change To Be Irrigated, Number Acts To Be Irrigated, 0.6 32.4 35.4
11. If the lo a natural stream of the difference in e # 12 SOST # 2 12. Location Township N. or S. Well #	cation of the we restream channel evation between the stream channel evation between the stream of area to be in the stream of area to be in the stream of williamette Meridian the stream of the stre	Il, tunnel, or or el, give the dis n the stream b	ther development work is lestance to the nearest point of the and the ground surface of the and the an	ss than one-fourth mile from n each of such channels and it the source of development l. Change To Be Irrigated, Number Acres To Be Irrigated, 0.6 32.4 35.4 14.8 39.9
11. If the lo a natural stream o the difference in e # 12 SOSH # 2 12. Location Township N. or S. Well #	cation of the we restream channel evation between the stream channel evation between the stream of area to be in the stream of area to be in the stream of williamette Meridian the stream of the stre	Il, tunnel, or or el, give the dis n the stream b	ther development work is lestance to the nearest point of seed and the ground surface of the seed of use Forty-acre Tract SE SU NE SE SE SE NE NE	Number Acres To Be lirigated, 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1
11. If the lo a natural stream o the difference in e # 12 SOSH # 2 12. Location Township N. or S. Well #	cation of the we restream channel evation between the stream channel evation between the stream of area to be in the stream of a s	Il, tunnel, or or el, give the dis n the stream b	ther development work is lestance to the nearest point of seed and the ground surface of the seed of use Forty-acre Tract SE SU NE SE SE SE NE NE	Number Acres To Be lirigated, 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1

G 8350 Kind of crops raised ...

MUNICIPAL SUPPLY—	G7773
13. To supply the city of	G 8350
in count	y, having a present population of
and an estimated population of	
	TIONS 14, 15, 16, 17 AND 18 IN ALL CASES
	그는 그 하고 아무슨 사람들은 사람들은 사람들은 사람들은 사람들은 사람들이 되었다.
14: Estimated cost of proposed	
15 Construction work will beg	in on or before Completed
16. Construction work will be	completed on or before
17. The water will be complete	ly applied to the proposed use on or before
18. If the ground water suppl cation for permit, permit, certificate	y is supplemental to an existing water supply, identify any appli- e or adjudicated right to appropriate water, made or held by the
applicant. Opp. # 49007	Pai
app # G 5416	
	Syron Signature of applicant)
Remarks:	(Signature of applicant)
I	just planted and works
mint,	likisin disprit need for
my same and	
the shorty u	
heen interlight	ed and ned water, to
get seel up t	he sail In order for me
to kepupa.	good rotato of Crapping
I amaly	plant mit and need
this hymnth	each year. In adding -
plant dill is	the spring and need we
	三人,自由这种理解的不 了。
myne che me	aso & emirg my crap.
STATE OF OREGON,)	
County of Marion,	
This is to certify that I have e	xamined the foregoing application, together with the accompanying
maps and data, and return the same f	그리즘, 사람들이 아니는 아니는 아이를 하게 되었다면 하는 사람들이 되었다.
waps and data, and retain the same y	
중요하는 사람들이 얼마나 아들은 사람이다.	his application must be returned to the State Engineer, with correc-
tions on or before November 2].	, 19. 78.
VITNESS my hand this21st	day of September, 1978
	그러는 얼마를 살아 살아왔다. 그는 그리는 바라가 하는 그 바람들이 얼마를 받는 것이다.
	그리고 아이 얼굴 중요하다는 이 보이라고 있다. 그리고 있다면 그렇게 되는 것이다.
CV C)	James E. Sexson Director
OCT 2 7 1976 ATER RESOURCES SALEM, OREGOI	James E. Sexson Director

APPROPRIATE THE GROUND

Permit No. G- G 8350

Application No. G-7773

STATE

WATERS OF THE

OREGON

Q

111

This instrument was first received

office of the State Engineer at Salem,

to applicant:

Returned

at 4:22

page

Drainage Basin No.

Recorded in book No.

Approved:

Ground Water

835