

RECEIVED

DEC 30 1976

WATER RESOURCES DEPT
SALEM, OREGON

"CERTIFICATE NO. 67507"

Permit No. G-8377
57625

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Crown Zellerbach Corporation
(Name of applicant)
of 1500 SW First Ave. Portland, Oregon 97201, county of Multnomah
(Postoffice Address)
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

August 28, 1924 Nevada

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Big Springs Creek
(Name of stream)

tributary of Klamath

2. The amount of water which the applicant intends to apply to beneficial use is .0125 cubic feet per second or 5.61 gallons per minute.

3. The use to which the water is to be applied is forest fire control in quantity necessary on emergency basis

4. The well or other source is located ft. (N. or S.) and ft. (E. or W.) from the corner of 2400 feet N 30 1/2° W from SE corner of Section 11.
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the NE 1/4 SE 1/4 of Sec. 11, Twp. 30 S, R. 7 E, W. M., in the county of Klamath

5. The none (Canal or pipe line) to be -0- miles in length, terminating in the NE 1/4 SE 1/4 of Sec. 11, Twp. 30 S, R. 7 E, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Windmill Well

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

Not artesian

8. The development will consist of one well (Give number of wells, tunnels, etc.) having a diameter of 8 inches and an estimated depth of 125 feet. It is estimated that feet of the well will require casing. Depth to water table is estimated 57 feet
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 18 ft.; size at intake 2½ in.; in size at 22½ ft. from intake 1½ in.; size at place of use 1½ in.; difference in elevation between intake and place of use, 22½ ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type Verti Line Gear Pump

Give horsepower and type of motor or engine to be used 7 horsepower gas engine.

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

.....
.....
.....

12. Location of area to be irrigated, or place of use forest fire control in

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
29 S	7 E			
30 S	7 E			

(If more space required, attach separate sheet)

Character of soil 0 2111

Kind of crops raised

MUNICIPAL SUPPLY—

13. To supply the city of _____ does not apply _____
in _____ county, having a present population of _____
and an estimated population of _____ in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 3000.00
- 15. Construction work will begin on or before April 1968
- 16. Construction work will be completed on or before MAY 1968
- 17. The water will be completely applied to the proposed use on or before MAY 1968

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. Not supplemental


H. B. Mellors, Engr. For: Crown Zellerbach Corp.
(Signature of applicant)

Remarks: Installation, in addition to well and pump, includes 5000 gallon tank with 4 inch outlet mounted on 15' x 16' platform 12 feet above ground. Tank is filled once a year and held in reserve.

This well was acquired with purchase of property and not drilled by Crown Zellerbach Corporation.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER
By ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 5.61 gallons per minute ~~xxxxxx~~ measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well.

The use to which this water is to be applied is fire protection.

If for irrigation, this appropriation shall be limited to _____ of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed _____ acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is December 30, 1976

Actual construction work shall begin on or before December 21, 1979 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1980

Complete application of the water to the proposed use shall be made on or before October 1, 1981

WITNESS my hand this 21st day of December, 1978.

[Signature]
Water Resources Director

Application No. G-7625
Permit No. G- G 8377

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 30 day of Dec,
1976, at 9:00 o'clock A. M.

Returned to applicant:

Approved:

Recorded in book No. _____ of _____
Ground Water Permits on page _____

STATE ENGINEER

Drainage Basin No. 1A page 21

[Handwritten initials]