<b>,</b>	pplication	for a Perm	ATER RESOURCES	DEPARTMENT CE / DEPARTMENT OF 1970 SALEM, OREGON
Rt.1,	Box 192 A (Ma egon	ailing Address)	Phone No. 868-7312	Dayton RECEI (City) QCL2-W
ke application 1. The de	on for a permit velopment will o	to appropriate the	ne following described groun	WATER RESOURCE and waters of the State of Cregoric SALEM, ORE
		and the second of the second o	(Give number of wells, tile line and an estimated depth of	s, infiltration galleries, etc.) 130 feet.
. 2. The we	ell or other source		(N. or S.)	and 460-ft (E. or W.)
	<b>ψ</b> π <sub>p</sub> .	(If there is more being u	R. 3W W.	wey Comer)  . ¼ of the
	<b>ψ</b> πρ	(If there is more being u	than one well, each must be described) within the	wey Corner)  . 4 of the
3. Locati	O Tp. on of area to b	(If there is morebeing w	than one well, each must be described) within the	wey Corner)  . 4 of the
3. Locati	O Tp.	(If there is more being w	than one well, each must be described)  within the	A of the
. 3. Locati	O Tp. on of area to b	(If there is morebeing w	than one well, each must be described) within the	wey Corner)  . 4 of the
3. Locati Township 55	On of area to b	of there is more being u  5.5  Section	than one well, each must be described)  within the	A of the
3. Locati Township 55	On of area to b	(If there is more being use 5.5)  Section	than one well, each must be described)  within the	New Corner)  . 4 of the
3. Locati Township 55	On of area to b	(If there is more being use 5.5)  Section	than one well, each must be described)  within the	New Corner)  . 4 of the
3. Locati Township 55	On of area to b	(If there is more being use 5.5)  Section	than one well, each must be described)  within the	New Corner)  . 4 of the
3. Locati Township	O Tp.  On of area to b  Range	(If there is more being use 55)  Section	than one well, each must be described)  within the	A of the
3. Locati Township	O Tp.  On of area to b  Range	(If there is more being use 55)  Section	than one well, each must be described)  within the	A of the

The second secon

r secona or .	50	gallons per mir	rute.				
7. The us	se to which the	e water is to be a	nnlied is				er gerkered
		0 07		The state of the s			S. 1885. V
8. If the	flow to be util	ized is artesian	the state of the s		entrol and co	nservation of	the eventu
ien not in us	e must be de	scribed.					ine suppiy
					•	***************************************	
9. If the	location of th	he well, or other	· development	work is less th	an one-fourt	h mile from	a natural
	Bree me work	nnce to the chan e of developmen	nei ana tho ait	ference in eleva	tion between	the stream be	ed and the
10.			All the state of t	s of market and and from the	The second second second	يها والمراجع والمنطقة المنطقة والمنطقة	مسيرتم عسمتنيو پرتي
	ind dimension	DESC	CRIPTION OF	WORKS			z in a stay in
	acocreo	is of supply ditc e the proposed	uisirioution sy	stem.	. 🛊 - Vita i se pilote (		irrigation
5 K	subj	narsibl	e) tu	abeni	2) 1	11 111/2	
3"	irieea	Thou)	pino		-6 5	7.	
hoad		ition) v iss	Jung.			LINK.	es I
			ayar l	2 15 Q	Cree		
					e jago en en en en en en en en Notae en		
	\$ 1. A				***************************************		••••••
동시회에는 당한테 기존 2013년 대한 동시					2000		•••••
				રેફ્રે કેફ્ફોર્ટ ક્ષેત્ર છે. એમ્પ્રેફિટ્સિટ ઇન્ટર્સિટ સ્ટ્રેટ કરા, ઉદ્			
					an aga Bunggan ba		
1	o transferação		est Aselemens	n lisabetami din 113	an examples	va. Ja kapatai	· · · · · · · · · · · · · · · · · · ·
	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\						
				an na gawayan a kaya da Kalangan a kaya da	n elektrika (envisió) i es Tilología		The second second
		vill begin on or be	经工作 医克莱斯氏病 计多点	( 15 7 Gg(gg)), 15 No. 설립			
12. Constr	uction work w	ill be completed	on or before	1200.10	5 /	978	SAOREGE:
一、此"好整场流入整点支车"人	ter will be con	npletely applied	to the proposed	! use on or befor	e	21 19	<i>79</i> .
13. The wa	그 그는 이 한 경이 어느 장치하는 것이 되었다.		化二十分 医氯化二甲烷二醇 建工		2.9	. /	i pisto pisto.
5万. 转点 自己的复数经济优先的。				- Cappiy	, euclies y ill	ouppiy and	existing
14. If the g			***********				
5万. 转点 自己的复数经济优先的。				· Proping and a second a second and a second a second and a second and a second and a second and a second an			
14. If the g					Konud a		
14. If the g	G-898	38		Permit No.	G 83	84	

This is to certify that I have examined the foregoing application, together with the accompanying med data, and return the same for  In order to retain its priority, this application must be returned to the Water Resources Director user Resources Director user Resources Director water Resources Director By  This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on 27 day of October 19.78, at 8:00 october 19.78, at 8	<i>Kemarks:</i>			
This is to certify that I have examined the foregoing application, together with the accompanying ment data, and return the same for				
This is to certify that I have examined the foregoing application, together with the accompanying ment data, and return the same for				
This is to certify that I have examined the foregoing application, together with the accompanying ment data, and return the same for			u in in de la companya di pagasita da companya da comp	
This is to certify that I have examined the foregoing application, together with the accompanying me ad data, and return the same for  In order to retain its priority, this application must be returned to the Water Resources Director user rections on or before				
This is to certify that I have examined the foregoing application, together with the accompanying mend data, and return the same for  In order to retain its priority, this application must be returned to the Water Resources Director use trections on or before			energinge som til	than the strong colours.
This is to certify that I have examined the foregoing application, together with the accompanying medidata, and return the same for  In order to retain its priority, this application must be returned to the Water Resources Director was rections on or before			garage of appearance	
This is to certify that I have examined the foregoing application, together with the accompanying medidata, and return the same for  In order to retain its priority, this application must be returned to the Water Resources Director was rections on or before			and a comparison of the contract of the contra	
This is to certify that I have examined the foregoing application, together with the accompanying medidata, and return the same for  In order to retain its priority, this application must be returned to the Water Resources Director was rections on or before				
This is to certify that I have examined the foregoing application, together with the accompanying medidata, and return the same for.  In order to retain its priority, this application must be returned to the Water Resources Director was rections on or before	e produce som galling in the profile of the contract of the co	1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -		
This is to certify that I have examined the foregoing application, together with the accompanying med data, and return the same for  In order to retain its priority, this application must be returned to the Water Resources Director was rections on or before				
This is to certify that I have examined the foregoing application, together with the accompanying med data, and return the same for		$\mathcal{L}$	Signatur	e of Applicant
In order to retain its priority, this application must be returned to the Water Resources Director under the Water Resources Director under the Water Resources Director under the Water Resources Director at Salem, Oregon, on Director at Salem, Oregon, on Director at Salem, Oregon, or Director at Salem, Oregon, Oregon	and a second and a	in a state of the same and the same and the same		
In order to retain its priority, this application must be returned to the Water Resources Director unrections on or before	a far and the state of the stat		li-ation to eath an	with the accompanying ma
In order to retain its priority, this application must be returned to the Water Resources Director u rections on or before	This is to certify that I have	examined the foregoing	application, logelner	win the accompanying ma
This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on 27th day of Ctoble 19			er fra 1850 - 1860 gant fra en fra 1860 avez fra en fr O tra fra en	and the second of the second o
This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on 27th day of Ctoble 19				
This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on 27th day of Ctoble 19				
WITNESS my hand this	In order to retain its priority	y, this application mus	t be returned to the v	vater Resources Director wi
WITNESS my hand this	rrections on or before			, 19
Water Resources Director  By  This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on 27th day of OCTOBUT, 19.78, at 8:00 o'cl. O.M.		day of	·····,	19
This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on 27th day of OCTOBUS 19.78 at 8:00 o'ci		Water Passage	no Director	
This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on 27th day of Otble 19.78 at 8:00 o'cl. O.M.				end made a single land.
This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on 27th day of Ottober 19.78 at 8:00 o'cl. O.M.				e le grecolaten hillen. Yo sach
This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on 27th day of OCTOBLE 19.78, at 8:00. o'cl				
This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on 27th day of OCTOBLE 19.78, at 8:00. o'cl				
This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on 27th day of OCTOBLE 19.78, at 8:00. o'cl				
This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on 27th day of OCTOBLE 1978, at 8:00 o'cl				Bridge of the same
27th day of OCtOBER , 1978, at 8:00 o'cl				
27th day of OCtOBER , 1978, at 8:00 o'cl				
27th day of OCtOBER , 1978, at 8:00 o'cl			- 1. (1975년) 등 (1. 1975년) - 2. (1984년) 전체 등 (1984년) 10 전	
27th day of OCtOBER 1978, at 8:00 o'cl				
O.M.		the first of the control of the cont		and the second of the second o
OM.	$\sqrt{1}$ day of $\sqrt{2}$	ctober	, 19.78	, at 8:00 o'cle
그는 사람들이 가장 하는 것이 그들은 사람들이 되었다. 그는 사람들이 가장 되었다. 그는 사람들이 가장 가장 하는 사람들이 가장 하는 사람들이 되었다. 그는 사람들이 다른 사람들이 되었다. 그는 사람들이 다른 사람들이 되었다.	<b></b>			
6 6000 A DOOR				
	pplication No. 6-898	<b>X</b> The Mark the second		G 8384

Water Resources Director

## Permit to Appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING MINIMUM FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be apple	sea to ochepiciai ase ana
shall not exceed50 gallons per minute xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx	int of diversion from the
well or source of appropriation, or its equivalent in case of rotation with other water us	ers, from.a. well
The use to which this water is to be applied is .irrigation.	and the second s
If for irrigation, this appropriation shall be limited to 1/80th	of one cubic foot per
second or its equivalent for each acre irrigated and shall be further limited to a d	liversion of not to exceed
22 acre feet per acre for each acre irrigated during the irrigation seaso	on of each year;
and shall be further limited to appropriation of water only to the	ne extent that it
does not impair or substantially interfere with existing surface	water rights of
others	
마음 경우 사용 전체 이 기념을 받는 것 같습니다. 기존 전 시간 보고 있는데 이 시간 사람이 되었다. 이 시간 기존 기계를 받는데 되었다. 이 기존 기계를 받는데 되었다. 이 기존 기계를 받는데 기존 기계를 받는데 되었다. 이 기존 기계를 받는데 되었다면 되었다면 되었다면 되었다면 되었다면 되었다면 되었다면 되었다면	
the state of the second of	Resign to be Appendix with
	A contract of the second
and shall be subject to such reasonable rotation system as may be ordered by the The well shall be constructed in accordance with the General Standards for Maintenance of Water Wells in Oregon. The works constructed shall include an air line and pressure gauge or an access adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable meas	or the Construction and port for measuring line,
keep a complete record of the amount of ground water withdrawn.	suring George, and Shall
The priority date of this permit is	97.8
Actual construction work shall begin on or beforeJanuary.10, 19	
hereafter be prosecuted with reasonable diligence and be completed on or before Oc	ctober 1, 1980
그는 사람들은 한 행동 사람들은 그 가격하는 사람들은 사람들은 사람들이 가지되었다. 그 회사가 가는 사람들은 사람들은 사람들이 되었다.	0 . 1 . 1 . 0 . 0 . 1
Complete application of the water to the proposed use shall be made on or before (	Jctober 1, 19&