

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Tillamook Water Commission
(Name of applicant)
of Tillamook, Oregon, county of Tillamook
(Postoffice Address)
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

Municipal corporation 2/28/1991

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Trask River
(Name of stream)

tributary of

2. The amount of water which the applicant intends to apply to beneficial use is _____ cubic feet per second or 700 gallons per minute.

3. The use to which the water is to be applied is supplemental supply to present municipal water system.

4. The well or other source is located 1410.5 ft. South and 53.62 ft. East from the NW corner of Section 5
(N or S) (E or W) (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the SE 1/4 of NE 1/4 of Sec. 5, Twp. 2S, R. 9W W. M., in the county of Tillamook

5. The pipe line to be 300 ft. 0 miles in length, terminating in the at existing transmission line of Sec. _____, Twp. _____

(Smallest legal subdivision)

R. _____ W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Tillamook City water system

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of one well having a diameter of 16 inches and an estimated depth of 100 feet. It is estimated that 100 feet of the well will require 3/8" casing. Depth to water table is estimated 20 feet.

(Give number of wells, tunnels, etc.)

(Kind)

(Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(b) At _____ miles from headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(c) Length of pipe, _____ ft.; size at intake, _____ in.; in size at _____ ft. from intake _____ in.; size at place of use _____ in.; difference in elevation between intake and place of use, _____ ft. Is grade uniform? _____ Estimated capacity, _____ sec. ft.

10. If pumps are to be used, give size and type _____ deep well turbine

Give horsepower and type of motor or engine to be used _____ 100 horsepower, electric

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

210 feet South of North side of Trask River Difference in elevation 21 ft.

12. Location of area to be irrigated, or place of use _____

Township N or S	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
1 S	9W	29	SW $\frac{1}{4}$	<i>Municipal</i>
1S	9 W	30	S $\frac{1}{2}$	
1 S	10 W	25	SE $\frac{1}{4}$	
1 S	10 W	25	S $\frac{1}{2}$ of NE $\frac{1}{4}$	
1S	9 W	30	S $\frac{1}{2}$ of NE $\frac{1}{4}$	

(If more space required, attach separate sheet)

Character of soil _____

Kind of crops raised _____

MUNICIPAL SUPPLY—

13. To supply the city of Tillamook
in Tillamook county, having a present population of 4,290
and an estimated population of in 19

14. Estimated cost of proposed works, \$ 8,000.00

15. Construction work will begin on or before June 1, 1958

16. Construction work will be completed on or before July 30, 1958

17. The water will be completely applied to the proposed use on or before Sept. 30, 1958

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. Permit # 6673 for Fawcett Creek

Have water right on Killiam Creek dated 1905 or 1906, number not available

TILLAMOOK WATER COMMISSION

[Signature] Supt.

Remarks: This well will be used only in the dry season when the other source of water supply is low.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before , 19

WITNESS my hand this day of , 19

STATE ENGINEER

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.56 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is municipal.

If for irrigation, this appropriation shall be limited to — of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is June 4, 1958

Actual construction work shall begin on or before June 6, 1959 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1959

Complete application of the water to the proposed use shall be made on or before October 1, 1960

WITNESS my hand this 6th day of June, 1958.

LEWIS A. STANLEY

STATE ENGINEER

By Max F. Rogers, Deputy

Application No. G-990
Permit No. G-842

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 6th day of June, 1958, at 11 o'clock A.M.

Returned to applicant:

Approved:

June 6, 1958

Recorded in book No. 4

Ground Water Permits on page 812

LEWIS A. STANLEY

STATE ENGINEER

Drainage Basin No. 1 page 25