

Permit No. G-817

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Rogers Construction, Inc.
(Name of applicant)

of 11760 N. E. Glisan St., Portland, county of Multnomah
(Postoffice Address)

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

Portland, Oregon May 9, 1950

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Fairview Creek
(Name of stream)

tributary of Columbia River

2. The amount of water which the applicant intends to apply to beneficial use is _____ cubic feet per second or 1000 g.p.m. gallons per minute.

3. The use to which the water is to be applied is ~~irrigation of pasture~~
air-pollution control.

4. The well or other source is located 53 ft. South and 1569 ft. East from the NE 1/4 corner of section 32-33 T 1 N, R 3 E, W. M.
(N or S) (E or W) (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well each must be described. Use separate sheet if necessary.)

being within the area NE 1/4 SW 1/4 of Sec. ~~32~~ 33, Twp. 1 N, R. 3 E, W. M., in the county of Multnomah

5. The 300' 8" steel pipe to be no miles
(Canal or pipe line) in length, terminating in the Tax lot 17, Selma addition of Sec. 33, Twp. 1 N, R. 3 E, W. M., the proposed location being shown throughout on the accompanying map.
(Smallest legal subdivision)

6. The name of the well or other works is The Farm.

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

not artesian

8. The development will consist of 1 well (Give number of wells, tunnels, etc.) having a diameter of 16" inches and an estimated depth of 200 feet. It is estimated that 200 feet of the well will require steel casing. Depth to water table is estimated 10'
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE— No canal system used, just pipe line

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, **360'** ft.; size at intake, **8"** in.; in size at **150** ft. from intake **8"** in.; size at place of use **8"** in.; difference in elevation between intake and place of use, **5** ft. Is grade uniform? **Yes** Estimated capacity, **800** sec. ft.

10. If pumps are to be used, give size and type **40 hp, Western Land Roller Turban Pump 3 Phase U. S. Motor 220-440 1800 R.P.M.**

Give horsepower and type of motor or engine to be used **40 H.P. Western Land Roller Turban Pump 3 phase U. S. Motor 220-440 1800 R.P.M.**

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

There is no natural stream; we are applying for our water only.

12. Location of area to be irrigated, or place of use **Not used for irrigation purposes.**

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
IN	3 E	33	SW 1/4 of NW 1/4 of Sec. 33	industrial

If more space required, attach separate sheet.

Character of soil


Kind of crops raised

MUNICIPAL SUPPLY—

12. To supply the city of _____
in _____ county, having a present population of _____
and an estimated population of _____ in 19_____

- 14. Estimated cost of proposed works, \$3,150.00
- 15. Construction work will begin on or before Already completed
- 16. Construction work will be completed on or before Already completed
- 17. The water will be completely applied to the proposed use on or before December 1, 1957

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.



ROGERS CONSTRUCTION, INC.
(Signature of applicant)

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____ correction.

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before March 7, 1958, 19 58.

WITNESS my hand this 7th day of January, 19 58.

RECEIVED
APR 10 1958
STA. ENGINEER
SALEM OREGON

LEWIS A. STANLEY
STATE ENGINEER
By James W. Carver, Jr.
James W. Carver, Jr., Assistant

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.78 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is air pollution control in asphalt plant

If for irrigation, this appropriation shall be limited to ----- of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The priority date of this permit is April 10, 1958

Actual construction work shall begin on or before June 20, 1959 and shall

thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1959

Complete application of the water to the proposed use shall be made on or before October 1, 1960

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

WITNESS my hand this 20th day of June, 1958.

Lewis A. Stanley, STATE ENGINEER

Application No. G-826

Permit No. G-847

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 20th day of June, 1958, at 10 o'clock P.M.

Returned to applicant:

Approved:

June 20, 1958

Recorded in book No. 4 of

Ground Water Permits on page 817

LEWIS A. STANLEY

STATE ENGINEER

3-24