

Permit No. G- 819

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Carl R. Staats (Name of applicant) of Route 1, Box 885, Salem, county of Polk state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated CLAGGETT CREEK (Name of stream) tributary of WILLAMETTE RIVER

2. The amount of water which the applicant intends to apply to beneficial use is 3.34 cubic feet per second or 1500 gallons per minute.

3. The use to which the water is to be applied is TO WASH GRAVEL

4. The well or other source is located 848 ft. NORTH and 603 ft. WEST from the S.E. corner of THE NIMROD FORD D.L.C. T6S R3W (Section or subdivision) (If preferable, give distance and bearing to section corner)

(If there is more than one well each must be described. Use separate sheet if necessary) being within the SW 1/4 OF THE NW 1/4 of Sec. 35, Twp. 6S, R. 3W W. M., in the county of MARION

5. The (Canal or pipe line) to be miles in length, terminating in the (Smallest legal subdivision) of Sec. Twp. R. W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of GRAVEL PIT (OPEN PIT) (Give number of wells, tunnels, etc.) having a diameter of inches and an estimated depth of feet. It is estimated that feet of the well will require NONE (Kind) casing. Depth to water table is estimated 20 (Feet)

CANAL SYSTEM OR PIPE LINE -

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet, width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At \_\_\_\_\_ miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, \_\_\_\_\_ ft.; size at intake, \_\_\_\_\_ in.; in size at \_\_\_\_\_ ft from intake \_\_\_\_\_ in.; size at place of use \_\_\_\_\_ in.; difference in elevation between intake and place of use, \_\_\_\_\_ ft. Is grade uniform? \_\_\_\_\_ Estimated capacity, \_\_\_\_\_ sec. ft.

10. If pumps are to be used, give size and type **FAIRBANKS MORSE 6" INTAKE**  
**FAIRBANKS MORSE 8" INTAKE**

Give horsepower and type of motor or engine to be used **30 HORSE POWER ELECTRIC**  
**40 HORSE POWER ELECTRIC 8" INTAKE**

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

**825 WEST OF CLAGGETT CREEK**

12. Location of area to be irrigated, or place of use

Township N or S	Range E or W of Willamette Meridian	Section	Forty-acre Tract	Number Acres To be Irrigated "Acres Owned"
6 S	3 W	35	SE 1/4 of the NW 1/4	5.33
6 S	3 W	35	SW 1/4 of the NW 1/4	23.88
6 S	3 W	35	NW 1/4 of the SW 1/4	8.59
6 S	3 W	35	NE 1/4 of the SW 1/4	0.46
6 S	3 W	34	SE 1/4 of the NE 1/4	4.36
6 S	3 W	34	NE 1/4 of the SE 1/4	1.74

(If more space required, attach separate sheet)

Character of soil

Kind of crops raised

MUNICIPAL SUPPLY--

13. To supply the city of .....  
in ..... county, having a present population of .....  
and an estimated population of ..... in 19.....

14. Estimated cost of proposed works, \$ 2500<sup>00</sup>

15. Construction work will begin on or before has begun before March 30, 1958

16. Construction work will be completed on or before March 30, 1960

17. The water will be completely applied to the proposed use on or before 1960, March 30

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

*Carl R. Statali*  
(Signature of applicant)

Remarks:

The water is to be pumped from the gravel pit to wash gravel and returned to the gravel pit.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ....., 19 .....

WITNESS my hand this ..... day of ....., 19 .....

STATE ENGINEER

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 3.34 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is washing of gravel

If for irrigation, this appropriation shall be limited to ----- of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed ----- acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is March 24, 1958

Actual construction work shall begin on or before June 20, 1959 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1959

Complete application of the water to the proposed use shall be made on or before October 1, 1960

WITNESS my hand this 20th day of June, 1958

[Signature] STATE ENGINEER

Application No. G- 900

Permit No. G- 849

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 24 day of March, 1958, at 2:11 o'clock P. M.

Returned to applicant:

Approved:

June 20, 1958

Recorded in book No. 4 of

Ground Water Permits on page 819

LEWIS A. STALLEY STATE ENGINEER

Drainage Basin No. 2 page 944

State Printing 5074

\$ 26.00