

RECEIVED  
APR 14 1950

STATE ENGINEER  
SALEM, OREGON

Permit No. G- 851

APPLICATION FOR A PERMIT

# To Appropriate the Ground Waters of the State of Oregon

I, Ellis O. Pratt (Name of applicant)

of Milton-Freewater, Ore., R#1 Ex. 142, county of Umatilla  
(Postoffice Address)

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Tumalum river  
(Name of stream)

tributary of Walla Walla river

2. The amount of water which the applicant intends to apply to beneficial use is 0.15 cubic feet per second or gallons per minute.

3. The use to which the water is to be applied is Irrigation

4. The well or other source is located 141 ft. S and 781 ft. W from the NE corner of Of the SW 1/4 of NW 1/4 of Sec 31, Tp. 6 N, R. 36 E. W. M.  
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the SW 1/4 of the NW 1/4 of Sec. 31, Twp. 6 N, R. 36 E, W. M., in the county of Umatilla

5. The Pipe line used in connection with sprinkling system to be 750 ft. miles in length, terminating in the SW 1/4 of NW 1/4 of Sec. 31, Twp. 6 N, R. 36 E, W. M., the proposed location being shown throughout on the accompanying map.  
(Smallest legal subdivision)

6. The name of the well or other works is Pratt well

### DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of one well having a diameter of 8 inches and an estimated depth of 58 feet. It is estimated that 46 feet of the well will require steel casing. Depth to water table is estimated 40 feet.  
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet; fall per one thousand feet.

(b) At \_\_\_\_\_ miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet; fall per one thousand feet.

(c) Length of pipe, \_\_\_\_\_ ft.; size at intake, \_\_\_\_\_ in.; in size at \_\_\_\_\_ ft from intake \_\_\_\_\_ in.; size at place of use \_\_\_\_\_ in.; difference in elevation between intake and place of use, \_\_\_\_\_ ft. Is grade uniform? \_\_\_\_\_ Estimated capacity, \_\_\_\_\_ sec. ft.

10. If pumps are to be used, give size and type Peerless Turbin pump and Peerless motr 5 H.P. Pump 3" Give horsepower and type of motor or engine to be used 5 H.P. motor

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E or W of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
6n.	36 E.	31	SW $\frac{1}{4}$ of NW $\frac{1}{4}$	6.41
<p>Description. <del>Description</del> The North Eighteen rods and 6<math>\frac{1}{2}</math> ft. of the Southwest quarter of the Northwest quarter of Sec. 31, Tp., 6N.R. 36 E.W.M. excepting therefrom the following:—</p> <p>Beginning at a point twenty ft., South of the Northwest corner of the Southwest quarter of the Northwest quarter of Sec. 31 Tp., 6 N.R. 36 E, W.M. running thence East Twenty Eight rods; seventeen rods and three ft., thence West twenty eight rods; thence North Seventeen rods and three ft., to the place of beginning.</p> <p>All being East of the Willamette Meridian in the County of Umatilla State of Oregon.</p>				

(If more space required, attach separate sheet)

Character of soil Volcanic Ash.

Kind of crops raised diversified crops.

MUNICIPAL SUPPLY—

13. To supply the city of .....  
in ..... county, having a present population of .....  
and an estimated population of ..... in 19.....

14. Estimated cost of proposed works, \$ 2,000.00.....

15. Construction work will begin on or before ..... Already completed.....

16. Construction work will be completed on or before ..... already completed.....

17. The water will be completely applied to the proposed use on or before ..... July 1st, 1957.....

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. ....

*Elias C. Pruitt*  
(Signature of applicant)

Remarks: .....

*This water will be applied by  
means of sprinkling system*

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ....., 19 ..

WITNESS my hand this ..... day of ....., 19 ..

STATE ENGINEER

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.08 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is April 10, 1958

Actual construction work shall begin on or before June 20, 1959 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1959

Complete application of the water to the proposed use shall be made on or before October 1, 1960

WITNESS my hand this 20th day of June, 1958

*Lewis A. Stanley*  
STATE ENGINEER

Application No. G-732

Permit No. G-851

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 20th day of June, 1958, at 10 o'clock A.M.

Returned to applicant:

Approved:

June 20, 1958

Recorded in book No. 4 of

Ground Water Permits on page 851

LEWIS A. STANLEY  
STATE ENGINEER

Drainage Basin No. 7 page 39