| Application No | G-9185 |) | Permit No. G | 8527 |
|------------------|--------|----------|------------------------|-------------|
| 21pp (1001) 1 to | | | a taga lakan la dibaga | Tole 1 129° |

| r FF | RED K | REGER | AND WALTER | P KREGERSALEM, ORE |
|---|---------------------------------------|--|---|--|
| | O. Box | | (Name of Applicant) | PRINCETON * |
| | OM. | iling Address) | Phone No. 493-2 | 746 do hereby |
| | Same State of the same | (Zip Code) | Year (3.22) 1847 (4.17) | nd waters of the State of Oregon: |
| 13. 1 Sept. 16. 3. 18. 18. 18. 18. 18. 18. 18. 18. 18. 18 | er andala e e | | 2 WEILS | |
| | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 1 | Give number of wells, tile line d an estimated depth of#s | s, infiltration galleries, etc.) 7 80 2. 350 feet. |
| | | | | 7500 |
| | U | Sec | 35 GT10N 35 | and 1300 ft E. (E. or W.) |
| om the | ~ | ner of | (Public Land Sur | vey Corner) |
| | | | han one well, each must be described) ithin the | م را الله الله الله الله الله الله الله ا |
| | | 26S 1 | | M., in the county of H.B.P.M.S.Y an irrigation. |
| | | 26S 1 | r. 33€ ,w.i | M., in the county of HARNEY |
| 3. Locati | ion of area to b | 265 se irrigated, or p | R33 E, W. I lace of use if use other th List ¼ ¼ of Section | M., in the county of HARNEY an irrigation. List use and/or number of acres to be irrigated |
| 3. Locati | ion of area to b | 265 se irrigated, or p | R | M., in the county of HARNEY an irrigation. List use and/or number |
| 3. Locati | ion of area to b | 265 se irrigated, or p Section 35 | R. 33 E., W. I lace of use if use other the List 44 of Section SZ SW4 NE4 SZ SE4 NE4 | M., in the county of HARNEY an irrigation. List use and/or number of acres to be irrigated 2.0 |
| 3. Locati Township | Range | 265 se irrigated, or p Section 35 | R | M., in the county of HARNEY an irrigation. List use and/or number of acres to be irrigated 20 |
| 3. Locati | ion of area to b | 265 se irrigated, or p Section 35 | R. 33E, W. I lace of use if use other th. List % % of Section S-2 SW4 NE4 S5 SE4 NE4 SE4 N5 NW4 | M., in the county of HARMEY an irrigation. List use and/or number of acres to be irrigated 20 |
| 3. Locati Township | Range | 265 se irrigated, or p Section 35 | R | M., in the county of HARMEY an irrigation. List use and/or number of acres to be irrigated 20 160 80 |
| 3. Locati Township | Range | 265 se irrigated, or p | R | M., in the county of HARNEY an irrigation. List use and/or number of acres to be irrigated 20 20 80 80 |
| 3. Locati Township | Range | 265 se irrigated, or p | R | M., in the county of HARNEY an irrigation. List use and/or number of acres to be irrigated 20 20 40 40 |
| 3. Locati Township | Range | 265 Section 35 | R | M., in the county of HARNEY an irrigation. List use and/or number of acres to be irrigated 20 20 40 40 |

4. It is estimated that ...#2....148.... feet of the west with requirements of the west with requirements of the west with respect to the control of the west with respect to the control of the west with respect to the control of the west with respect to the west with res

| 9. If the location of the well, or other development work is less than one-fourth mile from a na stream channel, give the distance to the channel and the difference in elevation between the stream bed an ground surface at the source of development. 10. DESCRIPTION OF WORKS Include length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrig system to adequately describe the proposed distribution system. Wall | 8. If the flow to be utilized is artesian, the works to be used for the control and conservation of the swhen not in use must be described. 9. If the location of the well, or other development work is less than one-fourth mile from a na stream channel, give the distance to the channel and the difference in elevation between the stream bed an ground surface at the source of development. 10. DESCRIPTION OF WORKS Include length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irriging system to adequately describe the proposed distribution system. Wall #1 | | 2000 gallons per min | ute. 1650 | gpm FROM WELL gpm FROM WELL | C #1 |
|--|--|-------------------------------------|--|---|--|---------------------------------------|
| 8. If the flow to be utilized is artesian, the works to be used for the control and conservation of the swhen not in use must be described. 9. If the location of the well, or other development work is less than one-fourth mile from a na stream channel, give the distance to the channel and the difference in elevation between the stream bed an ground surface at the source of development. 10. DESCRIPTION OF WORKS Include length and dimensions of supply ditch or tipeline, size and type of pump and motor, type of irrig system to adequately describe the proposed distribution system. 10. DESCRIPTION OF WORKS Include length and dimensions of supply ditch or tipeline, size and type of pump and motor, type of irrig system to adequately describe the proposed distribution system. 10. DESCRIPTION OF WORKS Include length and dimensions of supply ditch or tipeline, size and type of pump and motor, type of irrig system to adequately describe the proposed. 10. DESCRIPTION OF WORKS Include length and dimensions of supply is supplied to the proposed use on or before. 11. Construction work will be completed on or before. 12. Construction work will be completed to the proposed use on or before. 13. The water will be completely applied to the proposed use on or before. 14. If the ground water supply is supplemental to an existing supply, identify the supply and exwater right. 15. NONE. | 8. If the flow to be utilized is artesian, the works to be used for the control and conservation of the swhen not in use must be described. 9. If the location of the well, or other development work is less than one-fourth mile from a nastram channel, give the distance to the channel and the difference in elevation between the stream bed an ground surface at the source of development. 10. DESCRIPTION OF WORKS Include length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigsystem to adequately describe the proposed distribution system. 10. DESCRIPTION OF WORKS Include length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigsystem to adequately describe the proposed distribution system. 10. DESCRIPTION OF WORKS Include length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigsystem to adequately describe the proposed. 10. DESCRIPTION OF WORKS Include length and dimensions of supply is supplemental to an existing supply, identify the supply and exwater right. 10. DESCRIPTION OF WORKS 10. DESCRIPTION OF WORKS 11. Construction work will be completed on or before. 12. Construction work will be completed to the proposed use on or before. 13. The water will be completely applied to the proposed use on or before. 14. If the ground water supply is supplemental to an existing supply, identify the supply and exwater right. 15. C. DESCRIPTION OF WORKS | 7. The u | se to which the water is to be ap | plied is POF | PREIGHTIC | N |
| 9. If the location of the well, or other development work is less than one-fourth mile from a na stream channel, give the distance to the channel and the difference in elevation between the stream bed an ground surface at the source of development. 10. DESCRIPTION OF WORKS Include length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrig system to adequately describe the proposed distribution system. Wall | 9. If the location of the well, or other development work is less than one-fourth mile from a nastream channel, give the distance to the channel and the difference in elevation between the stream bed an ground surface at the source of development. 10. DESCRIPTION OF WORKS Include length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irriging system to adequately describe the proposed distribution system. W & # 40 HP TANDANG 20 HP BOSTEN TO NORTH 10 HP | | | | | |
| when not in use must be described. 9. If the location of the well, or other development work is less than one-fourth mile from a na stream channel, give the distance to the channel and the difference in elevation between the stream bed an ground surface at the source of development. 10. DESCRIPTION OF WORKS Include length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrig system to adequately describe the proposed distribution system. Well # | when not in use must be described. 9. If the location of the well, or other development work is less than one-fourth mile from a nastream channel, give the distance to the channel and the difference in elevation between the stream bed an ground surface at the source of development. 10. DESCRIPTION OF WORKS Include length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irriging to adequately describe the proposed distribution system. Well # 40 HP TANDING 20 HP BOSTEN TO NORTH 10 HP DOOSTEN TO SOUTH 10 HP DOOSTEN TO SOUTH 1980' 5" Mainline Plus 1980' 5" Mainline Plus 1980' 5" Mainline Doosten To Road Well # 2 HAS NO Pamp YET, IT WILL SE PUMP. 11. Construction work will begin on or before Doot 1980 12 Construction work will be completed on or before Doot 1980 13. The water will be completely applied to the proposed use on or before PST 1980 14. If the ground water supply is supplemental to an existing supply, identify the supply and exwater right. 12. ONE DOOS 10 10 10 10 10 10 10 10 10 10 10 10 10 | | | | | |
| 9. If the location of the well, or other development work is less than one-fourth mile from a na stream channel, give the distance to the channel and the difference in elevation between the stream bed an ground surface at the source of development. 10. DESCRIPTION OF WORKS Include length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrig system to adequately describe the proposed distribution system. WALL # 40 HP TANDING 20 HP BEESTER TO NORTH 10 HP booster to South 1320 6" Mainline Plus 1980'5" Mainline Worth 1980'5" Mainline Plus 1980'5" Mainline Worth 1980'5" Mainline South of Co. Road WALL #B. HAS NO Painline Plus 1980'17 WILL BE PUMP. 1NTO SAME MAINLINES 11. Construction work will begin on or before. 22 Jan 12. Construction work will be completed on or before. 24 Jan 13. The water will be completely applied to the proposed use on or before. O.S. J. 1981 14. If the ground water supply is supplemental to an existing supply, identify the supply and exwater right. NONE | 9. If the location of the well, or other development work is less than one-fourth mile from a nastream channel, give the distance to the channel and the difference in elevation between the stream bed an ground surface at the source of development. 10. DESCRIPTION OF WORKS Include length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irriging system to adequately describe the proposed distribution system. Wall # 40 HP TANDAR 20 HP Breater to North 1940 1320 6" Main line Plus 1980 5" Main line North 1990 5" Main line Plus 1980 5" Main line North 1990 5" Main line Plus 1980 5" Main line Republic to the proposed use on or before 25 1980 11. Construction work will be completed on or before 25 1980 13. The water will be completely applied to the proposed use on or before 25 1981 14. If the ground water supply is supplemental to an existing supply, identify the supply and examples. | | | the works to be used f | for the control and conser | vation of the su |
| 9. If the location of the well, or other development work is less than one-fourth mile from a nastream channel, give the distance to the channel and the difference in elevation between the stream bed an ground surface at the source of development. 10. DESCRIPTION OF WORKS Include length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrig system to adequately describe the proposed distribution system. | 9. If the location of the well, or other development work is less than one-fourth mile from a nastream channel, give the distance to the channel and the difference in elevation between the stream bed an ground surface at the source of development. 10. DESCRIPTION OF WORKS Include length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irriging system to adequately describe the proposed distribution system. W & # 40 HP TUNDING & N. H. BESTEN TO NORTH 10 HP | when not in a | | | | |
| stream channel, give the distance to the channel and the difference in elevation between the stream bed an ground surface at the source of development. 10. DESCRIPTION OF WORKS Include length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrig system to adequately describe the proposed distribution system. 11. He has the transfer of the proposed distribution system. 12. Construction work will begin on or before. 13. The water will be completely applied to the proposed use on or before. Described in the supply and exwater right. 13. Construction water supply is supplemental to an existing supply, identify the supply and exwater right. 14. One of the supply and exwater right. 15. One of the supply and exwater right. 16. One of the supply and exwater right. | stream channel, give the distance to the channel and the difference in elevation between the stream bed an ground surface at the source of development. 10. DESCRIPTION OF WORKS Include length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigs system to adequately describe the proposed distribution system. 11. H. H. H.P. T.W.P. N.S. 20 H.P. B. See T.S. T.S. North 10 H.P. Dooster to South 11. N.S. 1980' 5' MainLine North 1980' 5'' MainLine North 1980 | | Mily a Richard Control of the Contro | - 657 (1960年) 第427編表表を知られていました。 | | |
| Include length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrig system to adequately describe the proposed distribution system. Well # HO HP TUY DING BOHP BESTEY TO NOYTH 10HP | Include length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irriging system to adequately describe the proposed distribution system. Well # HO HP TUYDONG BOHP BEETER TO North IOHP BOOSTEY TO SOUTH IOHP BOOSTEY TO SOUTH IOHP BOOSTEY TO SOUTH IOHP BOOSTEY TO SOUTH IN PLAN 1980' 5" MainLine Plan 1980' 5" MainLine Bouth OF CO Road Well #2 HAS NO Pam P YET, IT WILL BE PUMP. 11. Construction work will begin on or before DC 1 1980 12. Construction work will be completed on or before DC 1 1980 13. The water will be completely applied to the proposed use on or before DC 1 1980 14. If the ground water supply is supplemental to an existing supply, identify the supply and example to the proposed use on the proposed use on the proposed water right NONE | stream channe | l, give the distance to the chan | nel and the difference | | |
| system to adequately describe the proposed distribution system. Well # 40 HP TUYDONE 80 HP 800 for To North 10 HP | system to adequately describe the proposed distribution system. Well # 40 HP TUYDONE 80 HP Beester To North 10HP | 10. | DES | CRIPTION OF WOR | RKS | |
| booster to South 1320' 6" Mainline Plus 1980' 5" Mainline Worth 1980' 5" Mainline South of Co. Road Well #2. Hits No Pamp yet IT with BE Plum. 1NTO SAME MAINLINE 12. Construction work will begin on or before. Def. 1980 13. The water will be completed on or before are on or before. Oct. 1981 14. If the ground water supply is supplemental to an existing supply, identify the supply and exwater right. NONE | booster to South 1320' 6" Mainline flus 1980' 5" Mainline Worth 1980' 5" Mainline South of Co. Road Well #2. HAS NO Pamp yet IT will BE Pumps 1NTO SAME MONAINE 12. Construction work will begin on or before. Del 1980 13. The water will be completed on or before work on or before. Oct 1981 14. If the ground water supply is supplemental to an existing supply, identify the supply and eximater right. NONE | | | | d type of pump and moto | r, type of irrigo |
| 11. Construction work will begin on or before Degan 12. Construction work will be completed on or before Def / 1980 13. The water will be completely applied to the proposed use on or before Def / 1980 14. If the ground water supply is supplemental to an existing supply, identify the supply and exwater right. 15. OF OF OF | 11. Construction work will begin on or before. Define 1980 12. Construction work will be completed on or before. Define 1980 13. The water will be completely applied to the proposed use on or before. Define 1980 14. If the ground water supply is supplemental to an existing supply, identify the supply and eximater right. NONE | Well | #1 40 HP Turk | oine Boyp | Boster to Nor | th IDHP |
| 11. Construction work will begin on or before. 12. Construction work will be completed on or before. 13. The water will be completely applied to the proposed use on or before. 14. If the ground water supply is supplemental to an existing supply, identify the supply and exwater right. 15. ON SECTION | 11. Construction work will begin on or before. Be gan 12. Construction work will be completed on or before. Be for 1.980 13. The water will be completely applied to the proposed use on or before. Delta 1.980 14. If the ground water supply is supplemental to an existing supply, identify the supply and eximater right. NONE | boost | er to South | | | |
| 11. Construction work will begin on or before. 12. Construction work will be completed on or before. 13. The water will be completely applied to the proposed use on or before. 14. If the ground water supply is supplemental to an existing supply, identify the supply and exwater right. 15. One of the supply is supplemental to an existing supply, identify the supply and exwater right. | 11. Construction work will begin on or before Def. 1980 12. Construction work will be completed on or before Def. 1980 13. The water will be completely applied to the proposed use on or before Def. 1980 14. If the ground water supply is supplemental to an existing supply, identify the supply and eximater right NONE | /s | 320' 6' Mainline | Plus 1980 | 5' MainLine | Worth |
| 11. Construction work will begin on or before Degan 12. Construction work will be completed on or before Def 1980 13. The water will be completely applied to the proposed use on or before Def 1981 14. If the ground water supply is supplemental to an existing supply, identify the supply and exwater right. | 11. Construction work will begin on or before. Defan. 12. Construction work will be completed on or before. Def. 1980. 13. The water will be completely applied to the proposed use on or before. Def. 1981. 14. If the ground water supply is supplemental to an existing supply, identify the supply and extwater right. | | the contract of the contract o | | jana i kalendari anita kalendari | |
| 11. Construction work will begin on or before. Sefan. 12. Construction work will be completed on or before. Sefan. 13. The water will be completely applied to the proposed use on or before. Sefan. 14. If the ground water supply is supplemental to an existing supply, identify the supply and exwater right. NONE | 11. Construction work will begin on or before | | 99000 | a Smuth of | Co. Pard | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 |
| 11. Construction work will begin on or before | 11. Construction work will begin on or before Def Jan. 12. Construction work will be completed on or before Def J. 1980 13. The water will be completely applied to the proposed use on or before Def J. 1981 14. If the ground water supply is supplemental to an existing supply, identify the supply and extended water right. NONE | | | | | Control (1997) |
| 11. Construction work will begin on or before | 11. Construction work will begin on or before | | | | | PUMPL |
| 11. Construction work will begin on or before | 11. Construction work will begin on or before | well | #2 HAS NO Pa | mp yet, | | P.U.M.P.S |
| 11. Construction work will begin on or before | 11. Construction work will begin on or before | well | #2 HAS NO Pa | mp yet, | | PUMP! |
| 11. Construction work will begin on or before | 11. Construction work will begin on or before | well | #2 HAS NO Pa | mp yet, | | PUMPS |
| 11. Construction work will begin on or before | 11. Construction work will begin on or before | well | #2 HAS NO Pa | mp yet, | | Pumps |
| 11. Construction work will begin on or before | 11. Construction work will begin on or before | well | #2 HAS NO PU SAME MAINLIA | mP yet, | 1.T W.L. 13.E | Pumps |
| 11. Construction work will begin on or before | 11. Construction work will begin on or before | well | #2 HAS NO PU SAME MAINLIA | mPyet, | 1.T W.L. 13.E | Pumps |
| 12. Construction work will be completed on or before Def 1980 13. The water will be completely applied to the proposed use on or before Def 1981 14. If the ground water supply is supplemental to an existing supply, identify the supply and exwater right. NONE | 12. Construction work will be completed on or before | well | #2 HAS NO PU SAME MAINLIA | mPyet, | 1.T W.L. 13.E | Pumps |
| 13. The water will be completely applied to the proposed use on or before | 13. The water will be completely applied to the proposed use on or before | Well INTO | #2 HAS NO PU SAME MAINLIA | mP yet, | 1.T W (.L. 13.E | Pumps |
| 13. The water will be completely applied to the proposed use on or before | 13. The water will be completely applied to the proposed use on or before | Mell INTO | #Q. HAS NO Pa SAME MAINLIA estruction work will begin on or | mP yet, before be ja | 1.T W (.4.1 15.E. | Pump |
| 14. If the ground water supply is supplemental to an existing supply, identify the supply and exwater right. | 14. If the ground water supply is supplemental to an existing supply, identify the supply and eximater right | Mell INTO | #Q. HAS NO Pa SAME MAINLIA estruction work will begin on or | mP yet, before be ja | 1.T W (.4.5. 15.E | Pumps |
| water right. NONE | water right NONE | 11. Con | #Q. #AS NO Pa SAMS MAINAIA struction work will begin on or | m P yet, before De, ga d on or before E | 17 WILL BE | |
| | | 11. Con | #Q. #AS NO Pa SAMS MAINAIA struction work will begin on or | m P yet, before De, ga d on or before E | 17 WILL BE | |
| | | 11. Con 12. Con 13. The | #D. HAS NO Pa SAME MAINAINS struction work will begin on or struction work will be complete water will be completely applie | before & gale d on or before & E | 1. W.L. 13.5. 2. 1. 1980 on or before. Oct. 1. | 1981 |
| | | 11. Con 12. Con 13. The | #D. HAS NO Pa | before & gale d on or before & E | 1. W.L. 13.5. 2. 1. 1980 on or before. Oct. 1. | 1981 |
| - 18 18 18 18 18 18 18 18 18 18 18 18 18 | Application No. G-9182. Permit No. G 8527 | 11. Con 12. Con 13. The water right | #D. HAS. NO. Pa SAME MAINAIN. | before & gale d on or before & E | 1. W.L. 13.5. 2. 1. 1980 on or before. Oct. 1. | 1981 |
| | Application No. 1711O.L. Permit No. | 11. Con 12. Con 13. The water right | #D. HAS. NO. Pa SAME MAINAIN. | before & gale d on or before & E | 1. W.L. 13.5. 2. 1. 1980 on or before. Oct. 1. | 1981 |

Permit to Appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING MINIMUM FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

| The right herein granted is limited to the amoun | at of water which can be applied to beneficial use and |
|--|--|
| 2000 gallons per minut | e ♥XX¥XXXXX measured at the point of diversion from the |
| | |
| well or source of appropriation, or its equivalent in case o | of rotation with other water users, from\e.1.1.\s#.\\s |
| #2; being 1650 gpm from Well #1, and 350 g | pm_from_Well_#2. |
| The use to which this water is to be applied is irr | igation. |
| | |
| If for irrigation, this appropriation shall be lim | ited to1/80th of one cubic foot per |
| second or its equivalent for each acre irrigated and s | hall be further limited to a diversion of not to exceed |
| 3 acre feet per acre for each acre irrigated | d during the irrigation season of each year; |
| | |
| | Albandar of the St. Charles of the A. C. |
| 는데, 그는 형 문 100 - 그런 함을 통한 함께 보다는 다음 기술을 받는데, 유학을 통해 함께 | |
| | |
| | |
| | |
| | |
| | |
| | |
| and shall be subject to such reasonable rotation syste The well shall be constructed in accordance w Maintenance of Water Wells in Oregon. | m as may be ordered by the proper state officer. ith the General Standards for the Construction and |
| | nd pressure gauge or an access port for measuring line, |
| adequate to determine water level elevation in the we | ll at all times. , meter, or other suitable measuring device, and shall |
| keep a complete record of the amount of ground water | |
| The priority date of this permit is | March 29, 1979 |
| Actual construction work shall begin on or bef | ore May 11, 1980 and shall |
| thereafter be prosecuted with reasonable diligence and | be completed on or before October 1, 19.80 |
| Complete application of the water to the proposed t | use shall be made on or before October 1, 1981 |
| WITNESS my hand this 11th day of | May 19 79 |
| | |
| [18] [18] [18] [18] [18] [18] [18] [18] | |