R	E	C	E		V	E	D
---	---	---	---	--	---	---	---

TER 151977

\*\*\*STER RESOURCES DEPT

Permit No. G- G 3532

APPLICATION FOR A PERMIT

## To Appropriate the Ground Waters of the State of Oregon

1 Gary Lee Sambuceto
of 9025 SE 42 and Milwaukis of Clackamus,
state ofOFC 908_97206, do hereby make application for a permit to appropriate the following described fround waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated Un-named Stream (Name of stream)
tributary of
2. The amount of water which the applicant intends to apply to beneficial use is
3. The use to which the water is to be applied is
supp-/ Irragation (Sump)
4. The well or other source is located 350 ft. $N$ and 050 ft. $E$ from the $SE$
corner of Section 9 (Section or subdivision)
corner of Section 9 (Section or subdivision) From S & corner  Sump - 1970' N & 310' E from S & corner
Section  WRL—(If there is more than one well, each must be described. Use separate sheet if necessary)
being within the S.W. quarter S.E. 14 of Sec. 9, Twp. 45, R. 1E.,
W. M., in the county of Clackamas  5. The Pipe line to be 1800 ft.
5. The CCanalor pipe line) 5. The to be 1800 TT. miles in length, terminating in the (Smallest legal subdivision) 4 of Sec. 9, Twp. 45,
R
6. The name of the well or other works is
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
Na
8. The development will consist of
diameter of
feet of the well will require 5 tee casing. Depth to water table is estimated 3.2
STRINMAN Bros drilled well Van 27 1977 1-sump - EXCAVATED HOLE (SEE Appl. G-4226)
1-2 MMA - EKCHALLIEN HOCE ( See MAKE P. 1900)

9. (a) Gi	IM OR PIPE LINE ive dimensions at e		canal where materiall	ly changed in	n size, stating miles
1/			line)		•
			feet; grade		
thousand feet.	• • •				
•	mi	les from he	adgate: width on top (	at water lin	e)
<i>\(\text{\tin}\text{\tetx{\text{\text{\texi}\text{\text{\texi}\text{\text{\text{\text{\ti}\tint{\text{\text{\text{\text{\texi}\tiex{\ti}\tint{\text{\texi}\tint{\text{\texi}\tint{\text{\texi}\text{\texi}\ti}\tex</i>			feet; de		
	feet fall p			, , , , , , , , , , , , , , , , , , ,	
-			size at intake	in: $in$	size at
_			f use		
			. Is grade uniform?	•	
10 If man	mns are to he weed	aine size and	well-Suk mp-Wil well engine to be used	nersi	ble oum
n , D	ou mo Es	, C < 11	mp - Wil	1067	oin late
			well)	20	30
Give hors	sepower and type o	of motor or	engine to be used		, p
a natural strean	n or stream channe i elevation between 350 ff	l, give the d the stream L	other development wo istance to the nearest bed and the ground so to the heavest bed and the ground so to the heavest be to we to the heavest be to the heav	point on ea urface at the	ch of such channels e source of develop Winter Edraw
a natural strean the difference in  SUA  APX	n or stream channe to elevation between  350  A  20  Channe  Channe	l, give the d the stream	istance to the nearest bed and the ground s	point on eaurface at the	ch of such channels e source of develop WINTER F draw of we
a natural strean the difference in  SUA  APX	n or stream channe i elevation between 350 F  off d1  20 F	l, give the d the stream	istance to the nearest bed and the ground s South o bottow telow	point on ea urface at the	ch of such channels e source of develop  WINTER  F draw  T we
a natural stream the difference in  \[ \int \lambda \cdot \c	n or stream channe a elevation between 350 ff  Al  20 ff  ion of area to be irr  Range E or W et	l, give the dathe stream	istance to the nearest bed and the ground so to the province of the province of use	point on ea urface at the	ch of such channels e source of develop WINTER F draw of we
a natural stream the difference in  \[ \int \lambda \cdot \c	n or stream channe a elevation between 350 ff  Al  20 ff  ion of area to be irr  Range E or W et	l, give the dathe stream	be to w  Forty-acre Trace	point on ea urface at the	ch of such channels e source of develop WINTER F draw of we
a natural stream the difference in  \[ \int \lambda \cdot \c	n or stream channe a elevation between 350 ff  Al  20 ff  ion of area to be irr  Range E or W et	l, give the dathe stream	be to w  forty-acre Trac  NW of	point on ea urface at the	ch of such channels e source of develop WINTER F draw of we
a natural stream the difference in  \[ \int \lambda \cdot \c	n or stream channe a elevation between 350 ff  Al  20 ff  ion of area to be irr  Range E or W et	l, give the dathe stream	be to w  forty-acre Trac  NW of	point on ea urface at the	ch of such channels e source of develop WINTER F draw of we
a natural stream the difference in  \[ \int \lambda \cdot \c	n or stream channe a elevation between 350 ff  Al  20 ff  ion of area to be irr  Range E or W et	l, give the dathe stream	be to w  forty-acre Trac  NW of	point on ea urface at the	ch of such channels e source of develop WINTER F draw of we
a natural stream the difference in  \[ \int \lambda \cdot \c	n or stream channe a elevation between 350 ff  Al  20 ff  ion of area to be irr  Range E or W et	l, give the dathe stream	be to w  forty-acre Trac  NW of	point on ea urface at the	ch of such channels e source of develop WINTER F draw of we
a natural stream the difference in  \[ \int \lambda \cdot \c	n or stream channe a elevation between 350 ff  Al  20 ff  ion of area to be irr  Range E or W et	l, give the dathe stream	be to w  forty-acre Trac  NW of	point on ea urface at the	ch of such channels e source of develop WINTER F draw of we
a natural stream the difference in  \[ \int \lambda \cdot \c	n or stream channe a elevation between 350 ff  Al  20 ff  ion of area to be irr  Range E or W et	l, give the dathe stream	be to w  forty-acre Trac  NW of	point on ea urface at the	ch of such channels e source of develop WINTER F draw of we
a natural stream the difference in  \[ \int \lambda \cdot \c	n or stream channe a elevation between 350 ff  Al  20 ff  ion of area to be irr  Range E or W et	l, give the dathe stream	be to w  forty-acre Trac  NW of	point on ea urface at the	ch of such channels e source of develop WINTER F draw of we
a natural stream the difference in  \[ \int \lambda \cdot \c	n or stream channe a elevation between 350 ff  Al  20 ff  ion of area to be irr  Range E or W et	l, give the dathe stream	be to w  forty-acre Trac  NW of	point on ea urface at the	ch of such channels e source of develop WINTER F draw of we
a natural stream the difference in  \[ \int \lambda \cdot \c	n or stream channe a elevation between 350 ff  Al  20 ff  ion of area to be irr  Range E or W et	l, give the dathe stream	be to w  forty-acre Trac  NW of	point on ea urface at the	ch of such channels e source of develop WINTER F draw of we
a natural stream the difference in  \[ \int \lambda \cdot \c	n or stream channe a elevation between 350 ff  Al  20 ff  ion of area to be irr  Range E or W et	l, give the dathe stream	be to w  forty-acre Trac  NW of	point on ea urface at the	ch of such channels e source of develop WINTER F draw of we

MUNĮCIPAL SUPPLY—	
13. To supply the city of	
in county, having a preser	at population of
and an estimated population of in 1	9
ANSWER QUESTIONS 14, 15, 16, 1	7 AND 18 IN ALL CASES
14. Estimated cost of proposed works, \$/.O.	000
·	Complete
	pefore Campleye
	proposed use on or before 10-1-77
cation for permit, permit, certificate or adjudicated	
	Cancel existing
right @ appl. G-422	6 Saylee Suhusi
D and a	(Signatur of applicant)
Remarks	2 th IA-Ft in
- The things	F Mark Ox
The months	of lear, many car.
1 reason de	ing me speak
ing January and	Start The
Korvesley in	april. Kerefore un
that period of	lime we use
additional water	for our crops,
which are fre	h negtables.
We also plant	late in the seaso
and will need	to irrigate these
restables I was	Il s. fmitt inlarm
De Clarkens Com	I. Estensin Les
to prove above	request belong the
STATÉ OF OREGON, SS. Permit	s issued.
County of Marion, )	
This is to certify that I have examined the foreg	joing application, together with the accompanying
naps and data, and return the same for	
In order to retain its priority, this application mi	ist be returned to the State Engineer, with correc-
ions on or before, 19	
WITNESS my hand this day of	10
WIINESS my name ins day of	, AV

## PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use or source of appropriation, or its equivalent in case of rotation with other water users, from .a. Well with any deficiency in the available supply of water from the well to be made up by diversion from a sump.

The use to which this water is to be applied is irrigation and supplemental irrigation. The use allowed herein may be made any time between October 1 and March 31 when water can be put to beneficial use by irrigation for immediate crop growth.

or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed ..212... acre feet per acre for each acre irrigated during the period from April 1 to September 30. and shall be further limited to a diversion of not to exceed 1 acre foot per acre for each acre irrigated during the period from October 1 to March 31, provided further that the right allowed herein shall not exceed 2½ acre feet for each acre irrigated in any one year. The use of water during the period from October 1 to March 31 as authorized herein shall not establish priority of right as against future appropriation of ground water for beneficial uses other than similar rights for irrigation from October 1 to March 31, and shall be further limited to appropriation of water only to the extent that it does not impair or substantially interfere with existing surface water rights of others,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

	The priority date of this permit is	February 15, 1977	
	Actual construction work shall begin on or befo	re <u>May 30, 1980</u>	and shall
there	rafter be prosecuted with reasonable diligence a	nd be completed on or before October	1, 1980
	Complete application of the water to the propose	ed use shall be made on or before Octob	per 1, 1981
	WITNESS my hand this30th day of	May 19 18	 - Jan
		Water Resources Director XX	ACDEXIOX OG XDYEXCEX

TO APPROPRIATE THE GROUND WATERS OF THE STATE Application No. G-773 OREGON C ც Permit No.

This instrument was first received in

office of the State Engineer at Salem, Oregon S

o'clockReturned to applicant 10:07 8

Ground Water Permits on page Recorded in book No.

Drainage Basin No.