STATE INCLIEER
SALEM CRECON

Permit No. G- 854

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

1, Pete + Foria Kessler
of At 2 By 212 Milton - Free water, country of Grantella,
state of Oregow, do hereby make application for a permit to appropriate the
following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated Dry Creek (Name of stream)
(Name of stream) tributary of Walk Walk Proces
2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or gallons per minute.
3. The use to which the water is to be applied is Irregularian
4. The well or other source is located 200 ft. N and 1380 ft. E from the SW
corner of NW 4 of SW4 of SK4 of SK2 19 (Section or subdivision)
(If preferable, give distance and bearing to section corner)
(If there is more than one we' cach must be described. Use separate sheet if necessary)
being within the NWY of SWY of Sec. 19 . Twp. 6N , R. 35E,
W. M., in the county of Crafills
5. The to be miles
in length, terminating in the
R
6. The name of the well or other works is
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
· · · · · · · · · · · · · · · · · · ·
••••••••••••••••••••••••••••••••••••••
8. The development will consist of One (1) be (1) having a (Give number of wells, tunnels, etc.)
diameter of 10 inches and an estimated depth of 250 feet. It is estimated that 35
feet of the well will require Sfeel casing. Depth to water table is estimated 15 (Kind)
· · · · · · · · · · · · · · · · · · ·

dgate. At hea	dgate: width on top	o (at water lii	w)	jeet; width on bot
•••••••••••••••••••••••••••••••••••••••	feet; depth of wate	er	feet; grade	feet fall per
usand feet.	•			
(b) At	mil	es from head	gate: width on top (at water line)
	feet; width on b	ottom	feet; depth of water	
de	feet fall pe	er one thousa	nd feet.	
(c) Length	of pipe,	ft.; s	rize at intake, in.; i	n size at
m intake	in.; si	ize at place of	use in.; differe	nce in elevation betu
ike and place (of use,	ft. 1	s grade uniform?	Estimated capa
	sec. ft.			
10. If pum	ps are to be used, g	rive size and t	ype 4" Turbin	c. proless
······································		· / · · • · · · • · · · · · · · · · · ·		
Give horse	power and type of	motor or engi	ine to be used 15 HV	Fleatric
		• • • • • • • • • • • • • • • • • • • •		
ural stream of difference in	or stream channel, elevation between	give the dis the stream b	her development work is less the tance to the nearest point on eded and the ground surface at the second surface sur	ich of such channels se source of develop
eural stream of difference in 200 fec	or stream channel, elevation between	give the dis the stream b	tance to the nearest point on ed ed and the ground surface at th	ich of such channels se source of develop
eural stream of difference in 200 fec	or stream channel, elevation between	give the dis the stream b	tance to the nearest point on eded and the ground surface at the	ich of such channels se source of develop
ural stream of difference in 200 fee	or stream channel, elevation between I No - IG on of area to be irr Range Z or W of	give the dis the stream b	tance to the nearest point on eded and the ground surface at the second surface at the second surface at the second surface of use	Number Acres To Be Irrigated
tural stream of difference in 200 fee	or stream channel, elevation between L. N T. C. On of area to be irr Range Z. or W. of Willamette Meridian	give the dis the stream b Of rigated, or pla	tance to the nearest point on eded and the ground surface at the second surface at the second surface at the second surface at the second surface of use	Number Acres To Be Irrugated
eural stream of difference in 200 fec. 12. Locati Township N. or S.	or stream channel, elevation between No. 76 No. 76 On of area to be irr Range Z or W of Willamette Meridian 35 E	give the dis the stream b Of rigated, or pla Section	tance to the nearest point on eded and the ground surface at the second surface at the second surface at the second surface of use Forty-acre Tract New 4 of Sw 4	Number Acres To Be Irrugated
eural stream of difference in 200 fec. 12. Locati Township N. or S.	or stream channel, elevation between No. 76 No. 76 On of area to be irr Range Z or W of Willamette Meridian 35 E	give the dis the stream b Of rigated, or pla Section	tance to the nearest point on eded and the ground surface at the second surface at the second surface at the second surface of use Forty-acre Tract New 4 of Sw 4	Number Acres To Be Irrugated
eural stream of difference in 200 fec. 12. Locati Township N. or S.	or stream channel, elevation between No. 76 No. 76 On of area to be irr Range Z or W of Willamette Meridian 35 E	give the dis the stream b Of rigated, or pla Section	tance to the nearest point on eded and the ground surface at the second surface at the second surface at the second surface of use Forty-acre Tract New 4 of Sw 4	Number Acres To Be Irrugated
eural stream of difference in 200 fec. 12. Locati Township N. or S.	or stream channel, elevation between No. 76 No. 76 On of area to be irr Range Z or W of Willamette Meridian 35 E	give the dis the stream b Of rigated, or pla Section	tance to the nearest point on eded and the ground surface at the second surface at the second surface at the second surface of use Forty-acre Tract New 4 of Sw 4	Number Acres To Be Irrugated
eural stream of difference in 200 fec. 12. Locati Township N. or S.	or stream channel, elevation between No. 76 No. 76 On of area to be irr Range Z or W of Willamette Meridian 35 E	give the dis the stream b Of rigated, or pla Section	tance to the nearest point on eded and the ground surface at the second surface at the second surface at the second surface of use Forty-acre Tract New 4 of Sw 4	Number Acres To Be Irrugated
eural stream of difference in 200 fec. 12. Locati Township N. or S.	or stream channel, elevation between No. 76 No. 76 On of area to be irr Range Z or W of Williamette Meridian 35 E	give the dis the stream b Of rigated, or pla Section	tance to the nearest point on eded and the ground surface at the second surface at the second surface at the second surface of use Forty-acre Tract New 4 of Sw 4	Number Acres To Be Irrugated
eural stream of difference in 200 fec. 12. Locati Township N. or S.	or stream channel, elevation between No. 76 No. 76 On of area to be irr Range Z or W of Williamette Meridian 35 E	give the dis the stream b Of rigated, or pla Section	tance to the nearest point on eded and the ground surface at the second surface at the second surface at the second surface of use Forty-acre Tract New 4 of Sw 4	Number Acres To Be Irrugated
eural stream of difference in 200 fec. 12. Locati Township N. or S.	or stream channel, elevation between No. 76 No. 76 On of area to be irr Range Z or W of Williamette Meridian 35 E	give the dis the stream b Of rigated, or pla Section	tance to the nearest point on eded and the ground surface at the second surface at the second surface at the second surface of use Forty-acre Tract New 4 of Sw 4	Number Acres To Be Irrugated
eural stream of difference in 200 fec. 12. Locati Township N. or S.	or stream channel, elevation between No. 76 No. 76 On of area to be irr Range Z or W of Williamette Meridian 35 E	give the dis the stream b Of rigated, or pla Section	tance to the nearest point on eded and the ground surface at the second surface at the second surface at the second surface of use Forty-acre Tract New 4 of Sw 4	nch of such channels ne source of developm

Ł

12. To supply the city of	
in county, he	sving a present population of
and an estimated population of	IONS 14, 15, 16, 17 AND 18 IN ALL CASES
14. Estimated cost of proposed wor	rks, \$. 15.90.80
15. Construction work will begin or	n or before 1951
16. Construction work will be comp	
17. The water will be completely a	pplied to the proposed use on or before
cation for permit, permit, certificate or	supplemental to an existing water supply, identify any appli- adjudicated right to appropriate water, made or held by the
applicant. Flood or Seep	plus unter wight on Hudson by
Difch	
	Pete Kuslie (Signature of applicant)
Remarks: Property has	perchased by present owners
+ applicants in 195	13 st which time well was
	sunt owners Sinished well in
	puraif was issued for this
well prior to prese	
	······································
· <u>u</u> ···· <u>···</u>	
	······································
	······································
	······································
•	
STATE OF OREGON, ss.	
County of Marion,	
	nined the foregoing application, together with the accompanying
maps and data, and return the same for.	<u></u>
In order to retain its priority, this	application must be returned to the State Engineer, with correc
tions on or before	
•	
WITNESS my hand this	day of
	STATE ENGINEER
	By

County of Merion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

-		vater which can be applied to b	
shall not exceed			
The use to which this wa	iter is to be applied is 1r	igation	
	······································		
If for irrigation, this appr	ropriation shall be limited to	1/80 of one cubi	c foot per second
or its equivalent for each acre	-		
acre feet per acre for each acre			
and shall be subject to such re	asonable rotation system as	may be ordered by the proper	state officer.
line, adequate to determine w The permittee shall inste keep a complete record of the	shall include an air line and ater level elevation in the a all and maintain a weir, me amount of ground water wi	pressure gauge or an access powell at all times. ter, or other suitable measuring thdrawn.	ort for measuring
	permit is	June 20, 1959	and shall
		be completed on or before Oct	
	•	se shall be made on or before O	
WITNESS my hand this			
		June 19	STATE ENGINEER
Application No. G. 741. Permit No. G. 854 APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 2/- day of M. 19. , at o'clock M. Returned to applicant.	Approved: June 20, 1958 Recorded in book No. 44 of Ground Water Permits on page Sini	Drainage Basin No. 7 page 39