

Permit No. G. 855

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

1,	Q. Perkins		*****************
104 3. 1	W. 6th Ave., Wilton-Freewater	county of Umatilla	· · · · • · • • • • • • • • • • • • • •
ate of Oregon	, do hereby make ap id waters of the state of Oregon, SUBJE	oplication for a permit to app SCT TO EXISTING RIGHTS	ropriate the 5:
If the applicant is a	corporation, give date and place of incorp	poration	
1. Give name of no	earest stream to which the well, tunnel	or other source of water dev	elopment is
	(Name of stream)	······································	•
	tribut	ary of Solumbia	5 - 6 - 25 - 1
2. The amount of set per second or 100	water which the applicant intends to app	oly to beneficial use is	cubic
3. The use to whic	h the water is to be applied is Irr	igation	
•			
4. The well or othe			AL SW
orner of SE SE SE	(N. or 8.)	nd 210 ft. E from	the Sm
	(Section or subdivision		
	(If preferable, give distance and bearing to section	on corner)	
	here is more than one we'', each must be described. Use se	parate sheet if necessary)	
	SEL STILL of Sec. 1		35 E .
I. M., in the county of			
5. The	······································	to be	miles
	(Canal or pipe line)		
	(Smallest legal su idivision)	of Sec. , Twp.	
	proposed location being shown througho	ut on the accompanying map).
6. The name of the	well or other works is		
	DESCRIPTION OF WOR	KS	
7. If the flow to be upply when not in use m	utilized is artesian, the works to be used ust be described.	l for the control and conserv	ation of the
	e e e e e e e e e e e e e e e e e e e		
• • • • • • • • • • • • • • • • • • • •	· · ·		
·····			
8. The developmer	nt will consist of One drilled (Give number of	well	having a
ameter of	inches and an estimated depth of 80	of wells, tunnels, etc.)	•
	CAnni		
eet of the well will requi	re casing. Depth	to water table is estimated	20

seand feet. (b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water de feet fall per one thousand feet. (c) Length of pipe, ft.; size at intake, in; in size at intake in; fixe at place of use in; difference in elevation between diske and place of use, ft. Is grade uniform? Estimated cap sec. ft. 10. If pumps are to be used, give size and type 1 H.P. Jet and 3/h. H.P. Centrifugal Give horsepower and type of motor or engine to be used 11. If the location of the well, tunnel, or other development work is less than one-fourth mile foural stream or stream channel, give the distance to the nearest point on each of such channel difference in elevation between the stream bed and the ground surface at the source of development work is less than one fourth mile for the mil	dgate. At headg	mie. wiath on to	p (at water time)	jeer, width on oc
(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water fin; size at intake. in; in size at in; difference in elevation bet fest largade uniform? Estimated cap sec. fi. 10. If pumps are to be used, give size and type 1 H.P. Jet and 3/4 H.P. Centrifugel Give horsepower and type of motor or engine to be used 11. If the location of the well, tunnel, or other development work is less than one-fourth mile fi ural stream or stream channel, give the distance to the nearest point on each of such channel difference in elevation between the stream bed and the ground surface at the source of develop 12. Location of area to be irrigated, or place of use 13. If well-water the stream of a such in the stream of the surface at the source of develop 14. Location of area to be irrigated, or place of use 15. Location of area to be irrigated, or place of use 16. N 355 E 13 SEL SWA 3.0 acres 18. On acres 18. On acres Number Arrey Number Arrey Number Arrey No S. Water Number Arrey Number Arrey No S. Water Number Arrey No S. Water No S. Water	fe	et; depth of wat	er	feet; grade	feet fall pe
feet; width on bottom feet; depth of water de feet fall per one thousand feet. (c) Length of pipe, ft.: size at intake, in.; in size at in intake in.; rize at place of use in.; difference in elevation bet ike and place of use, ft. Is grade uniform? Estimated cap sec. ft. 10. If pumps are to be used, give size and type 1 H.P. Jet and 3/h H.P. Centrifuçal Give horsepower and type of motor or engine to be used 11. If the location of the well, tunnel, or other development work is less than one-fourth mile fi ural stream or stream channel, give the distance to the nearest point on each of such channel difference in elevation between the stream bed and the ground surface at the source of develop 12. Location of area to be irrigated, or place of use Termany Termany Termany Termany Normany Terman	usand feet.				
(c) Length of pipe, ft.; size at intake, in.; in size at m intake in.; fize at place of use in.; difference in elevation bet- sike and place of use, ft. Is grade uniform? Estimated caps sec. ft. 10. If pumps are to be used, give size and type 1 H.P. Jet and 3/4 H.P. Centrifugal Give horsepower and type of motor or engine to be used 11. If the location of the well, tunnel, or other development work is less than one-fourth mile for unal stream or stream channel, give the distance to the nearest point on each of such channel, difference in elevation between the stream bed and the ground surface at the source of develop 12. Location of area to be irrigated, or place of use Township Research Number Arres To Be irrigated 6 N 35 E 13 SE SE SE 3.0 acres	(b) At	mil	es from headga	te: width on top (at wate	r line)
mintake in.; size at place of use in.; difference in elevation bet take and place of use, ft. Is grade uniform? Estimated caps sec. ft. 10. If pumps are to be used, give size and type 1 H.P. Jet and 3/4 H.P. Centrifugal Give horsepower and type of motor or engine to be used 11. If the location of the well, tunnel, or other development work is less than one-fourth mile for ural stream or stream channel, give the distance to the nearest point on each of such channel difference in elevation between the stream bed and the ground surface at the source of develop 12. Location of area to be irrigated, or place of use 13. SEL SWL 3.0 acres 14. SEL SWL 3.0 acres		feet; width on b	oottom	feet; depth of u	pater
mintake in.; size at place of use in.; difference in elevation bet take and place of use, ft. Is grade uniform? Estimated caps sec. ft. 10. If pumps are to be used, give size and type 1 H.P. Jet and 3/4 H.P. Centrifugal Give horsepower and type of motor or engine to be used 11. If the location of the well, tunnel, or other development work is less than one-fourth mile for ural stream or stream channel, give the distance to the nearest point on each of such channel difference in elevation between the stream bed and the ground surface at the source of develop 12. Location of area to be irrigated, or place of use 13. SEL SWL 3.0 acres 14. SEL SWL 3.0 acres	de	feet fall p	er one thousand	feet.	
sec. ft. 10. If pumps are to be used, give size and type 1 H.P. Jet and 3/4 H.P. Centrifugal Give horsepower and type of motor or engine to be used 11. If the location of the well, tunnel, or other development work is less than one-fourth mile frural stream or stream channel, give the distance to the nearest point on each of such channel difference in elevation between the stream bed and the ground surface at the source of develop 12. Location of area to be irrigated, or place of use 13. SEL SWL 3.0 acres 6 N 35 E 13 SEL SWL 3.0 acres	(c) Length o	of pipe,	ft.; siz	e at intake,	in.; in size at
sec. ft. 10. If pumps are to be used, give size and type 1 H.P. Jet and 3/4 H.P. Centurifugal Give horsepower and type of motor or engine to be used 11. If the location of the well, tunnel, or other development work is less than one-fourth mile foural stream or stream channel, give the distance to the nearest point on each of such channel difference in elevation between the stream bed and the ground surface at the source of develop 12. Location of area to be irrigated, or place of use 13. Location of area to be irrigated, or place of use 14. Rengy of Rengy of Rengy of Rengy of Section Forty-serv Treet Number Arrest To be irregated 15. SEL SWA 3.0 acres	n intake	in.; si	ize at place of u	se in.; d	lifference in elevation bet
10. If pumps are to be used, give size and type 1 H.P. Jet and 3/4 H.P. Centurifugal Give horsepower and type of motor or engine to be used 11. If the location of the well, tunnel, or other development work is less than one-fourth mile frural stream or stream channel, give the distance to the nearest point on each of such channel difference in elevation between the stream bed and the ground surface at the source of develop 12. Location of area to be irrigated, or place of use Township Range of Willemstre Mendium 13. SE SS SW 3.0 acres	ike and place of	use,	ft. Is	grade uniform?	
Give horsepower and type of motor or engine to be used 11. If the location of the well, tunnel, or other development work is less than one-fourth mile foural stream or stream channel, give the distance to the nearest point on each of such channel difference in elevation between the stream bed and the ground surface at the source of develop 12. Location of area to be irrigated, or place of use 13. Location of area to be irrigated, or place of use 14. Location of area to be irrigated, or place of use 15. Location of area to be irrigated, or place of use 16. N 35 E 13 SE SE SE 38 3.0 acres		sec. ft.			
Give horsepower and type of motor or engine to be used 11. If the location of the well, tunnel, or other development work is less than one-fourth mile frural stream or stream channel, give the distance to the nearest point on each of such channel difference in elevation between the stream bed and the ground surface at the source of develop 12. Location of area to be irrigated, or place of use 13. Location of area to be irrigated, or place of use 14. Location of area to be irrigated. 15. SEL SEL SEL 3.0 acres	10. If pumps	are to be used, q	rive size and typ	e 1 H.P. Jet and	3/4 H.P. Centrifugal
II. If the location of the well, tunnel, or other development work is less than one-fourth mile foural stream or stream channel, give the distance to the nearest point on each of such channel difference in elevation between the stream bed and the ground surface at the source of develop 12. Location of area to be irrigated, or place of use 13. Location of area to be irrigated, or place of use 14. Location of area to be irrigated, or place of use 15. Location of area to be irrigated, or place of use 16. N 35 E 13 SE SE 3 3.0 acres					
Township E. are of Willamste Meridian Section Forty-acre Tract Number Acres To Be Irrugated 6 N 35 E 13 SE SW 3.0 acres	ural stream or	stream channel,	, give the dista the stream bed	nce to the nearest point and the ground surface	on each of such channel at the source of develop
6 N 35 E 13 SE SW 3.0 acres	ural stream or difference in el	stream channel, levation between	, give the dista the stream bed	nce to the nearest point and the ground surface	on each of such channel at the source of develop
	ural stream or difference in el	stream channel, levation between to grant to be irrected to be irrected.	give the dista the stream bed	nce to the nearest point and the ground surface	on each of such channel at the source of develop Number Acres
	ural stream or difference in el	stream channel, levation between of area to be irr Range E. or W. of Willamette Meridian	give the dista the stream bed rigated, or place	nce to the nearest point and the ground surface of use	on each of such channel at the source of develop Number Acres
	ural stream or difference in el	stream channel, levation between of area to be irr Range E. or W. of Willamette Meridian	give the dista the stream bed rigated, or place	nce to the nearest point and the ground surface of use	on each of such channel at the source of develop Number Acres
	ural stream or difference in el	stream channel, levation between of area to be irr Range E. or W. of Willamette Meridian	give the dista the stream bed rigated, or place	nce to the nearest point and the ground surface of use	on each of such channel at the source of develop Number Acres
	ural stream or difference in el	stream channel, levation between of area to be irr Range E. or W. of Willamette Meridian	give the dista the stream bed rigated, or place	nce to the nearest point and the ground surface of use	on each of such channel at the source of develop Number Acres
	ural stream or difference in el	stream channel, levation between of area to be irr Range E. or W. of Willamette Meridian	give the dista the stream bed rigated, or place	nce to the nearest point and the ground surface of use	on each of such channel at the source of develop Number Acres
	ural stream or difference in el	stream channel, levation between of area to be irr Range E. or W. of Willamette Meridian	give the dista the stream bed rigated, or place	nce to the nearest point and the ground surface of use	on each of such channel at the source of develop Number Acres
	ural stream or difference in el	stream channel, levation between of area to be irr Range E. or W. of Willamette Meridian	give the dista the stream bed rigated, or place	nce to the nearest point and the ground surface of use	on each of such channel at the source of develop Number Acres
	ural stream or difference in el	stream channel, levation between of area to be irr Range E. or W. of Willamette Meridian	give the dista the stream bed rigated, or place	nce to the nearest point and the ground surface of use	on each of such channel at the source of develop Number Acres
	ural stream or difference in el	stream channel, levation between of area to be irr Range E. or W. of Willamette Meridian	give the dista the stream bed rigated, or place	nce to the nearest point and the ground surface of use	on each of such channel at the source of develop Number Acres
	ural stream or difference in el	stream channel, levation between of area to be irr Range E. or W. of Willamette Meridian	give the dista the stream bed rigated, or place	nce to the nearest point and the ground surface of use	on each of such channel at the source of develop Number Acres
	ural stream or difference in el	stream channel, levation between of area to be irr Range E. or W. of Willamette Meridian	give the dista the stream bed rigated, or place	nce to the nearest point and the ground surface of use	on each of such channel at the source of develop Number Acres
(If more space required, attach separate sheet)	ural stream or difference in el	stream channel, levation between of area to be irr Range E. or W. of Willamette Meridian	give the dista the stream bed rigated, or place	nce to the nearest point and the ground surface of use	on each of such channel at the source of develop Number Acres

hefore	Summer of use on or before sisting water appropriate u	1958 re Fall supply, id pater, mad	of 1960 lentify any app le or held by ti
Approx. before e proposed tal to an ed right to	Summer of use on or before isting water appropriate u	1958 re Fall supply, id pater, mad	lentify any app
before e proposed tal to an e. d right to	Summer of use on or before xisting water appropriate u	1958 re Fall supply, id pater, mad	lentify any app
e proposed tal to an e. d right to	use on or before isting water appropriate u	supply, ideater, mad	lentify any app
tal to an e. d right to	xisting water appropriate u	supply, id	lentify any app
d right to	appropriate u	oter, mad	le or held by the
x			······································
			······································
			······································
			······································
	······································		· · · · · · · · · · · · · · · · · · ·
		***************************************	······································
	•		
		****************	******
.,	***************************************	•••••••	
	•••••••••••••	••••••	······
regoing app	olication, toget	her with t	the accompanyin
• • • • • • • • • • • • • • • • • • • •			
·····			
must be re	turned to the	St at e E ngi	neer, with corre
9			
			. 19
			···· , ** ·
	······································		STATE ENGINEER
_			undingen
•	regoing app	regoing application, toget must be returned to the	regoing application, together with to must be returned to the State Engineer.

County of Merion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is lim	ited to the amount of wate	r which can be applied to beneficial use a	ind
shall not exceedQ.Q4 cub	ic feet per second measure	d at the point of diversion from the well	or
ource of appropriation, or its equival	ent in case of rotation with	other water users, from a well	
The use to which this water is	to be applied is 1rriga	tion	
		1/80 of one cubic foot per seco	ond
or its equivalent for each acre irrigat			
acre feet per acre for each acre irrig	ated during the irrigation	season of each year; provided furthe	er
that the amount of water allo	med herein. together	with the amount secured under a	uny.
other right existing for the	same lands shall not	exceed the limitation allowed	••••
herein.			
••••			***
and shall be subject to such reasonal	ble rotation system as may	be ordered by the proper state officer.	
The well shall be cased as nec the works shall include proper cappi	cessary in accordance with	good practice and if the flow is artes	sian
The works constructed shall is	nclude an air line and pre	ssure gauge or an access port for measur	ring
line, adequate to determine water le The permittee shall install and	l maintain a weir, meter, c	or other suitable measuring device, and sl	hall
keep a complete record of the amous	nt of ground water withdr	awn.	
The priority date of this perm	it is	April 22, 1958	
Actual construction work shall			hall
			71411
•	-	ompleted on or before October 1, 1959	^
	20th	hall be made on or before October 1, 19 60	J
WITNESS my hand this			
•		STATE ENGINE	MER
g * v		i e e e e e e e e e e e e e e e e e e e	
Application No. G-947 Permit No. G-855 TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON This instrument was first received in the	regor	SSS SSSS	
DUN E	Ö. Ä	SC ST.	
94,	at Salen April A.	a se	
THE SON HES	ra at	n pag	00
Application No. G-94/ Permit No. G-855 PERMIT APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON instrument was first received in	State Enginee day of Oo'clock opplicant:	No. Its on	Trinting /
No. G PE PRIA RS O OF C	day of OO o'cloc	June 29, 1958 Recorded in book No. nud Water Permits or LEALS A. STAUET Drainage Basin No.	State Printing
Mitcat Muit N PRO VTEH	Stat	19. 19. 19. 19. 19. 19. 19. 19. 19. 19.	w
App AP W. W. S ins	of the at	June 29. Recorded in und Water LEALS A. Drainage B	
TO	office of the State Engineer at Salem. Oregon on the L. L. day of April 1958, at 8.00 o'clock A. M. Returned to applicant:	Approved: June 29, 1958 Recorded in book No. Mage Ground Water Permits on page LEALS A. STAUEY est	
11	On On Re	Q G	