

Permit No. G. 860

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I,
of Rt. 1 Box 18A Ontario, Oregon , county of Malhour ,
state of, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated Snoke River
tributary of Columbia
2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or gallons per minute.
3. The use to which the water is to be applied is Irrigation
4. The well or other source is located 1128 ft. II and 350 ft. I from the N.W.
corner of Nata of the Site (Section or subdivision)
(If preferable, give distance and bearing to section corner)
(If there is more than one we'l each must be described. Use separate sheet if necessary)
being within the SW 1/4 NW 1/4 of Sec. 16 Twp. 185 R. 472
W. M., in the county of Malheur
5. The ditch to be 1/2 miles
in length, terminating in the SHE of RN of Sec. 16, Twp. 33.
R W. M., the proposed location being shown throughout on the accompanying map.
6. The name of the well or other works is Namba Well #2
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
······································
······································
8. The development will consist of One well having a (Give number of wells, tunnels, etc.)
diameter of 12 inches and an estimated depth of
feet of the well will require steel casing. Depth to water table is estimated feet)

	agast. waste on top	(at massi .	ine)	jeet, water on t
······································	feet; depth of wate		feet; grade	feet fall p
md feet.	ŕ			
(b) At	mile	es from head	lgate: width on top (at water l	ine)
	feet; width on be	ottom	feet; depth of wat	27
	feet fall pe	er one thous	and feet.	
(c) Length	of pipe,	ft.;	size at intake, in	.; in size at
ntake	in.; si	ze at place o	f usein.; diff	erence in elevation be
and place	of use,	ft.	Is grade uniform?	. Estimated ca
	s ec. ft.			
10. If pum	ps are to be used, g	ive size and	type 6 inch turbine	
al stream o	or stream channel,	give the di	other development work is less istance to the nearest point on bed and the ground surface at	each of such channe
al stream o	or stream channel, elevation between	give the di the stream	istance to the nearest point or	each of such channe
al stream o	or stream channel, elevation between	give the di the stream	istance to the nearest point or bed and the ground surface at	each of such channe
al stream of ifference in 12. Locati	or stream channel, elevation between on of area to be irr	give the di the stream	stance to the nearest point or bed and the ground surface at lace of use	teach of such channed the source of develo
al stream of ifference in 12. Locati	or stream channel, elevation between on of area to be irr Range Range On of Willamette Meridian	give the di the stream	stance to the nearest point or bed and the ground surface at lace of use	Number Acres To Be Irrigated
al stream of ifference in 12. Locati Township N. or S. 185	or stream channel, elevation between on of area to be irr Range Range Willamette Meridian R 17 R	give the di the stream	stance to the nearest point or bed and the ground surface at lace of use Forty-acre Tract	Number Acres To Be Irrigated
al stream of ifference in 12. Locati Township N. or S. 185	or stream channel, elevation between on of area to be irr Range Range Willamette Meridian R 17 R	give the di the stream	stance to the nearest point or bed and the ground surface at lace of use Forty-acre Tract	Number Acres To Be Irrigated
al stream of ifference in 12. Locati Township N. or S. 185	or stream channel, elevation between on of area to be irr Range Range Willamette Meridian R 17 R	give the di the stream	stance to the nearest point or bed and the ground surface at lace of use Forty-acre Tract	Number Acres To Be Irrigated
al stream of ifference in 12. Locati Township N. or S. 185	or stream channel, elevation between on of area to be irr Range Range Willamette Meridian R 17 R	give the di the stream	stance to the nearest point or bed and the ground surface at lace of use Forty-acre Tract	Number Acres To Be Irrigated
al stream of ifference in 12. Locati Township N. or S. 185	or stream channel, elevation between on of area to be irr Range Range Willamette Meridian R 17 R	give the di the stream	stance to the nearest point or bed and the ground surface at lace of use Forty-acre Tract	Number Acres To Be Irrigated
al stream of ifference in 12. Locati Township N. or S. 185	or stream channel, elevation between on of area to be irr Range Range Willamette Meridian R 17 R	give the di the stream	stance to the nearest point or bed and the ground surface at lace of use Forty-acre Tract	Number Acres To Be Irrigated
al stream of ifference in 12. Locati Township N. or S. 185	or stream channel, elevation between on of area to be irr Range Range Range Range Range Range Range Range Range Range	give the di the stream	stance to the nearest point or bed and the ground surface at lace of use Forty-acre Tract	Number Acres To Be Irrigated
al stream of ifference in 12. Locati Township N. or S. 185	or stream channel, elevation between on of area to be irr Range Range Range Range Range Range Range Range Range Range	give the di the stream	stance to the nearest point or bed and the ground surface at lace of use Forty-acre Tract	Number Acres To Be Irrigated
al stream of ifference in 12. Locati Township N. or S. 185	or stream channel, elevation between on of area to be irr Range Range Range Range Range Range Range Range Range Range	give the di the stream	stance to the nearest point or bed and the ground surface at lace of use Forty-acre Tract	Number Acres To Be Irrigated
al stream of ifference in 12. Locati Township N. or S. 185	or stream channel, elevation between on of area to be irr Range Range Range Range Range Range Range Range Range Range	give the di the stream	stance to the nearest point or bed and the ground surface at lace of use Forty-acre Tract	Number Acres To Be Irrigated

and an estimated population of	ANSWER QUESTIONS 14, 15, 14, 17 ANE 14. Estimated cost of proposed works, \$	use on or before 1942. existing water supply, identify any applications appropriate water, made or held by the
Assumed less of proposed works \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	14. Estimated cost of proposed works, \$2.500	use on or before
16. Construction work will begin on or before completed. 16. Construction work will be completed on or before completed. 17. The water will be completely applied to the proposed use on or before 1942. 18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. 18. Old. Durhase Ditch. Company. Country of Marion. Country of Marion. This is to certify that I have examined the foregoing application, together with the accompanyis maps and data, and return the same for correction. In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before July 15, 19. 58	14. Estimated cost of proposed works, \$	use on or before
16. Construction work will be completely applied to the proposed use on or before 1942 17. The water will be completely applied to the proposed use on or before 1942 18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, certificate or adjudicated right to appropriate water, made or held by the applicant: Old. Oxybes. Ditab. Company STATE OF OREGON. County of Marion. This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for	16. Construction work will be completed on or before	use on or before 1942 existing water supply, identify any applicappropriate water, made or held by the
17. The water will be completely applied to the proposed use on or before 1942 18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant	17. The water will be completely applied to the proposed 18. If the ground water supply is supplemental to an ecution for permit, permit, certificate or adjudicated right to	use on or before 1942existing water supply, identify any applicappropriate water, made or held by the
II. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. Old Orghes Ditch Company Remarks: STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for sorrection. In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before July 15, , 19. 58	18. If the ground water supply is supplemental to an ecation for permit, permit, certificate or adjudicated right to	existing water supply, identify any appli appropriate water, made or held by th
STATE OF OREGON. Country of Marion. This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for corrections on or before July 15, 19 58	cation for permit, permit, certificate or adjudicated right to	appropriate water, made or held by th
Remarks: STATE OF OREGON, ss. County of Marion, ss. This is to certify that I have examined the foregoing application, together with the accompanyin maps and data, and return the same for	applicant	······································
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanyin maps and data, and return the same for		
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanyis maps and data, and return the same for		
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanyin maps and data, and return the same for approachion In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before July 15, 19. 58	e e e e e e e e e e e e e e e e e e e	(Signature of applicant)
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanyin maps and data, and return the same for correction. In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before July 15, , 19 58	Remarks:	
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanyin maps and data, and return the same for approachion. In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before July 15, , 19 58		· · · · · · · · · · · · · · · · · · ·
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanyin maps and data, and return the same for approachion. In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before July 15, , 19.58		
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanyin maps and data, and return the same for approachion. In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before July 15, , 19.58		
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanyin maps and data, and return the same for approachion. In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before July 15, , 19.58		
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanyin maps and data, and return the same for approachion. In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before July 15, , 19.58		
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanyin maps and data, and return the same for approachion. In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before July 15, , 19.58		
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for approachion. In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before July 15,	······································	
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanyin maps and data, and return the same for		
STATE OF OREGON, Sss. County of Marion, Sss. This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for	•• · · · · · · · · · · · · · · · · · ·	
STATE OF OREGON, ss. County of Marion, ss. This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for		
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanyin maps and data, and return the same for correction. In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before July 15,, 19. 58		
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for approachion. In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before		
This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for		
This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for	OMARE OF OREGON	
This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for	County of Marion Ss.	
In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before	, , , , , , , , , , , , , , , , , , ,	
In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before		
In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before	maps and data, and return the same for approaction	
tions on or before July 15, 19 58		
		eturned to the State Engineer, with correct
WITNESS my hand this 15 day of May 19 58	tions on or before July 15, 19 58	
WITNESS my hand this 15 day of May 19 58		
	WITNESS my hand this	May , 19 58.

LEWIS A. STAVLEY

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

•	ed is limited to the amount of u		•
	equivalent in case of rotation u		from the well or
The use to which this t	vater is to be applied is supp	olemental irrigation	
or its equivalent for each acr	propriation shall be limited to e irrigated and shall be furthe re irrigated during the irrigat	r limited to a diversion of not t	o exceed 3
	r allowed herein, togeth		
	or the same lands shall r	ot exceed the limitation	n allowed
herein,			
		······································	
•	reasonable rotation system as n		••
the works shall include property. The works constructed	er capping and control valve to shall include an air line and :	prevent the waste of ground pressure gauge or an access p	l water.
line, adequate to determine The permittee shall ins	water level elevation in the w stall and maintain a weir, mete e amount of ground water with	ell at all times. r, or other suitable measuring	
keep a complete record of the	e amount of ground water with	arawn.	
	is permit is		
	ork shall begin on or before		and shall
	th reasonable diligence and be of the water to the proposed us		. .
WITNESS my hand th	,	-	
•	Ų .	and the same	STATE ENGINEER
и	ا ت ت ب	· · · · · · · · · · · · · · · · · · ·	. II
Application No. G-958 Permit No. G-860 PERMIT APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the day of day of M. Returned to applicant:	4 of	6TATE ENGINEER 7 page 37
Application No. G. 3 Permit No. G. 860. PERMIT APPROPRIATE THE WATERS OF THE S'OF OREGON	was fin Ingineer of o'clock nt:	Approved: June 20, 1958 Recorded in book No. Ground Water Permits on page	N 2 3 01
Application No Permit No. G-PERPROPRIATERS OF OF OF OF	ument w State Eng day of o'c opplicant:	proved: June 20, 1958 Recorded in book No.	94 B
, m	s instr f the S at	orvved: June 20. Recorded in	IS A.
TO T	This instrument woffice of the State Engonthe day of 19, at o'c	Approved: June 2 Recorde	LEVIS
п		S	. 1