## RECEIVED

JAN251977 WATER RESOURCES DEPT SALEM, OREGON

Permit No. G. G. 8622 97656 APPLICATION FOR A PERMIT

## To Appropriate the Ground Waters of the State of Oregon

I,	Crown Zellerbach Corporation
of 1500 SW	(Name of applicant)  V First Avenue Portland , county of Multnomah , ,
etate of Oreg	son 97201, do hereby make application for a permit to appropriate the
following describ	hed ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:
If the appl	licant is a corporation, give date and place of incorporation
	August 28, 1924 Nevada
1. Give no	ame of nearest stream to which the well, tunnel or other source of water development is
situated Co	ttonwood Creek (Name of stream)
	tributary ofKlamath Marsh
2. The amo	ount of water which the applicant intends to apply to beneficial use is
including fire	to which the water is to be applied is industrial Use within a plywood mill protection, log storage, dust control. Filling concrete log storage of mill washrooms. Mill fire protection. and watering roads for dust at
	l or other source is located 250 ft. N and 810 ft. W from the SE
corner of Sec	
· ·	(Section or subdivision)
·	(If preferable, give distance and bearing to section corner)
	(If there is more than one well, each must be described. Use separate sheet if necessary)
being within the	SE½ SE½ of Sec. 7, Twp.29-S, R. 8-E,
W. M., in the cour	nty ofKlamath
5. The	none to be miles
	ting in the, of Sec, Twp,
	M., the proposed location being shown throughout on the accompanying map.
6. The name	e of the well or other works is Yamsay Well
	DESCRIPTION OF WORKS
7. If the flow upply when not in	w to be utilized is artesian, the works to be used for the control and conservation of the a use must be described.
no	ot artesian
8. The devel	opment will consist of having a
ameter of12	inches and an estimated depth of 131 feet. It is estimated that 127
et of the well will	require steel casing Depth to mater table is estimated 107
	(Kind) (Feet)



CANAI.	CVCTFM	OD DIDE	TINT

	feet denth of n	pater	feet; grade	foot fall nor
ousand feet.	jeet, acput of a		joot, grade	jeev janv per e
		1 <b>f</b> 1	-14: 141 4 (-4	ton the o
			adgate: width on top (at was	
			feet; depth of	water je
	feet fall p		The state of the s	
			size at intake i	
			f use in.; di	
ake and place	of use,	ft.	. Is grade uniform?	Estimated capac
	sec. ft.			
10. If pun	nps are to be used, g	give size and	type	<u></u>
				<u> </u>
Give hors	epower and type o	of motor or	engine to be used	submersible
5hp	electric & 25hp	electric		
			bed and the ground surface	
difference in	elevation between	the stream		at the source of development
difference in	elevation between	the stream	bed and the ground surface	at the source of development
12. Locati  Township N. or S.	elevation between	the stream	bed and the ground surface	at the source of development
12. Locati Township N. or S.	ion of area to be irr  Range E. or W. of Willamette Meridian	igated, or pi	lace of use	at the source of development of the source of
12. Locati Township N. or S.	ion of area to be irr  Range E. or W. of Willamette Meridian  8 East	rigated, or pi	lace of use  Forty-acre Tract  SISEI, SEISWA	Number Acres To Be Irrigated  120 Acres
12. Locati Township N. or S.	ion of area to be irr  Range E. or W. of Willamette Meridian  8 East	rigated, or pi	lace of use  Forty-acre Tract  SISEI, SEISWA	Number Acres To Be Irrigated  120 Acres
12. Locati Township N. or S.	ion of area to be irr  Range E. or W. of Willamette Meridian  8 East	rigated, or pi	lace of use  Forty-acre Tract  SISEI, SEISWA	Number Acres To Be Irrigated  120 Acres
12. Locati Township N. or S.	ion of area to be irr  Range E. or W. of Willamette Meridian  8 East	rigated, or pi	lace of use  Forty-acre Tract  SISEI, SEISWA	Number Acres To Be Irrigated  120 Acres
12. Locati Township N. or S.	ion of area to be irr  Range E. or W. of Willamette Meridian  8 East	rigated, or pi	lace of use  Forty-acre Tract  SISEI, SEISWA	Number Acres To Be Irrigated  120 Acres
12. Locati Township N. or S.	ion of area to be irr  Range E. or W. of Willamette Meridian  8 East	rigated, or pi	lace of use  Forty-acre Tract  SISEI, SEISWA	Number Acres To Be Irrigated  120 Acres
12. Locati Township N. or S.	ion of area to be irr  Range E. or W. of Willamette Meridian  8 East	rigated, or pi	lace of use  Forty-acre Tract  SISEI, SEISWA	Number Acres To Be Irrigated  120 Acres
12. Locati Township N. or S.	ion of area to be irr  Range E. or W. of Willamette Meridian  8 East	rigated, or pi	lace of use  Forty-acre Tract  SISEI, SEISWA	Number Acres To Be Irrigated  120 Acres
difference in	ion of area to be irr  Range E. or W. of Willamette Meridian  8 East	rigated, or pi	lace of use  Forty-acre Tract  SISEI, SEISWA	Number Acres To Be Irrigated  120 Acres
12. Locati Township N. or S.	ion of area to be irr  Range E. or W. of Willamette Meridian  8 East	rigated, or pi	lace of use  Forty-acre Tract  SISEI, SEISWA	Number Acres To Be Irrigated  120 Acres

## G 7656 G 8622

	To supply the		f	non	e	·····			•••••		······
**********		•••••	. county,	having	a preser	ıt populati	on of				••••••
d an esti	mated popul	ation of	f		in 1	9					
	Ā	ANSWEI	R QUESTI	ONS 14,	15, 16, 1	7 AND 18 I	N ALL CAS	SES			
14. I	Estimated co	st of pr	oposed w	orks, \$							
15. (	Construction	work ı	vill begin	on or b	efore	January	2, 1967		·····		
16. (	Construction	work ı	vill be co	mpleted	l on or b	efore	June 3	0, 196	5 <b>7</b>		
17. 7	The water wi	ill be co	mpletely	applied	to the p	roposed us	se on or be	fore	l Janua	ary 197	77
	f the ground permit, perm										
plicant.			·								
	•••••	·			:	•	17				
							MXH	iller			
Remo	ırks:		.*			Mellors Engr.	(Signatur	re of appli	cant) For:	Crown Corp.	Zeller
	See									,	
									*,		
			<i>r</i>	***************************************						200	
				·•••							
							2.5				•••••••
********				······································				· · · · · · · · · · · · · · · · · · ·			
······································				•••••••••		······································	•••••••••••				
••••••					•				<del>, -</del>		·····
***************										*******	·····
										······································	
			•			•••••••					
							······································				
TATE OF	OREGON,	) ss.									
County o	of Marion,	)									
This i	is to certify	that I	have exar	mined tl	he forego	oing applic	ation, toge	ther wi	th the a	compar	ying
ips and do	ata, and retu	rn the :	same for .	······		comp1e	etion			· · · · · · · · · · · · · · · · · · ·	
•••••					-						********
In ord	ler to retain	its prio	rity, this	applicat	tion mus	st be retur	ned to the	State E	ngineer,	with co	rrec-
nson or b	efore <del>F</del>	ebruar	y <del> 13,-</del> er 12,	•••••	, 19.7	9					
DEP.		sp cemb	er 12,		. /:	<del>)</del>					
<b>27</b> . ~	ESS my han	d this .	-13th-	day of	-De ce	mber,				; 19 <del>78</del> -	
$\mathbf{z}$	~ 76 S		12th		Marcl	1,				79	
<b>5</b> 6	- 5 ĕ	!	•								
SALEM, OREGOI	5 & 5 6.3 ¢ 150018¢	:									

County of Marion,

177

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed ......0.03............ cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Yams ay...... The use to which this water is to be applied is industrial use within a plywood mill. including fire protection, log storage and dust control. If for irrigation, this appropriation shall be limited to ....................... of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed ....... acre feet per acre for each acre irrigated during the irrigation season of each year; ..... and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

Actual construction work shall begin on or before	August 31, 1980	and shal
thereafter be prosecuted with reasonable diligence and be con	mpleted on or before October 1	, 1980
Complete application of the water to the proposed use sho	all be made on or before Octobe	r 1, 1981

19.79 WITNESS my hand this 31st day of ...

Resources Rul

₽ This instrument was first received in the office of the State Engineer at Salem, Oregon STATE ENGINEER APPROPRIATE THE GROUND WATERS OF THE STATE OREGON o'clock

Application No. G-7656 Permit No. G. G.

Returned

to applicant:

Jo day of

at

Approved.

Ground Water Permits on page Recorded in book No.

Drainage Basin No.