

## STATE OF OREGON WATER RESOURCES DEPARTMENT

## Application for a Permit to Appropriate Ground Water

AUG 2 - 1979

WATER RESOURCES DEPT  
SALEM, OREGON

I, ..... CURTIS T. UNDERWOOD

(Name of Applicant)

of..... Pt. 2 Box 809 C..... Klamath Falls.....  
(Mailing Address) (City)State of..... Oregon..... Phone No..... 882-7654..... do hereby  
(Zip Code)

make application for a permit to appropriate the following described ground waters of the State of Oregon:

1. The development will consist of ..... one well.....

(Give number of wells, tile lines, irrigation galleries, etc.)

having a diameter of ..... 16"..... 250 ft. and an estimated depth of ..... 610"..... feet.

2. The well or other source is to be located ..... 57..... ft. N..... and ..... 100..... ft. E.....  
(N. or S.) (E. or W.)

from the S.W. corner of ..... S 9 T 38 S R10 E.....

(Public Land Survey Corner)

(If there is more than one well, each must be described)

being within the ..... N.W. ..... 1/4 of the ..... S.W. ..... 1/4 of  
Sec. ..... 9 ..... Tp. ..... 38 S ..... R. ..... 10 E. ...., W.M., in the county of ..... Klamath

3. Location of area to be irrigated, or place of use if use other than irrigation.

See revised supplement

Township	Range	Section	List 1/4 of Section	List use and/or number of acres to be irrigated
38	10	4	S 1/2 SW 1/4	Cropland 80
38	10	9	N 1/2 NW 1/4	Cropland 80
38	10	5	SE 1/4 SE 1/4	Cropland 40
				700
Secondary water rights requested on existing permit #U-411				
38	10	4	SW 1/4 SE 1/4	Cropland 40
38	10	8	N 1/2 NE 1/4 , SE 1/4 NE 1/4	that portin of the SW 1/4 NE 1/4 and the NE 1/4 SE 1/4 lying East of Swan Lake Rd. Cropland 155
38	10	9	SW 1/4	lying East of Swan Lake Rd. Cropland 220

4. It is estimated that ..... 25..... ft. .... feet of the well will require ..... steel..... casing.  
(Kind)5. Depth to water table is estimated ..... 117..... Well drilled by..... E.E. Storey & Son.....  
(Feet)

6. The amount of water which the applicant intends to apply to beneficial use is ..... cubic feet per second or ..... 3,000... gallons per minute.

7. The use to which the water is to be applied is ..... Farm crops

..... irrigation and Supplemental irrigation

8. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

.....  
9. If the location of the well, or other development work is less than one-fourth mile from a natural stream channel, give the distance to the channel and the difference in elevation between the stream bed and the ground surface at the source of development.

10.

#### DESCRIPTION OF WORKS

Include length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

.....The water for parcel 4 S. 1/2 Sw. 1/4 of sec. 4 and the N. 1/2 NW. 1/4 of sec. 9 will be run through the four ditches that exist on the property of Permit # U-411. Then it will be picked up by pressure pump then through four 1/4 ml. wheel lines. The water for parcel 3, SE 1/2 SE 1/4 of sec. will be put on in the form of flood and will be run through existing ditches of permit # U-411.

11. Construction work will begin on or before..... 6-1-79

12. Construction work will be completed on or before..... 8-15-79

13. The water will be completely applied to the proposed use on or before..... 8-15-79

14. If the ground water supply is supplemental to an existing supply, identify the supply and existing water right. This water will be supplemental to the property on permit #U-411

# G-3214

Application No..... G-9339

Permit No..... G 8625

Revised Supplement to Item #3 of Application # G 9339

**RECEIVED**

SEP 4-1979

NEW Rights requested

Township	Range	Section	List $\frac{1}{4}$ 's of Sec.	WATER RESOURCES to be DEPATED use and Number of acres SALEM, OREGON	
38	10 E	9	NW $\frac{1}{4}$ NW $\frac{1}{4}$	cropland	40
38	10 E	9	NE $\frac{1}{4}$ NW $\frac{1}{4}$	cropland	40
38	10 E	4	SW $\frac{1}{4}$ SW $\frac{1}{4}$	cropland	40
38	10 E	4	SE $\frac{1}{4}$ SW $\frac{1}{4}$	cropland	40
					160 ac

Application No. G-9339

Permit No. G 8625

Secondary rights requested on Existing  
Permits # U-411 and #G-3214

38	10 E	5	SW $\frac{1}{4}$ SE $\frac{1}{4}$	cropland	40
38	10 E	5	SE $\frac{1}{4}$ SE $\frac{1}{4}$	cropland	40
38	10 E	8	NW $\frac{1}{4}$ NE $\frac{1}{4}$	cropland	40
38	10 E	8	NE $\frac{1}{4}$ NE $\frac{1}{4}$	cropland	40
38	10 E	9	SW $\frac{1}{4}$ NW $\frac{1}{4}$	cropland	40
38	10 E	9	SE $\frac{1}{4}$ SW $\frac{1}{4}$	cropland	40
38	10 E	9	SE $\frac{1}{4}$ NW $\frac{1}{4}$	cropland	40
38	10 E	9	NE $\frac{1}{4}$ SW $\frac{1}{4}$	cropland	40
38	10 E	* 8	NE $\frac{1}{4}$ SE $\frac{1}{4}$	cropland	16
38	10 E	* 8	SW $\frac{1}{4}$ NE $\frac{1}{4}$	cropland	19 <sup>5</sup>
38	10 E	* 8	SE $\frac{1}{4}$ NE $\frac{1}{4}$	cropland	39 <sup>5</sup>
38	10 E	* 9	NW $\frac{1}{4}$ SW $\frac{1}{4}$	cropland	37
38	10 E	* 9	SW $\frac{1}{4}$ SW $\frac{1}{4}$	cropland	23
					455 ac.

\*That portion lying East of Swan Lake Road

Cont. T landowner

RECEIVED

SEP 4 - 1979

WATER RESOURCES DEPT  
SALEM, OREGON

Remarks.....

Signature of Applicant

*Clinton T. Thompson*

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before October 29, 1979.

WITNESS my hand this 29th day of August, 1979.

James E. Sexson Water Resources Director

By *Donald R. Buell*  
Donald R. Buell

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the

*3<sup>rd</sup>* day of *August*, 1979, at *11:00 o'clock*  
*A. M.*

Application No. G-9339

Permit No. G-8625

**Permit to Appropriate the Public Waters of the State of Oregon**

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING MINIMUM FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed ..... 3,000 G.P.M. .... ~~cubic feet per second~~ measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from ..... a well .....

The use to which this water is to be applied is..... irrigation and supplemental irrigation .....

If for irrigation, this appropriation shall be limited to ..... 1/80th ..... of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3.0 ..... acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be constructed in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.


The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is ..... August 2, 1979 .....

Actual construction work shall begin on or before .... September 10, 1980 ..... and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1980 .....

Complete application of the water to the proposed use shall be made on or before October 1, 1981 .....

WITNESS my hand this ..... 10th ..... day of ..... September ..... , 1979 .....



Water Resources Director