

STATE ENGINEER
MAY 23 1959
STATE ENGINEER

Permit No. G-866

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

We E. W. and Francis P. Haggerty
(Name of applicant)
of 12950 S. W. Fielding Rd. Oswego, Oregon, county of Clackamas
(Postoffice Address)
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Willamette River
(Name of stream)
tributary of

2. The amount of water which the applicant intends to apply to beneficial use is _____ cubic feet per second or 25 gallons per minute.

3. The use to which the water is to be applied is garden and lawn sprinkling

4. The well or other source is located 367 ft. S and 2224 ft. E from the NW corner of Section 2, T2S, R1E, Willamette Meridian, Clackamas County Oregon
(N or S) (E or W)
(Section or subdivision)
(If preferable, give distance and bearing to section corner)

(NE 1/4 of NW 1/4) (If there is more than one well each must be described. Use separate sheet if necessary)
being within the NE 1/4 of NW 1/4 of Sec. 2, Twp. 2 S., R. 1 E.
W. M., in the county of Clackamas Oregon

5. The not applicable (Canal or pipe line) to be _____ miles in length, terminating in the _____ of Sec. _____, Twp. _____, R. _____, W. M., the proposed location being shown throughout on the accompanying map.
(Smallest legal subdivision)

6. The name of the well or other works is no name

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
not artesian

8. The development will consist of one well having a diameter of six inches and an estimated depth of 100 feet. It is estimated that _____ feet of the well will require steel casing. Depth to water table is estimated _____
(Give number of wells, tunnels, etc.) (Kind) (Feet)

CANAL SYSTEM OR PIPE LINE— not applicable

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ... feet; width on bottom ... feet; depth of water ... feet; grade ... feet fall per one thousand feet.

(b) At ... miles from headgate: width on top (at water line) ... feet; width on bottom ... feet; depth of water ... feet; grade ... feet fall per one thousand feet.

(c) Length of pipe, ... ft.; size at intake, ... in.; in size at ... ft. from intake ... in.; size at place of use ... in.; difference in elevation between intake and place of use, ... ft. Is grade uniform? ... Estimated capacity, ... sec. ft.

10. If pumps are to be used, give size and type ... Universal Jet

Give horsepower and type of motor or engine to be used ... 2 HP Electric

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

Appr 650 feet from river and appr 50 feet above bottom of channel

12. Location of area to be irrigated, or place of use

Table with 5 columns: Township N. or S., Range E. or W. of Willamette Meridian, Section, Forty-acre Tract, Number Acres To Be Irrigated. Row 1: 2 S., 1 E., 2, NE 1/4 of NW 1/4, 1 1/2 appr.

(If more space required, attach separate sheet)

Character of soil ... sandy

Kind of crops raised ... Flowers, shrubs and lawn

MUNICIPAL SUPPLY— not applicable

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$1500.00.....
- 15. Construction work will begin on or before February 11, 1958.....
- 16. Construction work will be completed on or before March 13, 1958.....
- 17. The water will be completely applied to the proposed use on or before June 1, 1958.....

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. none

News Security
Francis R. Haggerty
(Signature of applicant)

Remarks: Applicant was ignorant of permit requirements and driller presumed area under consideration to be sprinklered was less than one half acre. Actually applicant wants permit to cover entire premises although present usage will be on an area of approximately one half acre.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19

WITNESS my hand this day of, 19

STATE ENGINEER

By ASSISTANT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.02 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is May 22, 1958

Actual construction work shall begin on or before June 20, 1959 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1959

Complete application of the water to the proposed use shall be made on or before October 1, 1960

WITNESS my hand this 20th day of June, 1958.

Lewis A. Stanley
STATE ENGINEER

Application No. G- 977

Permit No. G- 866

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 22 day of May, 1958, at 1:00 o'clock A. M.

Returned to applicant:

Approved:

June 20, 1958

Recorded in book No. 4 of

Ground Water Permits on page 866

LEWIS A. STANLEY

STATE ENGINEER

Drainage Basin No. 2 page 92 R