

Permit No. G-870

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Ollie and Harry Hardenburger (Name of applicant)

of Route 2, Box 87-H, Philomath, county of Benton

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

No

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Rock Creek (Name of stream)

tributary of Mary's River

2. The amount of water which the applicant intends to apply to beneficial use is 0.375 cubic feet per second or gallons per minute.

3. The use to which the water is to be applied is irrigation

The well is located S 23° 15' E 199' from the most northerly NW corner, said corner located as follows: beginning at the most northerly NE corner of the Alfred Henson DIC #67 hence S 639.79' hence E 1255.20' to a 1/2" iron pipe hence N 39° 28' E 144.30' hence N 70° 37' W 272.50'.

said well

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the SW 1/4 SW 1/4 of Sec. 11, Twp. 12S, R. 6W

W. M., in the county of Benton

5. The pipeline to be portable, not exceeding 600' in length in length, terminating in the SW 1/4 SW 1/4 of Sec. 11, Twp. 12S

R. 6W W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is unnamed

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of 1 well having a diameter of 6 inches and an estimated depth of 60 feet. It is estimated that 30

feet of the well will require steel casing. Depth to water table is estimated 25 (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, 600 ft.; size at intake, 2 in.; in size at 600 ft. from intake 2 in.; size at place of use 2 in.; difference in elevation between intake and place of use, none ft. Is grade uniform? yes Estimated capacity, 0.05 sec. ft.

10. If pumps are to be used, give size and type 1 1/2 x 1" jet boost centrifugal 1 1/2 hp electric

Give horsepower and type of motor or engine to be used

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
12S	6W	10	SE 1/4 SE 1/4	3
12S	6W	<del>10</del> 11	SW 1/4 SW 1/4	2.7
				3.0

(If more space required, attach separate sheet)

Character of soil ..... silty clay loam

Kind of crops raised ..... horticulture



County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.04 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year:

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is May 27, 1958

Actual construction work shall begin on or before June 20, 1959 and shall

thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1959

Complete application of the water to the proposed use shall be made on or before October 1, 1960

WITNESS my hand this 20th day of June, 1958

Lewis A. Staley  
STATE ENGINEER

Application No. G-183  
Permit No. G-870

PERMIT  
TO APPROPRIATE THE GROUND  
WATERS OF THE STATE  
OF OREGON

This instrument was first received in the  
office of the State Engineer at Salem, Oregon,  
on the 21st day of June  
1958, at 5:00 o'clock P.M.

Returned to applicant:

Approved:

June 20, 1958

Recorded in book No. 4 of

Ground Water Permits on page 870

LEWIS A. STALEY  
STATE ENGINEER

Drainage Basin No. 2 page 228