

Application No..... G-9214.....

CERTIFICATE NO.

Permit No..... G 8823.....

62679

STATE OF OREGON WATER RESOURCES DEPARTMENT
RECEIVED
Application for a Permit to Appropriate Ground Water APR 25 1979

I, ROBERT L. JANZEN.....

(Name of Applicant)

of..... R.T. 2. Box 69....., DAYTON.....
 (Mailing Address) (City)State of..... OREGON....., 97114..... Phone No..... 868-7353..... do hereby
 (Zip Code)

make application for a permit to appropriate the following described ground waters of the State of Oregon:

1. The development will consist of 4 WELLS
 # 1 - 12" (Give number of wells, tile lines, infiltration galleries, etc.)

having a diameter of others..... 8"..... and an estimated depth of..... 35..... feet.

2. The well or other source is to be located ft..... and ft..... (E. or W.)
 (N. or S.)from the NE corner of SECTION 30.....
 (Public Land Survey Corner)# 1. 1390 ft S. & 1680 ft E. SE 1/4 NW 1/4, #2 - 2850 ft S. & 2360 ft E.,
 NE 1/4 SW 1/4, #3 - 2380 ft S. & 1675 ft E., SE 1/4 NW 1/4; and #4 -
 3290 ft S. and 1400 ft E. being within the N.E. 1/4 of the S.W. 1/4 of

Sec. 29..... Tp. 5.S..... R. 3W....., W.M., in the county of..... Yamhill.....

3. Location of area to be irrigated, or place of use if use other than irrigation.

Township	Range	Section	List 1/4 of Section	List use and/or number of acres to be irrigated
5S	3W	30	NE 1/4 NE 1/4	12.2
			NW 1/4 NE 1/4	35.0
			SW 1/4 NE 1/4	18.0
			SE 1/4 NE 1/4	6.3
			NE 1/4 NW 1/4	22.3
			NW 1/4 NW 1/4	2.0
			SW 1/4 NW 1/4	1.8
			SE 1/4 NW 1/4	13.0
				110.6

4. It is estimated that feet of the well will require casing.
 (Kind)5. Depth to water table is estimated Well drilled by.....
 (Feet)

6. The amount of water which the applicant intends to apply to beneficial use is 11.39 cubic feet

BEING AN EQUAL QUANTITY OF WATER FROM EACH WELL
per second or gallons per minute. TO MAKE UP THE ABOVE TOTAL

7. The use to which the water is to be applied is SUPPLEMENTAL IRRIGATION

8. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

9. If the location of the well, or other development work is less than one-fourth mile from a natural stream channel, give the distance to the channel and the difference in elevation between the stream bed and the ground surface at the source of development.

20 ft to 100 ft away 5 ft ± elevation

10.

DESCRIPTION OF WORKS

Include length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

3-1½ h.p. cent. pumps are used to pump water from wells into ELY RESERVOIR from there, existing system is used to irrigate

11. Construction work will begin on or before

12. Construction work will be completed on or before COMPLETED

13. The water will be completely applied to the proposed use on or before OCT 1, 1981

14. If the ground water supply is supplemental to an existing supply, identify the supply and existing water right. SLV appl. being filed at this time

Application No. G-9214

Permit No. G-8823


Remarks: L.D. - lots 7 thru 11, 16, 26 thru 29, 34, and
35 Willamette gardens subdivision

THIS APPLICATION PREPARED BY:

Don Russell

FROM INFORMATION FURNISHED BY
THE APPLICANT.

This is to certify that I have examined the foregoing application, together with the accompanying maps
and data, and return the same for.....

X 

Signature of Applicant

In order to retain its priority, this application must be returned to the Water Resources Director with
corrections on or before....., 19.....

WITNESS my hand this day of , 19.....

Water Resources Director

By

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the
25th day of APRIL, 1979, at 1:30 o'clock
P.M.

Application No. G-9214

Permit No. G 8823

1255

Permit to Appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING MINIMUM FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.39 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from 4 wells

The use to which this water is to be applied is supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 $\frac{1}{2}$ acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein, and shall be further limited to appropriation of water only to the extent that it does not impair or substantially interfere with existing surface water rights of others, provided further that the amount of water rediverted from Palmer Creek and reservoir under this permit shall not exceed the amount of water diverted from the 4 wells.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be constructed in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is April 25, 1979

Actual construction work shall begin on or before April 25, 1981 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19...81.....

Complete application of the water to the proposed use shall be made on or before October 1, 19..82.....

WITNESS my hand this 25th day of April , 19..80.....


Harold Shadley
Deputy Water Resources Director

24f C