


Application No. G-9605

Permit No. G 8824

STATE OF OREGON WATER RESOURCES DEPARTMENT

Application for a Permit to Appropriate Ground Water



I, Elbert L. Estes (Name of Applicant)

of Rt. 1 Box 812 A (Mailing Address), Prineville (City)

State of Oregon (Zip Code) 97754 Phone No. 417-4728 do hereby

make application for a permit to appropriate the following described ground waters of the State of Oregon:

1. The development will consist of one sump (Give number of wells, tile lines, infiltration galleries, etc.)

having a diameter of 35 feet and an estimated depth of 16 feet

2. The well or other source is to be located 721 ft N. and 485 ft W. (N. or S.) (E. or W.)

from the Southeast corner of the Northeast quarter of Section 22 in township 13 (Public Land Survey Corner)

(If there is more than one well, each must be described)

being within the Southeast $\frac{1}{4}$ of the Northeast $\frac{1}{4}$ of

Sec. 22 Tp. 13 S. R. 16 E., W. M., in the county of Crook

3. Location of area to be irrigated, or place of use if use other than irrigation.

Township	Range	Section	List $\frac{1}{4}$ $\frac{1}{4}$ of Section	List use and/or number of acres to be irrigated
13 S	16 E.	22	S.E. $\frac{1}{4}$ of N.E. $\frac{1}{4}$	12 acres irrigation

4. It is estimated that feet of the well will require casing. (Kind)

5. Depth to water table is estimated Well drilled by (Feet)

6. The amount of water which the applicant intends to apply to beneficial use is 1/5 cubic feet per second or 89.766 gallons per minute.

7. The use to which the water is to be applied is irrigation.....

8. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

9. If the location of the well, or other development work is less than one-fourth mile from a natural stream channel, give the distance to the channel and the difference in elevation between the stream bed and the ground surface at the source of development.

..... sump is 675 feet from stream channel and there is a rise in elevation of approximately 3 to 4 feet.

10.

DESCRIPTION OF WORKS

Include length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

..... Irrigation system to consist of Myers 2 H.P. Pump.....

..... 510 feet of three inch pipe used as mainline and 440 feet of two inch pipe.....

..... used as laterals.....

11. Construction work will begin on or before March 1980.....

12. Construction work will be completed on or before June 1980.....

13. The water will be completely applied to the proposed use on or before July 1980.....

14. If the ground water supply is supplemental to an existing supply, identify the supply and existing water right.....

Application No. G-9605.....

Permit No. G 8824.....

G 8824

Remarks:.....This application will cancel out permit number G. 8366.....

.....I had a telephone conversation with Patricia Penney and she said this would
.....be alright.....

This permit, when issued, is for the beneficial use of water. By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan. It is possible that the land use you propose may not be allowed if it is not in keeping with the goals and the acknowledged plan. Your city or county planning agency can advise you about the land-use plan in your area.

Elbert Lee Estes
Signature of Applicant

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for.....

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before....., 19.....

WITNESS my hand this day of....., 19.....

Water Resources Director

By

*This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the
.....10th..... day ofMarch....., 19.....80....., at11:00..... o'clock
.....A.....M.*

Application No. G-9605

Permit No. G 8824

G 8824

Permit to Appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING MINIMUM FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.15 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a sump

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3.0 acre feet per acre for each acre irrigated during the irrigation season of each year; and shall be further limited to appropriation of water only to the extent that it does not impair or substantially interfere with existing surface water rights of others

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be constructed in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is March 10, 1980

Actual construction work shall begin on or before May 5, 1981 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1981

Complete application of the water to the proposed use shall be made on or before October 1, 1982

WITNESS my hand this 5th day of May, 1980

[Signature]
Deputy Water Resources Director

CHY A