Permit No. G- 884

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I,Lealie Re Hartley (Mome of applicant)
of 15028 N. F. Sandy Blvd., Partland, county of Lultnorah
state of Origon , do hereby make application for a permit to appropriate th
following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. Give name of nearest stream to which the well, tunnel or other source of water development
situated 00 lumbia wiver (Name of stream)
tributary of
2. The amount of water which the applicant intends to apply to beneficial use is cub feet per second or gallons per minute.
3. The use to which the water is to be applied is some rolal garden and theer a seed.
4. The well or other source is located xxxx ft. and xxx ft. from the xx
corner of do 25/4.2m. See To . 1 hear no
(S 40°45°% a distance of 1125 ft) (If preferable, give distance and bearing to section corner)
ilf there is more than one we'' each must be described. Use separate sheet if necessary)
being within the of Sec. 3. Twp. 1 h. , R. 3 h.
W. M., in the county of
5. The (Canal or pipe line) to be mile
in length, terminating in the
R. W. M., the proposed location being shown throughout on the accompanying map.
6. The name of the well or other works is
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
en e
en e
8 The development will and the
8. The development will consist of Give number of wells, tunnels, etc.)
diameter of inches and an estimated depth of feet. It is estimated that
feet of the well will require and the casing. Depth to water table is estimated (Kind)
(Feet)

d feet. o) At miles from headgate: width on top (at water line)	eet fall p
o) At miles from headgate: width on top (at water line)	
•	
feet; width on bottom feet; depth of water	••
feet fall per one thousand feet.	
:) Length of pipe, ft.; size at intake, in.; in size at	1.4
in.; size at place of use in.; difference in elev	vation b
nd place of use, ft. Is grade uniform? Estin	mated co
sec. ft.	
0. If pumps are to be used, give size and typeJagonzi submerewhile proper	د هدگام صحوب
1. If the location of the well, tunnel, or other development work is less than one-four stream or stream channel, give the distance to the nearest point on each of such terence in elevation between the stream bed and the ground surface at the source of	h chann
1. If the location of the well, tunnel, or other development work is less than one-four stream or stream channel, give the distance to the nearest point on each of such terence in elevation between the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed and the ground surface at the stream bed at the stream bed at the ground surface at the stream bed at the stre	h chann
1. If the location of the well, tunnel, or other development work is less than one-four stream or stream channel, give the distance to the nearest point on each of such erence in elevation between the stream bed and the ground surface at the source of th	h chann
1. If the location of the well, tunnel, or other development work is less than one-four stream or stream channel, give the distance to the nearest point on each of such terence in elevation between the stream bed and the ground surface at the source of the source of the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the	h chann of devel
1. If the location of the well, tunnel, or other development work is less than one-four stream or stream channel, give the distance to the nearest point on each of such erence in elevation between the stream bed and the ground surface at the source of the surface at the source of the stream bed and the ground surface at the source of the s	h chann of devel
1. If the location of the well, tunnel, or other development work is less than one-four stream or stream channel, give the distance to the nearest point on each of such erence in elevation between the stream bed and the ground surface at the source of the surface at the source of the stream bed and the ground surface at the source of the s	h chann of devel
1. If the location of the well, tunnel, or other development work is less than one-four stream or stream channel, give the distance to the nearest point on each of such erence in elevation between the stream bed and the ground surface at the source of the surface at the source of the stream bed and the ground surface at the source of the s	h chann of devel
1. If the location of the well, tunnel, or other development work is less than one-four stream or stream channel, give the distance to the nearest point on each of such erence in elevation between the stream bed and the ground surface at the source of the surface at the source of the stream bed and the ground surface at the source of the s	h chann of devel
1. If the location of the well, tunnel, or other development work is less than one-four stream or stream channel, give the distance to the nearest point on each of such erence in elevation between the stream bed and the ground surface at the source of the surface at the source of the stream bed and the ground surface at the source of the s	h chann of devel
1. If the location of the well, tunnel, or other development work is less than one-four stream or stream channel, give the distance to the nearest point on each of such erence in elevation between the stream bed and the ground surface at the source of the surface at the source of the stream bed and the ground surface at the source of the s	h chann of devel
1. If the location of the well, tunnel, or other development work is less than one-four stream or stream channel, give the distance to the nearest point on each of such erence in elevation between the stream bed and the ground surface at the source of the surface at the source of the stream bed and the ground surface at the source of the s	h chann of devel
1. If the location of the well, tunnel, or other development work is less than one-four stream or stream channel, give the distance to the nearest point on each of such erence in elevation between the stream bed and the ground surface at the source of the surface at the source of the stream bed and the ground surface at the source of the s	h chann of devel
1. If the location of the well, tunnel, or other development work is less than one-four stream or stream channel, give the distance to the nearest point on each of such erence in elevation between the stream bed and the ground surface at the source of the surface at the source of the stream bed and the ground surface at the source of the s	h chann of devel
1. If the location of the well, tunnel, or other development work is less than one-four stream or stream channel, give the distance to the nearest point on each of such erence in elevation between the stream bed and the ground surface at the source of the surface at the source of the stream bed and the ground surface at the source of the s	h chann of devel
1. If the location of the well, tunnel, or other development work is less than one-four stream or stream channel, give the distance to the nearest point on each of such erence in elevation between the stream bed and the ground surface at the source of the surface at the source of the stream bed and the ground surface at the source of the s	h chann of devel

II.		PPLY— iy the c	ity of	••••••••		· · · · · · · · · · · · · · · · · · ·		*** /*****//	
P Con in a c	Part weeks rear a pust	i = 100 dqd shaqqaa	count	ly, having c	'present pop	ulation o	f	••••••	
n es	timated 1	•	-		in 19			_	
14.	Estimat				15, 16, 17 A 1 15,201,20		ALL CASE		
15.	Constru	ction w	ork will be	gin on or be	foresu	meraf			
16.	Constru	ection w	ork will be	completed c	n or before	Salin	<u> </u>		
17.	The we	ter mill	he complete	elu epolied	to the propos	rd wae on	or before	strmer	
	••	÷			emental to a			•	
	•	•	• •		icated right		•		
cent	ł	••••••	••••••	•••••		······	*****	····	
· 		····		•					
					da	hi ((Bignature of a	pplicant)	4
Re	marks:		the pres	sini tire	have a six	inch.w	ell ivr	ionicaliau	Saaž
1.5	opr. L	36 5 141.	Modent wa	ater supp	y the sur	S1134H1 1.2	and American	n.e. All Ma	ereile.
	. 63 1 1 t 3	iorni v	WC14 85 93	n emerger	1 11845276.		ويعد المالكيد بتبقيل		ويستداي
		• 3.74 M	l enythi	talbanni.		95 t. S Max.	a C	. Pulle al.	
.:.:	_s <u>u</u>	• • • • • • • • • • • • • • • • • • • •	ing in r	TPARAGO.					
• • • •		•			•• •••••				
	*****		····						,,
					•••••				
			•						
				. * * * * * * * * * * * * * * * * * * *					
**		*** **				., ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
								••••	
****					•••				
TE (OF ORE	GON,	1						
ount	ty of Mar	ion,	33.						
Th	iis is to c	ertify t	hat I have	examined 1	the foregoing	applicati	on, togethe	r with the a	ccomp
s and	d data, a	nd retui	rn the same	? for	aorre	ction			
Ιn	order to	retain	its priority	this appli	cation must be	p tptsirna	d to the Ste	te Engineer	- prith :
					, 19.58	e recurrie	a to the Ste		, with
. vil	or dejure	.		.99.)	, 13				

LEWIS A. STAULEY

STATE ENGINEER

James W. Carver, Jr.

ASSISTANT

County of Merion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

		ed is limited to the amor			-	•
		equivalent in case of ro				
The	use to which this	water is to be applied is	irriga	tion		
••• ••• •••••						
	,	opropriation shall be lim				•
	•	re irrigated and shall be cre irrigated during the			•	•
acre jeel j	ver acre jor each a	cre urigated during the	irrigation s	eason of each ye	:ur;	
*********			•••••			
			••			
and shall	be subject to such	reasonable rotation syst	em as may b	e ordered by th	e proper st	ate officer.
the works The line, adeq The keep a con The Act thereafter	shall include proposition works constructed uate to determine permittee shall in nplete record of the priority date of the ual construction were be prosecuted with	d as necessary in accorder capping and control of shall include an air line water level elevation in stall and maintain a we amount of ground water is more shall begin on or be the reasonable diligence of the water to the propastic. The day of more same and of more shall begin and of more shall begin on or be the water to the propastic.	valve to press ne and press n the well at ir, meter, or ter withdrau fore and be con osed use sha	vent the waste of ure gauge or an call times. other suitable mon. June 20, 195 18 July 28, 195 npleted on or be	of ground access por neasuring of 8	water. It for measuring device, and shall and shall ber 1, 1959
Application No. G-1013 Permit No. G-884	PERMIT TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the LL Way of LULE	Returned to applicant:		Ground Water Permits on page	Drainage Basin No. 3 page 25

1500