

Permit No. G. 889

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

. 1,		d Marjorie Burton, hus	band and wife
of	Ontario (Box 46)	ome of applicant), county of	Malheur
state offollowing describ	Oregon	lo hereby make application for a p of Oregon, SUBJECT TO EXISTI	ermit to appropriate the
1. Give no	ame of nearest stream to which	the well, tunnel or other source of	of water development is
		(Managara)	
		(Name of stream) tributary of	
2. The am		cant intends to apply to beneficial	
3. The use	e to which the water is to be ap	plied is irrigation	
		32 ft. N and 300.5 ft.	
corner of	Ellalf Southeast Qua	rter Southwest Quarter (Section or Subdivision)	······································
or S 63° 341	W a distance of 398.7 ft (H preferable, give dis	from the S 1/16th Corner o	f Section 9
being within the	(If there is more than one we'l, each i SESW	of Sec. 9. Twp.	13S, R. 47
W. M., in the cou	inty of Maline	ur	
5. The	(Canal or pipe lin	to be	miles
in length, termin	ating in the(Smallest)	legal subdivision)	, Twp.
		g shown throughout on the accomp	
		Burton Well	•
	DESCRI	PTION OF WORKS	
7. If the fl supply when not	low to be utilized is artesian, the in use must be described.	works to be used for the control	and conservation of the
· · · · · · · · · · · · · · · · · · ·			
••••		···············	
••••••		en e	en e
8. The dev		(Give number of wells, tunnels, etc.)	
diameter of	inches and an estimate	(Give number of wells, tunnels, etc.) ed depth of4.7 feet. It is	setimated the
jeer of the well u	(Kind)	casing. Depth to water table i	s estimated (Peet)

gate. At head	pate: whath on top	et water lin	e)	jeet; wath on oot
je	eet; depth of wate	BT	feet; grade	feet fall per
sand feet.	•			
(b) At	mil	es from headg	ate: width on top (at water li	ne)
	feet; width on b	ottom	feet; depth of wate	· T
e	feet fall po	er one thousan	ud feet.	
(c) Length	of pipe,	ft.; s	ize at intake,in	; in size at
intake	in.; si	ize at place of	use in.; diffe	erence in elevation betu
ke and place of	use,	ft. 1	s grade uniform?	Estimated capa
•	. sec. ft.			
10. If pump	s are to be used, g	jive size and t	ype 5 H.P. Centri	fical 2" discha
Give horsep	ower and type of	motor or engi	ne to be used 5 H.P. e	lectric motor
			,	
iral stream or	stream channel,	, give the dis	her development work is less tance to the nearest point on ed and the ground surface at	each of such channels
difference in e	stream channel, levation between	, give the dis	tance to the nearest point on	each of such channels the source of developm
iral stream or difference in e	stream channel,	, give the dis	tance to the nearest point on ed and the ground surface at	each of such channels the source of developm
difference in e	n of area to be ir	give the distributed the stream be	tance to the nearest point on ed and the ground surface at ce of use	each of such channels the source of developm Number Acres
difference in e	n of area to be ir	give the distributed the stream between the stream	tance to the nearest point on ed and the ground surface at ce of use	Number Acres To Be Irrigated
difference in e	n of area to be ir	give the distributed the stream between the stream	tance to the nearest point on ed and the ground surface at ce of use	Number Acres To Be Irrigated
difference in e	n of area to be ir	give the distributed the stream between the stream	tance to the nearest point on ed and the ground surface at ce of use	Number Acres To Be Irrigated
difference in e	n of area to be ir	give the distributed the stream between the stream	tance to the nearest point on ed and the ground surface at ce of use	Number Acres To Be Irrigated
difference in e	n of area to be ir	give the distributed the stream between the stream	tance to the nearest point on ed and the ground surface at ce of use	Number Acres To Be Irrigated
difference in e	n of area to be ir	give the distributed the stream between the stream	tance to the nearest point on ed and the ground surface at ce of use	Number Acres To Be Irrigated
difference in e	n of area to be ir	give the distributed the stream between the stream	tance to the nearest point on ed and the ground surface at ce of use	Number Acres To Be Irrigated
difference in e	n of area to be ir	give the distributed the stream between the stream	tance to the nearest point on ed and the ground surface at ce of use	Number Acres To Be Irrigated
difference in e	n of area to be ir	give the distributed the stream between the stream	tance to the nearest point on ed and the ground surface at ce of use	Number Acres To Be Irrigated
difference in e	n of area to be ir	give the distributed the stream between the stream	tance to the nearest point on ed and the ground surface at ce of use	Number Acres To Be Irrigated

Kind of crops raised pasture

THATEIEEA

TUNICIPAL SUPPLY—	
23. To supply the city of	······································
county, having a p	present population of
nd an estimated population of	
Alewan quartions 14, 14. Estimated best of proposed works, \$	15, 16, 17 AND 18 IN ALL CASES 1,000,00
15. Construction work will begin on or befo	May 1, 1957
•	or before
and the second of the second o	the proposed use on or beforeapplied May 1
ation for permit, permit, certificate or adjudice	vental to an existing water supply, identify any apparted right to appropriate water, made or held by t
pplicant.	
	Mariario Buston
	Marjori Button
Remarks:	
	••••
	••••
······································	·····
	·····
· · · · · · · · · · · · · · · · · · ·	
STATE OF OREGON, ss.	
County of Marion,	
This is to certify that I have examined the	foregoing application, together with the accompanyi
naps and data, and return the same for	
In order to retain its priority, this applicat	ion must be returned to the State Engineer, with corre
ions on or before	
-,	·,········
W.M.	
WITNESS my hand this day of	, 19
	STATE ENGINEER
•	Re.

County of Merion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

keep a complete record of the amount of ground water withdrawn.
The use to which this water is to be applied is 1rr1gation. If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the amount of water allowed herein, together with the amount secured under any other right exsiting for the same lands shall not exceed the limitation allowed herein. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.
If for irrigation, this appropriation shall be limited to
If for irrigation, this appropriation shall be limited to
acre feet per acre for each acre irrigated and shall be further limited to a diversion of not to exceed. 3 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the amount of water allowed herein, together with the amount secured under any other right exsiting for the same lands shall not exceed the limitation allowed herein. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.
acre feet per acre for each acre irrigated and shall be further limited to a diversion of not to exceed. 3 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the amount of water allowed herein, together with the amount secured under any other right exsiting for the same lands shall not exceed the limitation allowed herein. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.
that the amount of water allowed herein, together with the amount secured under any other right exsiting for the same lands shall not exceed the limitation allowed herein. and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control value to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.
The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.
The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.
The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.
the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.
line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.
keep a complete record of the amount of ground water withdrawn.
The priority date of this permit is May 1, 1958
Actual construction work shall begin on or beforeJuly 25, 1959 and shall
thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.59
Complete application of the water to the proposed use shall be made on or before October 1, 19 60
WITNESS my hand this 25th day of July ,19.58
LWZQ U. Etlauley STATE ENGINEER
Permit No. G- 889 Permit No. G- 889 TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON This instrument was first received in the Ce of the State Engineer at Salem, Oregon, the Cottock Andrew of Active at Cottock Andrew Andrew Cottock Andr
GROUND TATE TATE Salem, Orego M. M. M. M. M. A. A. A. A. A.
HE GRO St receive at Salem at Salem Col. Lu Lu Lu Estate serate serate
PERMIT Permit No. G.— \$88? Permit No. G.— \$88? TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON This instrument was first received in the state Engineer at Salem, Ore of the State Engineer at Salem, Ore this instrument to applicant: The state of the State Engineer at Salem, Ore of the State Engineer: This instrument was first received in the State Engineer of t
Permit No. G- & WATERS OF THE OF OREGO This instrument was firs the / ' day of // A day of
Permit No. Permit No. Permit No. APPROPR. WATERS OF instrument ins
Perm Perm Perm WAP TO APP WAN This instr the / '', at Luly 25 Recorded wate Wate Drainage
PERMIT TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON This instrument was first received in the office of the State Engineer at Salem, Oregon, on the Control of the State Engineer at Salem, Oregon, on the Control of the State Engineer at Salem, Oregon, on the Control of the State Engineer at Salem, Oregon, on the Control of the State Engineer at Salem, Oregon, on the Control of the State Engineer at Salem, Oregon, on the Control of the State Engineer at Salem, Oregon, on the Control of the State Permits on page LULY 25, 1958 Recorded in book No. Ut. of the State Fromes and the State Fromes and the State Fromes and the State Fromes and the State Engineer and the State Fromes and the State Engineer and the State France and the State Engineer and the State France and the State Engineer and the State Engine