

STATE OF OREGON
SALMON DIVISION

Permit No. G- 893

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, EUGENE HOTEL
(Name of applicant)
of 222 E. BROADWAY, EUGENE, OREGON, county of LANE
(Premises Address)

state of OREGON, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

MAY 24th, 1946, Eugene, Oregon

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated WILLAMETTE RIVER
(Name of stream)
tributary of COLUMBIA RIVER

2. The amount of water which the applicant intends to apply to beneficial use is _____ cubic feet per second or 250 gallons per minute.

3. The use to which the water is to be applied is AIR CONDITIONING
System in Eugene Hotel

4. The well or other source is located 540.47 ft. S and 294.78 ft. W from the SOUTH S.E. corner of the Eugene Skinner D.L.C. No. 64
(N. or S.) (E. or W.) (Section or subdivision)
(If preferable, give distance and bearing to section corner)

(If there is more than one well each must be described. Use separate sheet if necessary)
being within the SE 1/4 N.E. 1/4 of Sec. 31, Twp. 17 S, R. 3 W, W. M., in the county of LANE

5. The PIPE LINE to be 208.5 FT. miles
(Canal or pipe line)
in length, terminating in the NE 1/4 of Sec. 31, Twp. 17 S
(Smallest legal subdivision)
R. 3 W W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is EUGENE HOTEL WELL

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of 1 well having a
(Give number of wells, tunnels, etc.)
diameter of 10 inches and an estimated depth of 186 feet. It is estimated that 500 feet of the well will require STEEL casing. Depth to water table is estimated 12
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type 20 H.P. 300 gpm @ 75 psi
multi-stage submerged pump

Give horsepower and type of motor or engine to be used 20 H.P. UNIVERSAL
(Electr.) SUBMERSIBLE

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use AIR CONDITIONING FOR HOTEL

| Township N. or S. | Range E. or W. of Willamette Meridian | Section | Forty-acre Tract | Number Acres To Be Irrigated |
|-------------------|---------------------------------------|---------|------------------|------------------------------|
| T 17 S | R 3 W | 31 | SE 1/4 NE 1/4 | AIR CONDITIONING |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

(If more space required, attach separate sheet)

Character of soil

Kind of crops raised

MUNICIPAL SUPPLY—

13. To supply the city of _____
in _____ county, having a present population of _____
and an estimated population of _____ in 19_____

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

14. Estimated cost of proposed works, \$ 2850⁰⁰

15. Construction work will begin on or before 1957 (started & completed)

16. Construction work will be completed on or before Completed in 1957

17. The water will be completely applied to the proposed use on or before BEING USED PRESENTLY

18. If the ground water supply is supplemental to an existing water supply, identify any appli-
cation for permit, permit, certificate or adjudicated right to appropriate water, made or held by the
applicant. NO OTHER GROUND WATER PERMIT BEING HELD.

Handwritten signature
(Signature of applicant)
EUGENE HOTEL CO.

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for correction

In order to retain its priority, this application must be returned to the State Engineer, with correc-
tions on or before August 18, 1958.

WITNESS my hand this 16th day of June, 1958

LEWIS A. STANLEY

STATE ENGINEER

By *James W. Carver, Jr.*
James W. Carver, Jr. ASSISTANT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.56 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is air conditioning

If for irrigation, this appropriation shall be limited to - - of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is June 6, 1958

Actual construction work shall begin on or before July 25, 1959 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1959

Complete application of the water to the proposed use shall be made on or before October 1, 1960

WITNESS my hand this 25th day of July, 1958

Lewis A. Stanley STATE ENGINEER

Application No. G-793 Permit No. G-893

PERMIT TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 6th day of August, 1958, at 5 o'clock P. M.

Returned to applicant:

Approved:

July 25, 1958

Recorded in book No. 4 of 893

Ground Water Permits on page

LEWIS A. STANLEY STATE ENGINEER

Drainage Basin No. 2 page 925