APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

1, 3555 River bend Rd.	914
of Selem	tame of applicant), county of Polk
state of OFE. following described ground waters of the state	do hereby make application for a permit to appropriate the of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date	and place of incorporation
	the well, tunnel or other source of water development is
	tributary of
2. The amount of water which the applifeet per second or 320 gallons per minu	cant intends to apply to beneficial use is cubic ite.
3. The use to which the water is to be ap	oplied is Frigation
4. The well or other source is located 6?	30 ft. N and 80 ft. E from the S.E
corner of Derizer of SW & S	Wa See 3 T. 7.5. R. 7W (Section or subdivision)
to preference, give an	stance and bearing to section corner)
being within the SE4 95W4	of Sec. 3
W. M., in the county of Polk	•
5. The Portable Equi	to be miles
in length, terminating in the	legal su sdivision) of Sec. , Twp.
	g shown throughout on the accompanying map.
6. The name of the well or other works is	
	PTION OF WORKS
7. If the flow to be utilized is artesian, the supply when not in use must be described.	e works to be used for the control and conservation of the
8. The development will consist of consist o	An Existing Carare/Pit having a
-	ed depth of feet. It is estimated that
feet of the well will require (Kind)	casing. Depth to water table is estimated

NAL SYSTEM OR PIPE LINE ** (a) Give dimensions at each point of canal where materially changed in size, stating deste. At headgate: width on top (at water line) feet; width of water feet; grade feet seamed feet. (b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water line) feet; width on bottom feet; depth of water line) feet fall per one thousand feet. (c) Length of pipe, ft.; size at intake, in.; in size at nintake in.; size at place of use in.; difference in elevating lateral sec. ft. 10. If pumps are to be used, give size and type / 5 H.P. Winter in the level of the location of the well, tunnel, or other development work is less than one-fourth and stream or stream channel, give the distance to the nearest point on each of such a difference in elevation between the stream bed and the ground surface at the source of a life to the level of a life to the level of the level of the level of the level of a life to the level of the stream of a level of a life to the level of th	
feet; width on top (at water line) feet; depth of water feet; grade feet feet; grade feet feet; grade feet feet feet feet; grade feet feet feet feet feet feet; grade feet feet feet feet; width on top (at water line) feet; width on bottom feet; depth of water feet feet; width on bottom feet; depth of water feet feet fall per one thousand feet. (c) Length of pipe, ft.; size at intake, in.; in size at in intake in intake in intake in intake fft. Is grade uniform? Estimate sec. ft. 10. If pumps are to be used, give size and type fft. Is grade uniform? Fire of Give horsepower and type of motor or engine to be used 11. If the location of the well, tunnel, or other development work is less than one-fourth tral stream or stream channel, give the distance to the nearest point on each of such c difference in elevation between the stream bed and the ground surface at the source of a difference in elevation between the stream bed and the ground surface at the source of a difference in elevation between the stream bed and the ground surface at the source of a difference in elevation between the stream bed and the ground surface at the source of a difference in elevation between the stream bed and the ground surface at the source of a difference in elevation between the stream bed and the ground surface at the source of a difference in elevation between the stream bed and the ground surface at the source of a difference in elevation between the stream bed and the ground surface at the source of a difference in elevation between the stream bed and the ground surface at the source of a difference in elevation between the stream bed and the ground surface at the source of a difference in elevation between the stream bed and the ground surface at the source of a difference in elevation between the stream bed and the ground surface at the source of a difference in elevation between the stream bed and the ground surface at the source of a difference in elevation between the stream bed and	in mila
feet; depth of water feet; grade feet (b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water le feet fall per one thousand feet. (c) Length of pipe, ft.; size at intake, in.; in size at intake in.; difference in elevate in a intake in.; size at place of use in.; difference in elevate in sec. ft. 10. If pumps are to be used, give size and type / 5 H.P. H / 1 / 1 / 1 / 1 / 1 / 1 / 1 / 1 / 1 /	_
(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water le feet fall per one thousand feet. (c) Length of pipe, ft.; size at intake, in.; in size at intake in.; size at place of use in.; difference in elevative and place of use, ft. Is grade uniform? Estimate sec. ft. 10. If pumps are to be used, give size and type / 5 HP. W 1079/4 e 3 e of /eT Cen Trixico/. Give horsepower and type of motor or engine to be used 11. If the location of the well, tunnel, or other development work is less than one-fourth ral stream or stream channel, give the distance to the nearest point on each of such c lifference in elevation between the stream bed and the ground surface at the source of a company of the control of the stream of the control of the stream of the stream bed and the ground surface at the source of a company of the control of the stream bed and the ground surface at the source of a company of the control of the stream of	
feet; width on bottom feet; depth of water feet fell per one thousand feet. (c) Length of pipe, in.; size at place of use in.; difference in elevate the and place of use, ft. Is grade uniform? Estimate sec. ft. 10. If pumps are to be used, give size and type five horsepower and type of motor or engine to be used 11. If the location of the well, tunnel, or other development work is less than one-fourther all stream or stream channel, give the distance to the nearest point on each of such clifference in elevation between the stream bed and the ground surface at the source of a clifference in elevation of area to be irrigated, or place of use 12. Location of area to be irrigated, or place of use Township Range Range Range Township Range Range Range Section Forty-acre Tract Number To Be Irr 7 5 3 W 3 SW 14 SW 14 SW 14 38 SE 14 SE 14 SE 14 22	, ,
feet; width on bottom feet; depth of water feet fell per one thousand feet. (c) Length of pipe, in.; size at place of use in.; difference in elevate the and place of use, ft. Is grade uniform? Estimate sec. ft. 10. If pumps are to be used, give size and type five horsepower and type of motor or engine to be used 11. If the location of the well, tunnel, or other development work is less than one-fourther all stream or stream channel, give the distance to the nearest point on each of such clifference in elevation between the stream bed and the ground surface at the source of a clifference in elevation of area to be irrigated, or place of use 12. Location of area to be irrigated, or place of use Township Range Range Range Township Range Range Range Section Forty-acre Tract Number To Be Irr 7 5 3 W 3 SW 14 SW 14 SW 14 38 SE 14 SE 14 SE 14 22	****
(c) Length of pipe, ft.; size at intake, in.; in size at intake in.; size at place of use in.; difference in elevat ke and place of use, ft. Is grade uniform? Estimat sec. ft. 10. If pumps are to be used, give size and type 1 ** Out let Cen Trivico! Give horsepower and type of motor or engine to be used 11. If the location of the well, tunnel, or other development work is less than one-fourth real stream or stream channel, give the distance to the nearest point on each of such c difference in elevation between the stream bed and the ground surface at the source of difference in elevation between the stream bed and the ground surface at the source of difference in elevation between the stream bed and Such a surface at the source of difference in elevation between the stream bed and Such a surface at the source of difference in elevation between the stream bed and Such and Surface at the source of difference in elevation between the stream bed and Surface at the source of difference in elevation between the stream bed and Surface at the source of difference in elevation between the stream bed and Surface at the source of difference in elevation between the stream bed and Surface at the source of difference in elevation between the stream bed and Surface at the source of difference in elevation between the stream bed and Surface at the source of difference in elevation between the stream bed and Surface at the source of difference in elevation between the stream bed and Surface at the source of difference in elevation between the stream bed and Surface at the source of difference in elevation between the stream bed and Surface at the source of difference in elevation between the stream bed and Surface at the source of difference in elevation between the stream bed and Surface at the source of difference in elevation between the stream bed and Surface at the source of difference in elevation difference in el	
intake in.; size at place of use in.; difference in elevate ke and place of use, ft. Is grade uniform? Estimate sec. ft. 10. If pumps are to be used, give size and type /5 HP. 4" intoke for the first color of the well, tunnel, or other development work is less than one-fourther all stream or stream channel, give the distance to the nearest point on each of such confiference in elevation between the stream bed and the ground surface at the source of difference in elevation of area to be irrigated, or place of use 12. Location of area to be irrigated, or place of use Township Range & or w. or place of use Township & Range & or w. or place of use Township & Range & Section Forty-scre Tract Number of the place of use are the source of the place	
sec. ft. 10. If pumps are to be used, give size and type 5 Hell. H" 1779 3	
10. If pumps are to be used, give size and type 5 HP. 4" 1779/k = 2" out eT Cen Trivice . Give horsepower and type of motor or engine to be used 11. If the location of the well, tunnel, or other development work is less than one-fourth iral stream or stream channel, give the distance to the nearest point on each of such a difference in elevation between the stream bed and the ground surface at the source of difference in elevation between the stream bed and the ground surface at the source of difference in elevation of area to be irrigated, or place of use 12. Location of area to be irrigated, or place of use 13. Location of area to be irrigated, or place of use 14. Section Forty-scre Tract Number To Be Irrigated Section Forty-screen Tract Number To Be Irrigated Section Section Section Section To Be Irrigated Section Section Section Section Section To Be Irrigated Section	tion be
10. If pumps are to be used, give size and type 5 HP. 4" 1770/1 e 3	ited ca
Give horsepower and type of motor or engine to be used 11. If the location of the well, tunnel, or other development work is less than one-fourth ral stream or stream channel, give the distance to the nearest point on each of such chifference in elevation between the stream bed and the ground surface at the source of difference in elevation between the stream bed and the ground surface at the source of difference in elevation of area to be irrigated, or place of use 12. Location of area to be irrigated, or place of use Township Range R. or W. of Section Forty-acre Tract Number To Be Irrigated Section SW/4 SW/4 38 4 SE/4 SE/4 SE/4 22	
Give horsepower and type of motor or engine to be used 11. If the location of the well, tunnel, or other development work is less than one-fourth ral stream or stream channel, give the distance to the nearest point on each of such chifference in elevation between the stream bed and the ground surface at the source of difference in elevation between the stream bed and the ground surface at the source of difference in elevation of area to be irrigated, or place of use 12. Location of area to be irrigated, or place of use Township Range R. or W. of Section Forty-acre Tract Number To Be Irrigated Section SW/4 SW/4 38 4 SE/4 SE/4 SE/4 22	
Give horsepower and type of motor or engine to be used 11. If the location of the well, tunnel, or other development work is less than one-fourth tral stream or stream channel, give the distance to the nearest point on each of such c difference in elevation between the stream bed and the ground surface at the source of difference in elevation between the stream bed and the ground surface at the source of difference in elevation between the stream bed and the ground surface at the source of difference in elevation between the stream bed and the ground surface at the source of difference in elevation between the stream bed and the ground surface at the source of difference in elevation between the stream bed and the ground surface at the source of difference in elevation between the stream bed and the ground surface at the source of difference in elevation between the stream bed and the ground surface at the source of difference in elevation between the stream bed and the ground surface at the source of difference in elevation between the stream bed and the ground surface at the source of difference in elevation between the stream bed and the ground surface at the source of difference in elevation between the stream bed and the ground surface at the source of difference in elevation between the stream bed and the ground surface at the source of difference in elevation between the stream bed and the ground surface at the source of difference in elevation between the stream bed and the ground surface at the source of difference in elevation between the stream bed and the ground surface at the source of difference in elevation between the stream bed and the ground surface at the source of difference in elevation between the stream bed and the ground surface at the source of difference in elevation between the stream bed and the ground surface at the source of difference in elevation between the stream bed and the ground surface at the source of difference in elevation between the stream bed and the ground surface a	•
11. If the location of the well, tunnel, or other development work is less than one-fourth tral stream or stream channel, give the distance to the nearest point on each of such c difference in elevation between the stream bed and the ground surface at the source of difference in elevation between the stream bed and the ground surface at the source of difference in elevation between the stream bed and the ground surface at the source of difference in elevation between the stream bed and the ground surface at the source of difference in elevation between the stream bed and the ground surface at the source of difference in elevation between the stream bed and the ground surface at the source of difference in elevation between the stream bed and the ground surface at the source of difference in elevation between the stream bed and the ground surface at the source of difference in elevation between the stream bed and the ground surface at the source of difference in elevation between the stream bed and the ground surface at the source of difference in elevation between the stream bed and the ground surface at the source of difference in elevation between the stream bed and the ground surface at the source of difference in elevation between the stream bed and the ground surface at the source of difference in elevation between the stream bed and the ground surface at the source of difference in elevation between the stream bed and the ground surface at the source of difference in elevation between the stream bed and the ground surface at the source of difference in elevation between the stream bed and the ground surface at the source of difference in elevation between the stream bed and the ground surface at the source of difference in elevation between the stream bed and the ground surface at the source of difference in elevation between the stream bed and the ground surface at the source of difference in elevation between the stream bed and the ground surface at the source of difference in elevation between the stre	
Township N. or S. Range E or W. of Williamette Meridian Section Forty-acre Tract Number To Be Irri 7 5 3 W 3 5W /4 SIN /4 38 38 4 5E /4 5E /4 5E /4 22 22	
4 SE14 SE14 22	Acres
4 SE14 SE14 22	
60 A	****
	tere

Sandy Loams Character of soil Paslure Kind of crops raised ...

UNICIPAL SUPPLY—	900
D. To supply the city of	
county, having a present popula	stion of
d an estimated population of in 19 in 19	
14. Estimated cost of proposed works, \$ 4000.00	
15. Construction work will begin on or before	•••••••••••••••••••••••••••••••••••••••
16. Construction work will be completed on or before	
17. The water will be completely applied to the proposed	use on or before
18. If the ground water supply is supplemental to an e	xisting water supply, identify any app
ttion for permit, permit, certificate or adjudicated right to	appropriate water, made or held by t
plicant.	
\sim	601.6
, fe	(Signature of applicant)
Remarks: [Jan gone pil	to an one of
Remarks: (and prid)	o feet dup in
en plan.	
· ····································	
•	
· · · · · · · · · · · · · · · · · · ·	
TATE OF OREGON, ass.	
County of Marion,	
This is to certify that I have examined the foregoing app	olication, together with the accompanyi
aps and data, and return the same for	
· · · · · · · · · · · · · · · · · · ·	
· · · · · · · · · · · · · · · · · · ·	
In order to retain its naturity this samilestian must be see	itumed to the State Fraince with
In order to retain its priority, this application must be re	turned to the state Engineer, with corre
ions on or before, 19,	
WITNESS my hand this day of	, 19

STATE ENGINEER

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The	right herein grante	ed is limited to the am	ount of water t	which can be applied to l	beneficial use and			
shall not e:	rosed 0.75	cubic feet per sec	ond measured	at the point of diversion	from the well or			
source of appropriation, or its equivalent in case of rotation with other water users, from . A Well								
The	use to which this t	water is to be applied	is irrigati	on				
				1/80				
				1/80 of one cubited to a diversion of not t				
_	·			eason of each year;				
				•••••••••••••••••••••••••••••••••••••••				
		······································			······································			
	······································							
	•••••••••••••••••••••••••••••••••••••••							
and shall l	be subject to such	reasonable rotation sy	stem as may b	e ordered by the proper	state officer.			
The	well shall be case	d as necessary in acco	ordance with g	good practice and if the vent the waste of ground	e flow is artesian			
The	works constructed		line and press	ure gauge or an access p				
The	permittee shall in		veir, meter, or	other suitable measuring	g device, and shall			
				1				
		is permit is		July 25, 1959	and shall			
				apleted on or before Oc				
				ll be made on or before (
		ris 25th day of		July 10	580- 1			
				Leura a.	STATE ENGINEER			
:1	ı	ث ثبے بوہ ا	ı :	:	: 11			
	ΩX	in th		ot 0	AGINIER 2 7			
6)	E GROU STATE	ceived slem, C		4	STATE ENGINE page 927			
Application No. G- 1019 Permit No. G- 900		This instrument was first received in the ce of the State Engineer at Salem, Oregon, the 24 day of Unne. 58, at 3:35 o'clock P. M.		page .	: TI 8 _			
n No. G	PERMIT PRIATE THE IS OF THE OF OREGON	ent was fi e Enginee ay of	:	: No. its on	STANIEX sin No. 2 1			
ation No. C	PE OPRIA	nstrument wether State Eng 24 day of 13:35 o'c	plican	proved: July 25, 1958 Recorded in book No. vund Water Permits on	LIVIE A. STANILY Drainage Basin No.			
Application Permit No.	PI APPROPR WATERS OF	nstructure St. 24	l to ap	d: 25. ded ir Nater	A.			
14	TO L	This instrument was first received in the office of the State Engineer at Salem, Oregon on the 24 day of UNR. 1958, at 3:35 o'clock P. M.	Returned to applicant:	Approved: July 25, 1958 Recorded in book No. Ground Water Permits on page	L.V.1.S. Draina			
		l gg g	8 , :	Ap Gre				

50