

Permit No. G-920

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Mount Emily Lumber Company, A Division of the Valsetz Lumber Company of La Grande, Oregon, county of Union state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

Valsetz Lumber Co. - Oregon Corporation - approx. 1963

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Grande Ronde River tributary of Snake River

2. The amount of water which the applicant intends to apply to beneficial use is .5 cubic feet per second or 245 gallons per minute, if available.

3. The use to which the water is to be applied is supply water for our boilers, plant operation and to maintain water in our log pond

4. The well or other source is located 120 ft. S and 1063 ft. E from the corner of Sec. 32, T2S R38E and Sec. 5, T3S R38E. The other well is 70 ft. S and 1324 ft. E from the same point

being within the NW 1/4, NE 1/4 of Sec. 5, Twp. 30-S, R. 38E W. M., in the county of Union

5. The pipe line into which these pumps discharge to be miles is the same as covered in our permit #15877, approx. 2300 ft. long, terminating in 35 in length, terminating in the NE 1/4 SE 1/4 of Sec. 5, Twp. 3S R. 38E W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Mt. Emily pumps

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of two wells having a diameter of 6 ft. & 40 inches and an estimated depth of 20 feet. It is estimated that feet of the well will require no casing. Depth to water table is estimated 16

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 2300 ft.; size at intake, in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, 3 ft. Is grade uniform? YES Estimated capacity, .5 sec. ft.

10. If pumps are to be used, give size and type 1 - #4 Parma water lifter 1 - #3 " " 1 - 5 HP electric motor on each Give horsepower and type of motor or engine to be used 5 - electric

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development 1 well is 150 feet from Grande Ronde River. 1 well is 250 feet from Grande Ronde River.

12. Location of ~~area to be irrigated~~ place of use SE 1/4 NE 1/4, SE 1/4 Sec. 5 T3S R38E

Table with 5 columns: Township N. or S., Range E. or W. of Willamette Meridian, Section, Forty-acre Tract, Number Acres To Be Irrigated. Description of boundaries: Beginning at a point 702.6 feet west and 639 feet north of the 1/4 section corner between section 4 and 5, township 3 south, range 38 east, W.M., then south along west line of Union Pacific Railroad Company spur track to curve, then southwest along curve to Joseph branch, southwest along Joseph branch to intersection with north line of "Q" Avenue and west along north line of "Q" Avenue to east line of alley running through blocks 25-16-15-6-5 Williamson Addition, then north to south line of Jackson Avenue, then east to east line of north Willow Street, then north to southwest corner of Lot 9, block 7 Pleasant Home Addition, then east to southeast corner of Lot 9, block 7 said Addition, then north to northeast corner of Lot 1, block 7 of said Addition, then east 250 feet to beginning.

(If more space required, attach separate sheet)

Character of soil

Kind of crops raised

MUNICIPAL SUPPLY--

13. To supply the city of _____
in _____ county, having a present population of _____
and an estimated population of _____ in 19_____

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$⁵⁰⁰⁰ _____
on first well
- 15. Construction work _____ completed about 1917
on second well
- 16. Construction work _____ completed on or before about 1941
- 17. The water will be completely applied to the proposed use on or before _____ at that time

18. If the ground water supply is supplemental to an existing water supply, identify any appli-
cation for permit, permit, certificate or adjudicated right to appropriate water, made or held by the
applicant. This is supplemented to permit #15877, to provide us water when stream
conditions to not insure free flow.

W. Lee Dean
(Signature of applicant) Vice President

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with correc-
tions on or before _____, 19_____

WITNESS my hand this _____ day of _____, 19_____

STATE ENGINEER

By _____ ASSISTANT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.50 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from two wells

The use to which this water is to be applied is industrial

If for irrigation, this appropriation shall be limited to - - of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is June 3, 1958

Actual construction work shall begin on or before August 25, 1959 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1960

Complete application of the water to the proposed use shall be made on or before October 1, 1961

WITNESS my hand this 25th day of August, 1958

Lewis A. Stanley STATE ENGINEER

Application No. G- 987
Permit No. G- 920

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 3 day of June 1958, at 1:00 o'clock P. M.

Returned to applicant:

Approved:

August 25, 1958

Recorded in book No. 4 of

Ground Water Permits on page 920

LEWIS A. STANLEY STATE ENGINEER

Drainage Basin No. 8 page 39