

Application No. W-10084 "CERTIFICATE NO. 105942 Permit No. G-9206

STATE OF OREGON WATER RESOURCES DEPARTMENT RECEIVED

Application for a Permit to Appropriate Ground Water  
 JAN 5 1981  
 WATER RESOURCES DEP  
 SALEM, OREGON

I, Earl D. Kurtz and Beverly J. Kurtz  
 (Name of Applicant)

of 3013 Pine Grove Road, Klamath Falls  
 (Mailing Address) (City)

State of Oregon, 97601 Phone No. 882-0966 do hereby  
 (Zip Code)

make application for a permit to appropriate the following described ground waters of the State of Oregon:

1. The development will consist of 1 well  
 (Give number of wells, tile lines, infiltration galleries, etc.)

having a diameter of 6 inch and an estimated depth of 430 feet.

2. The well or other source is to be located 345 ft. N and 298 ft. E  
 (N. or S.) (E. or W.)

from the Southwest corner of the NW 1/4 of the NE 1/4 of section 9,  
 (Public Land Survey Corner)

township 39 south Range 10 E. W. M.  
 (If there is more than one well, each must be described)

being within the NW 1/4 of the NE 1/4 of

Sec. 9 Tp. 39 south R. 10 E, W. M., in the county of Klamath

3. Location of area to be irrigated, or place of use if use other than irrigation.

Township	Range	Section	List 1/4 1/4 of Section	List use and/or number of acres to be irrigated
39 S	10 E	9	NW 1/4 of NE 1/4	4

4. It is estimated that 128 feet of the well will require 8" x 1/4" casing.  
 (Kind)

5. Depth to water table is estimated 130 Well drilled by J. A. Roberts  
 (Feet)

6. The amount of water which the applicant intends to apply to beneficial use is ..... cubic feet per second or ....17..... gallons per minute.

7. The use to which the water is to be applied is .....irrigation.....

8. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

.....N.A.....

9. If the location of the well, or other development work is less than one-fourth mile from a natural stream channel, give the distance to the channel and the difference in elevation between the stream bed and the ground surface at the source of development.

.....The well is 320 ft. east and 40 ft. in elevation above a channel.....  
which contains water about 4 weeks each year.

10.

**DESCRIPTION OF WORKS**

Include length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

.....The proposed system will extend the use of a presently installed.....  
.....domestic system..... The pump is a model 4BL 21 Berkeley 1-1/2hp submersible.....  
.....The water will be distributed by portable 2 inch aluminum irrigation.....  
.....pipe which will supply water to sprinklers. The amount of pipe used.....  
.....will depend on sprinkler location. The system has been used for.....  
.....several years to water a garden, fruit trees, lawn, etc.....

11. Construction work will begin on or before.....All construction work is completed.....

12. Construction work will be completed on or before.....All construction work is completed.....

13. The water will be completely applied to the proposed use on or before..... July 1, 1981.....

14. If the ground water supply is supplemental to an existing supply, identify the supply and existing water right..... NA.....

Application No.   A - 10084  

Permit No.   G 9206  

G 9206

Remarks: The purpose of this application is to allow available water to be used to irrigate a small amount of permanent pasture and to extend the usable season of "dry land" pasture by providing supplementary water in the late spring and early fall.

Earl Hunt 12/31/80

Signature of Applicant

Beverly J. Hunt

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before, 19

WITNESS my hand this day of, 19

Water Resources Director

By

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the

5 day of January, 1981, at 8:00 o'clock A.M.

Application No. G 10084

Permit No. G 9206

Application No. H-10084

Permit No. G 9206

### Permit to Appropriate the Public Waters of the State of Oregon

*This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING MINIMUM FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:*

*The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 17 gallons per <sup>minute</sup> ~~cubic foot per second~~ measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from one well.*

*The use to which this water is to be applied is irrigation.*

*If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year;*

*and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.  
The well shall be constructed in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon.  
The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.  
The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.*

*The priority date of this permit is January 5, 1981*

*Actual construction work shall begin on or before March 24, 1982 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1982*

*Complete application of the water to the proposed use shall be made on or before October 1, 1983*

Extended to Oct. 1, 1984  
*WITNESS my hand this 24th day of March, 1981*

*[Signature]*  
\_\_\_\_\_  
Deputy Water Resources Director

RM/C