

Application No. G 1705 Certificate No. b6815 Permit No. G 9305

G 8302

STATE OF OREGON WATER RESOURCES DEPARTMENT

Application for a Permit to Appropriate Ground Water

RECEIVED

12-23-1980

WATER RESOURCES DEPT.
SALEM, OREGON

I, Francis L. and Mary Y. Marciel (Name of Applicant)

of Rural Route West (Mailing Address) at Mt. Vernon (City)

State of OR OR 97865 Zip Code Phone No. 932-4732 do hereby

make application for a permit to appropriate the following described ground waters of the State of Oregon:

1. The development will consist of one well (Give number of wells, tile lines, infiltration galleries, etc.)

having a diameter of 12" and an estimated depth of 160 feet.

2. The well or other source is to be located 32.00 ft. S 2000 ft. E (N. or S.) (E. or W.)

from the NW corner of Section 30 (Public Land Survey Corner)

(If there is more than one well, each must be described)

being within the NE 1/4 of the SW 1/4 of

Sec. 30 Tp. 13 S R. 30 E, W.M., in the county of Grant.

3. Location of area to be irrigated, or place of use if use other than irrigation.

| Township | Range | Section | List $\frac{1}{4}$ $\frac{1}{4}$ of Section | List use and/or number of acres to be irrigated |
|----------|-------|---------|---|--|
| 13 S | 30 E | 30 | NESE NWNE | 7.0 under C-1399 4.5 new application |
| " | " | " | SWNE | 23.0 under C-25749 17.0 under C-1399 |
| " | " | " | SESE NENW | 6.0 under C-1399 6.33 under C-7919 |
| " | " | " | SENW | 4.5 new application 4.28 under C-25749 |
| " | " | " | " | 17.9 under C-24945 |
| " | " | " | NESW | 10.0 under C-9060 15.0 under C-24945 |
| " | " | " | SESW | 9.3 under C-24945 9.0 new application |
| " | " | " | NWSE | 2.0 under C-24945 3.0 under C-25749 |
| " | " | " | SWSE | 30.0 under C-1399 2.5 under C-24945 11.5 under C-25749 |
| " | " | " | " | 16.0 under C-1399 |

4. It is estimated that 90 feet of the well will require 12" casing. (Kind)

5. Depth to water table is estimated Artesian Well drilled by Jobe Drilling #582 (Feet)

2.03.78 AC
582-20

6. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or 900 gallons per minute.

7. The use to which the water is to be applied is supplementary irrigation

8. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

1½ valve - 1½ line To Stock Trough

9. If the location of the well, or other development work is less than one-fourth mile from a natural stream channel, give the distance to the channel and the difference in elevation between the stream bed and the ground surface at the source of development.

Riley Creek 10 ft. elevation difference

10. DESCRIPTION OF WORKS

Include length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

50 hp to be tied into existing system

6" mainline + sprinkler irrigate

11. Construction work will begin on or before..... already started

12. Construction work will be completed on or before..... October 1, 1980

13. The water will be completely applied to the proposed use on or before..... October 1, 1981

14. If the ground water supply is supplemental to an existing supply, identify the supply and existing water right..... supply is Riley Creek under certificates previously listed on this application

Application No..... G - 9703

Permit No.... G. 9305

G 8382

Remarks:.....

Francis L. Marciel
Signature of Applicant
Mary Marciel

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for.....

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before....., 19.....

WITNESS my hand this day of , 19.....

Water Resources Director

By

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the

25 day of April, 1980, at 8:00 o'clock

A.M.

Application No.

G-9703

Permit No.

G 9305

C 8302

Application No.....

G - 9703

Permit No.....

G...9305

Permit to Appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING MINIMUM FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 2.0 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well.

The use to which this water is to be applied is supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be constructed in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is April 25, 1980

Actual construction work shall begin on or before May 29, 1982 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19...82.....

Complete application of the water to the proposed use shall be made on or before October 1, 19..83.....

WITNESS my hand this ..29th..... day of.....May., 19..81.....

James E. Saxon
Water Resources Director

RECEIVED
1981