

"Superseded by  
 Cert. No. 6961  
 CERTIFICATE NO. 64341"

Application No. 10317

Permit No. G 9435

STATE OF OREGON WATER RESOURCES DEPARTMENT

MAY 14 1981

Application for a Permit to Appropriate Ground Water

WATER RESOURCES DEPT  
 SALEM, OREGON

I, Raymond E. and Druceleiz C. Hobbs, H/W  
 (Name of Applicant)  
 of P.O. Box 215, Keno, Oregon 97627  
 (Mailing Address) (City)  
 State of Oregon, (Zip Code) Phone No. (503) 884-7113 do hereby

make application for a permit to appropriate the following described ground waters of the State of Oregon:

1. The development <sup>does</sup> consist of One Well  
 (Give number of wells, tile lines, infiltration galleries, etc.)

having a diameter of 6.17 in. and an estimated depth of 160 feet.

2. The well or other source is ~~to be~~ located 500 ft. N and 538 ft. E  
 (N. or S.) (E. or W.)  
 from the S.W. corner of Sec. 30  
 (Public Land Survey Corner)

(If there is more than one well, each must be described)

being within the S.W.  $\frac{1}{4}$  of the SW  $\frac{1}{4}$  of  
 Sec. 30 Tp. 39S R. 8E, W. M., in the county of Klamath

3. Location of area to be irrigated, or place of use if use other than irrigation.

Township	Range	Section	List $\frac{1}{4}$ $\frac{1}{4}$ of Section	List use and/or number of acres to be irrigated
<u>39S</u>	<u>8E</u>	<u>30</u>	<u>SW <math>\frac{1}{4}</math> SW <math>\frac{1}{4}</math></u>	<u>4.81</u> <del>5.6</del> acres
<u>39S</u>	<u>8E</u>	<u>31</u>	<u>NW <math>\frac{1}{4}</math> NW <math>\frac{1}{4}</math></u>	<u>1.86</u> <del>2.0</del> acres

*Corrected  
 R. Hobbs*

4. It is estimated that 90 feet of the well ~~will~~ <sup>lets</sup> require 9092 1250 casing.  
 (Kind)

5. Depth to water table is estimated 55 Well drilled by Crater Well Drilling, Inc.  
 (Feet) P.A. Chitwood (Charles Chitwood)  
1923 Delta Waters Road  
Medford, Oregon

6. The amount of water which the applicant intends to apply to beneficial use is ..... cubic feet per second or 50..... gallons per minute.

7. The use to which the water is to be applied is Alfalfa - Pasture

8. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.  
NA

9. If the location of the well, or other development work is less than one-fourth mile from a natural stream channel, give the distance to the channel and the difference in elevation between the stream bed and the ground surface at the source of development.  
NA

10. DESCRIPTION OF WORKS

Include length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

PCV-pipeline-1 1/4", approx 900 feet  
Meyers-1 H.P pump  
Rainbird sprinkler system

11. Construction work will begin on or before May 4, 1970

12. Construction work will be completed on or before May 7, 1970

13. The water will be completely applied to the proposed use on or before May 15, 1970 ~~1981~~

14. If the ground water supply is supplemental to an existing supply, identify the supply and existing water right. No

Application No. A 10317

Permit No. G 9435

0182

Remarks:.....  
.....  
.....  
.....  
.....  
.....

This permit, when issued, is for the beneficial use of water. By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan. It is possible that the land use you propose may not be allowed if it is not in keeping with the goals and the acknowledged plan. Your city or county planning agency can advise you about the land-use plan in your area.

*Raymond E. Hobbs*  
Signature of Applicant  
*Priscilla C. Hobbs*

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for..... correction and completion.....

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before..... September 28....., 1981.....

WITNESS my hand this ..28th..... day of..... July....., 19..81.....

..... James E. Sexson..... Water Resources Director

By *Stephen C. Brown*  
Stephen C. Brown

RECEIVED  
AUG 25 1981  
WATER RESOURCES DEPT  
SALEM, OREGON

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the

*A* *14* day of *May*....., 19 *81*....., at *8:00* o'clock  
*A.M.*

Application No. *10317*

Permit No. *G 9435*

U 8732

### Permit to Appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING MINIMUM FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.08 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from one well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be constructed in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.


The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is May 14, 1981

Actual construction work shall begin on or before October 7, 1982 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1983

Complete application of the water to the proposed use shall be made on or before October 1, 1984

WITNESS my hand this 7th day of October, 1981

  
Water Resources Director

247 S