## ( A SUPPLEMENTAL APPLICATION) To Appropriate the Ground Waters of the State of Oregon

	Ovell Gover (Hame of applicant)
ofHalf	Way, Oregon , county of Baker
nate of Oreg	on, do hereby make application for a permit to appropriate the sed ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:
If the appli	cant is a corporation, give date and place of incorporation
1. Give no	ime of nearest stream to which the well, tunnel or other source of water development is
situated Spri	ng Creek (Name of stream)
***************************************	tributary of Pine Creek
2. The am feet per second o	nount of water which the applicant intends to apply to beneficial use is $2.5$ cubic or $1000$ gallons per minute.
3. The use	e to which the water is to be applied is Irrigation
	•
4. The we	oll or other source is located 50 ft. N and 597 ft. E from the SW
	, ·
corner of Mi	of the SW1 of Sec. 11, T. 85. R. 46E. W. M.
	(If preferable, give distance and bearing to section corner)
	(If there is more than one we' each must be described. Use separate sheet if necessary)
being within the	of Sec. 11 . Twp. 8 S , R. 46 $\Xi$ .
W. M., in the con	unty of Baker, Oregon
5. <b>T</b> he	ditch to be about one miles
in length, termir	canal or pipe line)  nating in the SEL of the SEL of Sec. 11 , Twp. 8 S.
	(Smallest legal subdivision)  7. M., the proposed location being shown throughout on the accompanying map.
6. The na	ime of the well or other works is Gover well
	DESCRIPTION OF WORKS
	flow to be utilized is artesian, the works to be used for the control and conservation of the t in use must be described.
Mon-	-ortesian
8. The de	evelopment will consist of One well having a having a having a
diameter of 1	inches and an estimated depth of 25? feet. It is estimated that to to
feet of the well	will require liner and 12" casing. Depth to water table is estimated 30
100	feet std wine Casing used and remainder 100 7 gg. liner

dgate. At headgat	e: width on top	(at water time		, , , , , , , , , , , , , , , , ,	
feet	; depth of water		feet; grade	feet fall per	one
usand feet.	•				
(b) At	mile:	from headge	nte: width on top (at water	line)	
		•	feet; depth of wa		
de					
			ze at intake,i	in.; in size at	ft.
			use in.; dij		ween
			grade uniform?		
so		•			
		ve size and tu	pe 7 stage 10" Y	L.C. turbine with	1
			suction ripe		
	•••••••		ne to be used 25 hp. s		
	***************************************				•
tural stream or see difference in ele	tream channel, vation between	give the dist the stream be 0 ft. fro	her development work is lest tance to the nearest point of the and the ground surface om Spring Ck. and	at the source of develop	2 min
niural stream or s le difference in ele "ell d' highe:	tream channel, vation between is about 38	give the dist the stream be 0 ft. fro	ed and the ground surface	on each of such channel at the source of developing about 6 ft.	2 Gua
niural stream or s le difference in ele "ell d' highe:	tream channel, evation between ls about 38 r in elevat	give the dist the stream be 0 ft. fro	tance to the nearest point ( ed and the ground surface	on each of such channel at the source of developing about 6 ft.	2 Gua
interpretation of state of the difference in electric	tream channel, vation between is about 38 r in elevat of area to be irrespondent to the irrespondent to th	give the dist the stream be Oft. fro Lon.  rigated, or pla	ed and the ground surface om Spring Ck. and see of use	Number Acres To Be Irrigated  Supplemental	oment
iural stream or se difference in ele "ell de highe:  12. Location	tream channel, evation between is about 78 r in elevat of area to be irresponding to the manage of willamette Meridian 46 E	give the dist the stream be Oft. fro Lon.  rigated, or pla  Section	ed and the ground surface om Spring Ck. and surface of use  Forty-acre Tract	Number Acres To Be Irrigated  27.0	oment
itural stream or see difference in ele "ell highe:  12. Location  Township N or S.	tream channel, vation between is about 38 r in elevat of area to be irrespondent to the irrespondent to th	give the dist the stream be Oft. fro Lon.  rigated, or pla  Section	ed and the ground surface om Spring Ck. and ce of use  Suria SEI SEI SEI	Number Acres To Be Irrigated  Supplemental 27.0	oment
riural stream or se difference in ele  "ell highe:  12. Location  Township N or S.	tream channel, evation between is about 78 r in elevat of area to be irresponding to the manage of willamette Meridian 46 E	give the dist the stream be Oft. fro Lon.  rigated, or pla  Section	rance to the nearest point of the dand the ground surface of Spring Ck. and some Sprin	Number Acres To Be Irrigated  27.0	Prim
tiural stream or see difference in ele "ell highe:  12. Location  Township N or S.	tream channel, evation between is about 38 r in elevat of area to be irresponding to the williamette Meridian in the second seco	give the dist the stream be Oft. fro Lon.  rigated, or pla  Section	ed and the ground surface om Spring Ck. and ce of use  Suria SEI SEI SEI	Number Acres To Be Irrigated  Supplemental 27.0	oment
riural stream or se difference in ele "ell difference in ele	tream channel, evation between is about 78 r in elevat of area to be irresponding to the manage of willamette Meridian 46 E	give the dist the stream be 0 ft. fro Lon.  rigated, or pla  Section	rance to the nearest point of the dand the ground surface of Spring Ck. and some Sprin	Number Acres To Be Irrigated  27.0  22.9	Prim
iural stream or se difference in ele "ell dighe:  12. Location  Township N or S.  ""	tream channel, evation between is about 78 r in elevat of area to be irresponding to the manage of willamette Meridian 46 E	give the dist the stream be 0 ft. fro Lon.  rigated, or pla  Section	rance to the nearest point of the dand the ground surface of Spring Ck. and some Sprin	Number Acres To Be Irrigated  27.0  22.9	Prim
riural stream or se difference in ele "ell difference in ele	tream channel, evation between is about 78 r in elevat of area to be irresponding to the manage of willamette Meridian 46 E	give the dist the stream be 0 ft. fro Lon.  rigated, or pla  Section	rance to the nearest point of the dand the ground surface of Spring Ck. and some Sprin	Number Acres To Be Irrigated  27.0  22.9	Prim
tiural stream or see difference in ele "ell highe:  12. Location  Township N or S.  8 S.	tream channel, evation between is about 78 r in elevat of area to be irresponding to the manage of willamette Meridian 46 E	give the dist the stream be Oft. fro Lon.  rigated, or pla  Section	rance to the nearest point of the dand the ground surface of Spring Ck. and some Sprin	Number Acres To Be Irrigated  27.0  22.9	Prim
riural stream or se difference in ele "ell difference in ele	tream channel, evation between is about 78 r in elevat of area to be irresponding to the manage of willamette Meridian 46 E	give the dist the stream be Oft. fro Lon.  rigated, or pla  Section	rance to the nearest point of the dand the ground surface of Spring Ck. and some Sprin	Number Acres To Be Irrigated  27.0  22.9	Prim
tiural stream or see difference in ele "ell highe:  12. Location  Township N or S.  8 S.	tream channel, evation between is about 78 r in elevat of area to be irresponding to the manage of willamette Meridian 46 E	give the dist the stream be Oft. fro Lon.  rigated, or pla  Section	rance to the nearest point of the dand the ground surface of Spring Ck. and some Sprin	Number Acres To Be Irrigated  27.0  22.9	Prim
itural stream or stee difference in ele  "ell thighe:  12. Location  Township N or S.  8 S.	tream channel, evation between is about 78 r in elevat of area to be irresponding to the manage of willamette Meridian 46 E	give the dist the stream be Oft. fro Lon.  rigated, or pla  Section	rance to the nearest point of the dand the ground surface of Spring Ck. and some Sprin	Number Acres To Be Irrigated  27.0  22.9	Prim

Kind of crops raised Hoy and pasture

	PAL SUPPLY—
	To supply the city of
	county, having a present population of
	stimated population of in 19 in 19
14.	Estimated cost of proposed works, \$.7.2.11
	Construction work will begin on or before Is completed
16.	Construction work will be completed on or before
17.	. The water will be completely applied to the proposed use on or before17Sent.,195
18. cation fo	. If the ground water supply is supplemental to an existing water supply, identify any ap or permit, permit, certificate or adjudicated right to appropriate water, made or held by
applican	25 ac. SWISE and 25 ac. SEISE above Sec. 11 priority 1983
ac. SV	4SE above Sec. 11, priority 1914; 25 ac, NEINE above Sec. 14
	bove Sec. 14 priority 1985, (Signature of applicant)  marks: all from East Pine Creek.
	The water from this well is pumped into an existing
	borrow mit on the north side of highway and turned into
	irrigation ditches on the applicant's property.
*** .****.	
•• • • • •	
****	
****	· · · · · · · · · · · · · · · · · · ·
STATE	OF OREGON. ss.
Cour	aty of Marion,
T	his is to certify that I have examined the foregoing application, together with the accompany
maps an	ad data, and return the same for
I,	
	n order to retain its priority, this application must be returned to the State Engineer, with con

County of Merion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Gover Well  The use to which this water is to be applied is irrigation and supplemental irrigation  If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 are feet per acre for each acre irrigated during the irrigation season of each year; provided further that the amount of water allowed herein, together with the amount secured under any other right existing for the same lands shall not amount the limitation allowed herein the works shall include proper capping and control valve to prevent the waste of ground water.  The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at limes.  The priority date of this permit is July 28, 1958  Actual construction work shall begin on or before August 25, 1959 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1960.  Complete application of the water to the proposed use shall be made on or before October 1, 1960.  Complete application of the water to the proposed use shall be made on or before October 1, 1960.  Complete application of the water to the proposed use shall be made on or before October 1, 1960.  Complete application of the water to the proposed use shall be made on or before October 1, 1961 the permit see shall install and maintain a wair, mater or other measuring device and shall keep a complete record of the amount of ground water withdrawn.  WITNESS my hand this 25th day of August 25 th August 25 t		-	is limited to the amou			
If for irrigation, this appropriation shall be limited to			• •			
or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3  acre feet per acre for each acre irrigated during the irrigation season of each year; provided further  that the amount of mater allowed herein, together with the amount secured under any  other right existing for the same lands shall not exceed the limitation allowed herein  and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.  The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.  The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.  The priority date of this permit is  Actual construction work shall begin on or before  August 25, 1959  and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1960  Complete application of the water to the proposed use shall be made on or before October 1, 1960  Complete application of the water to the proposed use shall be made on or before October 1, 1960  The permittee shall install and maintain a weir, meter or other measuring device and shall keep a complete record of the amount of ground water withdrawn.	The u	use to which this u	pater is to be applied is	irrigation	and supplement	al irrigation
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.  The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.  The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.  The priority date of this permit is  Actual construction work shall begin on or before  Actual construction work shall begin on or before  Complete application of the water to the proposed use shall be made on or before October 1, 1960  Complete application of the water to the proposed use shall be made on or before October 1, 1960  Complete application of the water to the proposed use shall be made on or before October 1, 1960  Complete application of the water to the proposed use shall be made on or before October 1, 1960  Complete application of the water to the proposed use shall be made on or before October 1, 1960  Complete application of the water to the proposed use shall be made on or before October 1, 1960  Complete application of the water to the proposed use shall be made on or before October 1, 1960						
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.  The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.  The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.  The priority date of this permit is  Actual construction work shall begin on or before  August 25, 1959  and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1960  Complete application of the water to the proposed use shall be made on or before October 1, 1960  Complete application of the water to the proposed use shall be made on or before October 1, 1961  The permittee shall install and maintain a wair, mater or other measuring device and shall keep a complete record of the amount of ground water withdrawn.						
The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.  The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.  The priority date of this permit is  Actual construction work shall begin on or before  August 25, 1959  and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1960  Complete application of the water to the proposed use shall be made on or before October 1, 1961  The permittee shall install and maintain a weir, mater or other measuring device and shall keep a complete record of the amount of ground water withdrawn.						
The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.  The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.  The priority date of this permit is  Actual construction work shall begin on or before  August 25, 1959  and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1960  Complete application of the water to the proposed use shall be made on or before October 1, 1961  The permittee shall install and maintain a weir, mater or other measuring device and shall keep a complete record of the amount of ground water withdrawn.						
'DL + h	The the works The line, adequ The Actu thereafter  Com The and shall	well shall be case shall include prop works constructed ate to determine priority date of the sal construction we be prosecuted with the prosecuted with the sale application of permittee shall keep a complete	d as necessary in accorder capping and control shall include an air limater level elevation is permit is sork shall begin on or beth reasonable diligence of the water to the prolinatall and main are record of the an	dance with valve to pre- ine and press in the well at July 28, 1 efore A e and be con posed use sha tain a well count of gr	good practice and invent the waste of grant account times.  958  ugust 25, 1959  upleted on or before  ll be made on or before  ound water withe	the flow is artesian ound water. ess port for measuring and shall coctober 1, 1960
	Application No. G- 1100  Permit No. G- 949	PERMIT TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the LLM day of LUM.  19.52, at LLM o'clock A M.	Returned to applicant:	Approved: Angust 25, 1958 Recorded in book No. 4 of	Ground Water Permits on page  LEAIS A. STANLEY  G-43  State Pointing 86912