Permit No 0 962

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I ,	J.V.Bu	7		• • • • • • • • • • • • • • • • • • • •
of	Rt.2 Box 46	Selem, Orego	, county of Marion	,
rtate of	Oregon	, do h	nereby make application for a permit to approprio Dregon, SUBJECT TO EXISTING RIGHTS:	ite the
-		rporation, give date and		
1. G	live name of n ear	est stream to which th	e well, tunnel or other source of water developn	nent is
		ing River		•••••
•	•			
			tributary of	
		ter which the applican gallons per minute.	t intends to apply to beneficial use is	cubic
3. 7	The use to which	the water is to be appli	ed is Irrigation	
X	60 dea 5711	14.737 ch. an	d S.29 deg 22 W.11.539 ch. and S	.38 de
4. 7 3 ' W . 3 . 8 c atacica f .	The well or other.	source is located ice 330'34'4. L. Thomas Moisan	ft. and ft. from the 205 feet to the "e Fior from the U.L.C. XX # 68 in T.6 S.; R.2 W. (Section or subdivision)	
# ± ± ±.	ame ove zerze	***************************************	ce and bearing to section corner)	
			t be described. Use separate sheet if necessary)	.:
being with			of Sec. 21 , Twp. 6 3. , R. 2	••• ••• •••••••••
W. M., in	the county of	l'arion		
5	The	(Canal or pipe line)	to be	miles
in length.	terminating in th	e	of Sec. , Twp.	
R.	. W. M., the p		shown throughout on the accompanying map.	
6 .	The name of the t	vell or other works is		
		DESCRIPT	TION OF WORKS	
	If the flow to be t hen not in use mu		vorks to be used for the control and conservation	n of the
8.	The development	will consist of	1 Well (Give number of wells, tunnels, etc.)	iaving a
diameter	oj 6 i	nches and an estimated	depth of 50 feet. It is estimated that	50
feet of th	e well will requir	e Steel (Kind)	casing. Depth to water table is estimated	20 (Feet)

e. At head	gate: width on top	(at water line)	1	feet; width on
			feet; grede	
d feet.				
) At	mile	es from headgate	: width on top (at water lin	ve)
	feet; width on b	ottom	feet; depth of water	•
	feet fall pe	er one thousand	leet.	
c) Length	of pipe,	ft.; size	at intake, in.,	in size at
take	in.; si	ze at place of us	e in.; diffe	rence in elevation
ind place o	of use,	ft. Is g	rade uniform?	Estimated o
	sec. ft.			
0. If pum	ps are to be used, g	ive size and type	3	
			••	
		motor or engine	to be used 5 nr \$1	ectric Single
jive norsej	power and type of			
		**************************	•• ••••	•••••
l etronen n	r etream channel.	aive the distar	r development work is less to uce to the nearest point on and the ground surface at	each of such chan
l stream o ference in	er stream channel, elevation between	give the distant	ice to the nearest point on	each of such chan the source of deve
l stream o ference in	er stream channel, elevation between	give the distant	and the ground surface at	each of such chan the source of deve
l stream of ference in 12. Locati Township N or S.	elevation between on of area to be in	the stream bed	of use	each of such chan the source of deve
12. Locati	elevation between on of area to be in	the stream bed	of use	each of such chan the source of deve
12. Locati	elevation between on of area to be ir Range Z. or W. of Willemette Meridian	give the distant the stream bed rigated, or place	of use	Number Acre To Be Irrigate
12. Locati	elevation between on of area to be ir Range Z. or W. of Willemette Meridian	give the distant the stream bed rigated, or place	of use	Number Acre To Be Irrigate
stream of ference in 12. Locati Township N. or S.	elevation between on of area to be ir Range Z. or W. of Willemette Meridian	give the distant the stream bed rigated, or place	of use	Number Acre To Be Irrigate
12. Locati	elevation between on of area to be ir Range Z. or W. of Willemette Meridian	give the distant the stream bed rigated, or place	of use	Number Acre To Be Irrigate
12. Locati	elevation between on of area to be ir Range Z. or W. of Willemette Meridian	give the distant the stream bed rigated, or place	of use	Number Acre To Be Irrigate
12. Locati	elevation between on of area to be ir Range Z. or W. of Willemette Meridian	give the distant the stream bed rigated, or place	of use	Number Acre To Be Irrigate
12. Locati	elevation between on of area to be ir Range Z. or W. of Willemette Meridian	give the distant the stream bed rigated, or place	of use	Number Acre To Be Irrigate
12. Locati	elevation between on of area to be ir Range Z. or W. of Willemette Meridian	give the distant the stream bed rigated, or place	of use	Number Acre To Be Irrigate
l stream of ference in 12. Locati	elevation between on of area to be ir Range Z. or W. of Willemette Meridian	give the distant the stream bed rigated, or place	of use	Number Acre To Be Irrigate
12. Locati	elevation between on of area to be ir Range Z. or W. of Willemette Meridian	give the distant the stream bed rigated, or place	of use	Number Acre To Be Irrigate

962
83
16,1958
June 1,1959
upply, identify any appli- ter, made or held by the
•••••
Faralisant)
•
her with the accompanying
,
State Engineer, with correc-

Remarks: TE OF OREGON, Ss. County of Marion, This is to certify that I have examined the foregoing application, together with the accomes and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with	·············	west population of	sounty, having		
16. Construction work will be completely applied to the proposed use on or before		, M, 17 AND 18 IN ALL CASES	ARBWER QUESTIONS 1	etima i. Bet	n ec 14.
16. Construction work will be completely applied to the proposed use on or before June 1, 1988. 17. The wester will be completely applied to the proposed use on or before June 1, 1985. 18. If the ground water supply is supplemental to an existing water supply, identify any is for permit, permit, certificate or edjudicated right to appropriate water, made or held cant. Remarks: TE OF OREGON, ss. Ounty of Marion, ss. Ounty of Marion, ss. This is to certify that I have examined the foregoing application, together with the accompand and the same for In order to retain its priority, this application must be returned to the State Engineer, will so no or before 19	***************************************	as son as appared.	Construction work will begin on or b	5. Co	15.
17. The wester will be completely applied to the proposed use on or before. Anne. 1, 1986 18. If the ground unter supply is supplemental to an existing water supply, identify any a for permit, permit, certificate or adjudicated right to appropriate water, made or held cant. Remarks: TE OF OREGON, output of Marion, and the foregoing application, together with the accommendate, and return the same for the foregoing application, together with the accommendate, and return the same for the foregoing application and return the same for the foregoing application and return the same for the foregoing application and the State Engineer, with so on or before the state Engineer, with so or or before the same for the state of the State Engineer, with so or or before the state Engineer, with so or or before the state Engineer, with so or or before the same for	•••••	before Saptember 15,1958	Construction work will be completed	6. Co	16.
18. If the ground water supply is supplemental to an existing unter supply, identify any a for permit, permit, certificate or adjudicated right to appropriate water, made or held cont. Remarks: TE OF OREGON, ounty of Marion, This is to certify that I have examined the foregoing application, together with the accomes and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with so on or before , 19					
TE OF OREGON, Ss. County of Marion, This is to certify that I have examined the foregoing application, together with the accomps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with son or before , 19		· · · · · · · · · · · · · · · · · · ·	الجاميسية فقف بعارضها المام بالتصور للوما		
Remarks: STE OF OREGON, SS. County of Marion, This is to certify that I have examined the foregoing application, together with the accomes and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with son or before, 19	ield by	ed right to appropriate water, made or held	permit, permit, certificate or edju	for pe	n fo
ITE OF OREGON, \ \	••••	·		nt	ican
TE OF OREGON, SS. County of Marion, Ss. This is to certify that I have examined the foregoing application, together with the accomes and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with son or before , 19					···•··
TE OF OREGON, \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		I W Burn			
TE OF OREGON, \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		(Signature of applicant)			
This is to certify that I have examined the foregoing application, together with the accoms and data, and return the same for	•••••••		ıarks:	lemar	Re
TE OF OREGON, ss. County of Marion, ss. This is to certify that I have examined the foregoing application, together with the accoms and data, and return the same for					
TE OF OREGON, ss. County of Marion, ss. This is to certify that I have examined the foregoing application, together with the accoms and data, and return the same for					· · · · • · · · · ·
TE OF OREGON, ss. County of Marion, This is to certify that I have examined the foregoing application, together with the accoms and data, and return the same for					
TE OF OREGON, ss. County of Marion, This is to certify that I have examined the foregoing application, together with the accoms and data, and return the same for					
TE OF OREGON, ss. County of Marion, This is to certify that I have examined the foregoing application, together with the accoms and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with son or before	***************************************		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	**	•••••
TE OF OREGON, ss. Solventy of Marion, ss. This is to certify that I have examined the foregoing application, together with the accoms and data, and return the same for		<u></u>		• • • • • • • • • • • • • • • • • • • •	
TE OF OREGON, ss. Solventy of Marion, ss. This is to certify that I have examined the foregoing application, together with the accoms and data, and return the same for	, 				. .
TE OF OREGON, ss. Solventy of Marion, ss. This is to certify that I have examined the foregoing application, together with the accoms and data, and return the same for					
TE OF OREGON, ss. Solventy of Marion, ss. This is to certify that I have examined the foregoing application, together with the accoms and data, and return the same for		•			
TE OF OREGON, ass. Sounty of Marion, This is to certify that I have examined the foregoing application, together with the accomes and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with son or before					
TE OF OREGON, ss. Sounty of Marion, This is to certify that I have examined the foregoing application, together with the accoms and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with son or before					
TE OF OREGON, ss. Sounty of Marion, This is to certify that I have examined the foregoing application, together with the accomes and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with son or before			,		
TE OF OREGON, ss. County of Marion, This is to certify that I have examined the foregoing application, together with the accoms and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with son or before					
TE OF OREGON, ss. County of Marion, This is to certify that I have examined the foregoing application, together with the accoms and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with son or before	, ,				
TE OF OREGON, ss. County of Marion, This is to certify that I have examined the foregoing application, together with the accoms and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with son or before					
This is to certify that I have examined the foregoing application, together with the accoms and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with son or before					
This is to certify that I have examined the foregoing application, together with the accoms and data, and return the same for			F OREGON,	OF	TE
In order to retain its priority, this application must be returned to the State Engineer, with s on or before			y of Marion, (ss.	inty o	Coun
In order to retain its priority, this application must be returned to the State Engineer, with son or before	compan	foregoing application, together with the accor	s is to certify that I have examined	This is	T
In order to retain its priority, this application must be returned to the State Engineer, with s on or before			data and raturn the same for	and da	
In order to retain its priority, this application must be returned to the Stute Engineer, with s on or before			auta, and return the same for	ina aa	s an
s on or before, 19					
	with co	on must be returned to the State Engineer, wi	order to retain its priority, this appl	In ord	Ιr
WITNESS my hand this day of, 19		, 19	or before	n or t	s on
WITNESS my hand this day of, 19			•	,	
	, 19		TNESS my hand this day	WITN	и
STATE E	ATE ENGIN				
Ву	ASSIST	Ву			

County of Merion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The	right herein grante	ed is limited to the amo	runt of wat	er which can be applied to	beneficial use and	
rhall not e	xceed0,12	cubic feet per seco	md measur	red at the point of diversion		
source of a	ppropriation, or its	equivalent in case of r	ptation wit	h other water users, from	a well	
The	use to which this t	water is to be applied i	s irrig	ati.on		
		opropriation shall be live		1/80 of one cub	ic foot per second	
				n season of each year;		
			••••			
			••••			
and shall	be subject to such	reasonable rotation sys	rtem as ma	y be ordered by the proper	state officer.	
the works The line, adeq The	shall include prop works constructed uate to determine permittee shall in	er capping and control I shall include an air l water level elevation	valve to p line and pro in the well eir, meter,	or other suitable measurin	d water. port for measuring	
		is permit is Aug				
				August 25, 1959 completed on or before Oc		
				shall be made on or before (•	
				st ,7 ,19		
				EWIS A. STANLEY	STATE ENGINEER	ر سند
			Ву	Wax F. Rogers, Deputy		
Application No. G- 1192. Permit No. G- 962.	PERMIT TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 13 day of A.9	Returned to applicant:	Approved: August 25, 1958 Recorded in book No. 4 of Ground Water Permits on page	LEMIS A. STANLEX STATE ENGINEER Drainage Basin No. 2 page L.Z. State Printing 80010	1500