

Persett No. G. 967 APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

e e e e e e e e e e e e e e e e e e e	OLIVER E STEFFEN						
(Mann of spellings) Place 207 Silverian Officounty of MARION (manufacture) (ma							
						_	e of nearest stream to which the well, tunnel or other source of water development is
tuated Tuo	DING RIVER (Name of stream)						
	tributary of WILLAMETTE PIVER						
2. The amou set per second or	nt of water which the applicant intends to apply to beneficial use is						
3. The use to	which the water is to be applied is TRRIGATION						
4. The well o	or other source is located 1800 ft. S. and 863 ft. W. from the						
orner of Com	MON TO SECTIONS 5 6 6 (Section of subdivision)						
	(If preferable, give distance and bearing to section corner)						
eing within the	(If there is more than one we' cach must be described. Use separate sheet if necessary) SELY OF THE SELY of Sec. 6, Twp. 7, R. I.W.W.M.						
	y of MARION						
5. T he	(Canal or pipe line) to be miles						
n length, terminat	ing in the						
	M., the proposed location being shown throughout on the accompanying map.						
6. The name	e of the well or other works is						
	DESCRIPTION OF WORKS						
	w to be utilized is artesian, the works to be used for the control and conservation of the use must be described.						
	Plopment will consist of ONE WELL having a						
8. The deve	Plopment will consist of ONE WELL having a (Give number of wells, tunnels, etc.)						

igate. At nead	gete: width on top	(at water it	ne)	feet; width on botte
f	eet; depth of water	·	feet; grade	feet fall per o
usand feet.				
(b) At	•		gate: width on top (at water liv	1e)
•••••	feet; width on bo	ttom	feet; depth of water	r fe
de	feet fall per	r one thouse	and feet.	
(c) Length	of pipe,	ft.;	size at intake, in.	; in size at
m intake	in.; siz	e at place o	f use in.; diffe	rence in elevation betwe
ake and place o	f use,	ft.	Is grade uniform?	Estimated capac
	sec. ft.	_		-
10. If pum	ps are to be used, gi	ive size and	type Not KNOWA	AT PLESEN!
			<u></u>	
Give horse	power and type of 1	motor or en	gine to be used Not 13	NOWN AT PY
0.00.000	,	·		
		_		41 fa
11. If the	location of the well,	, tunnel, or (other development work is less	than one-jourth mile jro
tural stream o	r stream channel.	give the di	istance to the nearest point on	each of such channels
1414A 6170AM C	or stream chamiles.	give the u	isturce to the nearest point on	
carac screams c				Aba assumes of doublemen
e difference in	elevation between	the stream	bed and the ground surface at	the source of developm
e difference in	elevation between	the stream	bed and the ground surface at	the source of developm
e difference in	elevation between	the stream	bed and the ground surface at	the source of developm
e difference in	elevation between	the stream	bed and the ground surface at	the source of developm
e difference in	elevation between	the stream	bed and the ground surface at	the source of developm
e difference in	elevation between	the stream	bed and the ground surface at	the source of developm
e difference in	elevation between	the stream	bed and the ground surface at	the source of developm
e difference in	elevation between	the stream	bed and the ground surface at	the source of developm
e difference in	elevation between		lace of use	the source of developm
e difference in	elevation between			the source of developm
e difference in	elevation between			Number Acres To Be Irrigated
12. Locati	elevation between on of area to be irr Range E or W of	rigated, or p	place of use	Number Acres
12. Locati	elevation between on of area to be irr Range Z. or W of Willamette Meridian	rigated, or p	lace of use	Number Acres To Be Irrigated
12. Locati	elevation between on of area to be irr Range Z. or W of Willamette Meridian	rigated, or p	Party-acre Tract	Number Acres To Be Irrigated
12. Locati	elevation between on of area to be irr Range Z. or W of Willamette Meridian	rigated, or p	Forty-acre Tract SELY NELY SWY, NELY	Number Acres To Be Irrigated
12. Locati	elevation between on of area to be irr Range Z. or W of Willamette Meridian	rigated, or p	Forty-acre Tract SELY NEW SWY, NEW IVELY SELY	Number Acres To Be Irrigated 1, 6 8,1
12. Locati	elevation between on of area to be irr Range Z. or W of Willamette Meridian	rigated, or p	Forty-acre Tract SELY NELY SWY, NELY INELY, SELY NWY, SELY	Number Acres To Be Irrigated 1, 6 8, 1
12. Locati	elevation between on of area to be irr Range Z. or W of Willamette Meridian	rigated, or p	Forty-acre Tract SELY NELY SWY, NELY INELY, SELY NWY, SELY	Number Acres To Be Irrigated 1, 2 1, 6 8, 1 22,0
12. Locati	elevation between on of area to be irr Range Z. or W of Willamette Meridian	rigated, or p	Forty-acre Tract SELY NELY SWY, NELY INELY, SELY NWY, SELY	Number Acres To Be Irrigated 1, 6 8,1 15,4 22,0 25,0
12. Locati	elevation between on of area to be irr Range Z. or W of Willamette Meridian	rigated, or p	Forty-acre Tract SELY NELY SWY, NELY INELY, SELY NWY, SELY	Number Acres To Be Irrigated 1, 6 8,1 15,4 22,0 25,0
12. Locati	elevation between on of area to be irr Range Z. or W of Willamette Meridian	rigated, or p	Forty-acre Tract SELY NELY SWY, NELY INELY, SELY NWY, SELY	Number Acres To Be Irrigated 1, 6 8,1 15,4 22,0 25,0
12. Locati	elevation between on of area to be irr Range Z. or W of Willamette Meridian	rigated, or p	Forty-acre Tract SELY NELY SWY, NELY INELY, SELY NWY, SELY	Number Acres To Be Irrigated 1, 6 8,1 15,4 22,0 25,0
12. Locati	elevation between on of area to be irr Range Z. or W of Willamette Meridian	rigated, or p	Forty-acre Tract SELY NELY SWY, NELY INELY, SELY NWY, SELY	Number Acres To Be Irrigated 1, 6 8,1 15,4 22,0 25,0
12. Locati	elevation between on of area to be irr Range Z. or W of Willamette Meridian	rigated, or p	Forty-acre Tract SELY NELY SWY, NELY INELY, SELY NWY, SELY	Number Acres To Be Irrigated 1, 6 8,1 15,4 22,0 25,0

STATE ENGINEER

	county, having a p		\$***FEE - 17***********************************		
•	ition of	500.00			
15. Construction	work will begin on or befor	· SEPT. 1 195	78		
16. Construction	work will be completed on (or before OCT. 1, 193	72		
		_			
17. The water will be completely applied to the proposed use on or before Lands F. 15. 18. If the ground water supply is supplemental to an existing water supply, identify any appli-					
	nu, certificate or edjudici		pater, made or held by the \sim		
icani	entied 6 fol		0.4.10		
	o-ee epress 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	6) // \			
		- Oliver C	Stoffer		
Remarks:		(Bignetus	e er applicant		
•••••••••••••••••••••••••••••••••••••••	·				
,					
.:					

			•		
······································		••••			
······································		·····			
		· · · · · · · · · · · · · · · · · · ·			
ATE OF OREGON,					
County of Marion,	\$33.				
This is to certify	that I have examined the	foregoing application, toge	ther with the accompanying		
os ana data, ana reti	urn the same for				
In ander to4-1			Canan Denimon 123		
,	•		State Engineer, with correc		
s on or hefore	*	, 19			

County of Merion

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well The use to which this water is to be applied is supplemental irrigation or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed ... 22 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the amount of water allowed herein, together with the amount secured under any other right existing for the same lands shall not exceed the limitation allowed and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is August 27, 1958 Actual construction work shall begin on or before Angust 29, 1959 thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1959 Complete application of the water to the proposed use shall be made on or before October 1, 1960 WITNESS my hand this 29th Engineer at Salem, Oregon, Ξ. TO APPROPRIATE THE GROUND ent was first received Σ OF THE STATE U. on the 27 Hay of Augus Permits on page OREGON o'clock book No. Drainage Basin No. LEWIS A. STANLEY licant OF 19 58, at 2:00 Recorded in Ground Water Applicat Permit A WATEF This instrum office of the Sta Returned to app August 29. Approved: