Person No. G. 972

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, T.C. Hang Classe of explanat)					
of Rt.3, Box 165, Oregon City , county of Clackamas					
(Pietellie Address)					
state of					
If the applicant is a corporation, give date and place of incorporation					
1. Give name of nearest stream to which the well, tunnel or other source of water development is					
situatedUn-named Stream (Name of stream)					
tributary of Abernathy Creek					
2. The amount of water which the applicant intends to apply to beneficial use is					
3. The use to which the water is to be applied is					
4. The well or other source is located ft. and ft. from the					
corner of N 28030' W, 268 feet and N 42010' W, 185 feet from the 1 Section corner					
(Section or unbdivision) between Sections 9 and 16, T. 3S, R. 2E, W.M. (If preferable, give distance and bearing to section corner)					
(If there is more than one we!" each must be described. Use separate sheet if necessary) being within the $SE_4^1SE_4^1SW_4^1$ of Sec. 9, Twp. 3S, R. 2E,					
W. M., in the county of Clackamas					
5. The Partable Piper to be miles					
in length, terminating in the					
R W. M., the proposed location being shown throughout on the accompanying map.					
6. The name of the well or other works is Un-named					
DESCRIPTION OF WORKS					
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.					
en e					
en e					
er men er er en					
8. The development will consist of 2 wells having a (Give number of wells, tunnels, etc.)					
diameter of 11 inches and an estimated depth of 7 feet. It is estimated that 7					
feet of the well will require metal casing. Depth to water table is estimated 7 (Rind)					

	M OR PIPE LINE		al where materially changed	l in size statina miles from
)	
•		-	, jeet; grade	
	jeet; depth of wat	67 .,	jeet, grace	jeet juit per one
thousand feet.	11	lai duama kandar	es, suideb on en las sucton li	ma)
			te: width on top (at water lifeet; depth of wate	
	jeel; width on t			
	•		e at intake, in	· in size at
		•	se in.; diffe	
·			grade uniform?	
intake una piace	:		grade anijoriii.	
	·	• • •		
10. If pun	ips are to be used, g	give size and ty _l	oe	
Give horse	power and type of	motor or engin	e to be used	······································
		••••	••••	
natural stream the difference in	or stream channel elevation between	, give the dista the stream bea	er development work is less ince to the nearest point on and the ground surface at	each of such channels an the source of developmen
natural stream the difference in Well 19	or stream channel elevation between in stream of stream	, give the distort the stream bed frailed. It fan the	ince to the nearest point on and the ground surface at ite fhat crosse. I stream bed.	each of such channels an the source of developments.
natural stream the difference in Well 19	or stream channel elevation between Cludes in 1 M. Marred 19: be about 3 ion of area to be in	, give the distort the stream bed frailed. It fan the	ince to the nearest point on and the ground surface at ite fhat crosse.	each of such channels an the source of developments.
natural stream the difference in Well 19	or stream channel elevation between in stream of stream	, give the distort the stream bed frailed. It fan the	ince to the nearest point on and the ground surface at ite fhat crosse. I stream bed.	each of such channels an the source of developments.
natural stream the difference in Well 19	or stream channel elevation between Cludes in fi M. Manned 197 be about 3 ion of area to be in Range 2 or W. of	, give the distant the stream bed from it fant. It below rigated, or place	ince to the nearest point on and the ground surface at ite fhat crosse. I stream bed. e of use:	each of such channels an the source of developments. beneath bed
natural stream the difference in Well 12. Of AN 40 Tile for 12. Locate Township N. or 8.	or stream channel elevation between Cludes in 1 M. Marred in 2 be about 3 ion of area to be ir Range 2 or W. of Willamette Meridian	, give the distant the stream bed from it fand. It below rigated, or place	ince to the nearest point on and the ground surface at ite fhat crosse. I stream bed. Forty-acre Tract	each of such channels an the source of developments. beneath bed Number Acres To Be Irrigated
natural stream the difference in Well 19	or stream channel elevation between Cludes in 1 MARKED 19 MARKED 19 Range 2 or W. of Willamette Meridian 2E	, give the distant the stream bed and franklain. I he law rigated, or place exection	ince to the nearest point on and the ground surface at ite fhat crosse. I stream bed. Forty-acre Tract SWASFA	each of such channels an the source of developments beneath bed Number Acres To Be Irrigated 8.9
natural stream the difference in Well 19	or stream channel elevation between Cludes in 1 MARKED 19 MARKED 19 Range 2 or W. of Willamette Meridian 2E	, give the distant the stream bed and franklain. I he law rigated, or place exection	ince to the nearest point on and the ground surface at ite fhat crosse. I stream bed. Forty-acre Tract SWASFA	each of such channels an the source of developments beneath bed Number Acres To Be Irrigated 8.9
natural stream the difference in Well 19	or stream channel elevation between Cludes in 1 MARKED 19 MARKED 19 Range 2 or W. of Willamette Meridian 2E	, give the distant the stream bed and franklain. I he law rigated, or place exection	ince to the nearest point on and the ground surface at ite fhat crosse. I stream bed. Forty-acre Tract SWASFA	each of such channels an the source of developments beneath bed Number Acres To Be Irrigated 8.9
natural stream the difference in Well 19	or stream channel elevation between Cludes in 1 MARKED 19 MARKED 19 Range 2 or W. of Willamette Meridian 2E	, give the distant the stream bed and franklain. I he law rigated, or place exection	ince to the nearest point on and the ground surface at ite fhat crosse. I stream bed. Forty-acre Tract SWASFA	each of such channels an the source of developments beneath bed Number Acres To Be Irrigated 8.9
natural stream the difference in Well 19	or stream channel elevation between Cludes in 1 MARKED 19 MARKED 19 Range 2 or W. of Willamette Meridian 2E	, give the distant the stream bed and franklain. I he law rigated, or place exection	ince to the nearest point on and the ground surface at ite fhat crosse. I stream bed. Forty-acre Tract SWASFA	each of such channels an the source of developments beneath bed Number Acres To Be Irrigated 8.9
natural stream the difference in Well 19	or stream channel elevation between Cludes in 1 MARKED 19 MARKED 19 Range 2 or W. of Willamette Meridian 2E	, give the distant the stream bed and franklain. I he law rigated, or place exection	ince to the nearest point on and the ground surface at ite fhat crosse. I stream bed. Forty-acre Tract SWASFA	each of such channels an the source of developments beneath bed Number Acres To Be Irrigated 8.9
natural stream the difference in Well 19	or stream channel elevation between Cludes in 1 MARKED 19 MARKED 19 Range 2 or W. of Willamette Meridian 2E	, give the distant the stream bed and franklain. I fam. I	ince to the nearest point on and the ground surface at ite fhat crosse. I stream bed. Forty-acre Tract SWASFA	each of such channels an the source of developments beneath bed Number Acres To Be Irrigated 8.9
natural stream the difference in Well 19	or stream channel elevation between Cludes in 1 MARKED 19 MARKED 19 Range 2 or W. of Willamette Meridian 2E	, give the distant the stream bed and franklain. I fam. I	ince to the nearest point on and the ground surface at ite fhat crosse. I stream bed. Forty-acre Tract SWASFA	each of such channels an the source of developments beneath bed Number Acres To Be Irrigated 8.9
natural stream the difference in Well 19	or stream channel elevation between Cludes in 1 MARKED 19 MARKED 19 Range 2 or W. of Willamette Meridian 2E	, give the distant the stream bed and franklain. I fam. I	ince to the nearest point on and the ground surface at ite fhat crosse. I stream bed. Forty-acre Tract SWASFA	each of such channels an the source of developments beneath bed Number Acres To Be Irrigated 8.9

Character of soil Clympic silt loam

Kind of crops raised Berries

(If more space required, attach separate sheet)

NICIPAL SUPPLY—	972
23. To supply the city of	
county, havin	g a present population of
m estimated population of	in 19
14. Estimated cost of proposed works,	250.00
	before Sept. 15, 1957
•	d on or before September 15, 1958
	ed to the proposed use on or beforeSeptember 1
	oplemental to an existing water supply, identify any a
ion for permit, permit, certificate or ad	judicated right to appropriate water, made or held by
Dicent.	Mercando de Partir de Caracteria de Caracter
•	Theolog le Hage (Signature of explicant)
Remarks:	
······································	
2	
	·
TATE OF OREGON,	
County of Marion,	
	d the foregoing application, together with the accompa
aps and data, and return the same for	
	•
	all and an array large and a second and all a Gallar Burst array and all
In order to retain its priority, this app	vication must be returned to the State Engineer, with co
In order to retain its priority, this appoints on or before	· · · · · · · · · · · · · · · · · · ·
ons on or before	•

County of Merion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed							
•		·	•••	4 ca			
If fo	or irrigation, this ap	propriation shall be lin	nited to	1/80 of one cubic foot per second			
				imited to a diversion of not to exceed21			
acre feet j		•		n season of each year;			
	······································	••••••		······································			
		,					
·····							
		<u></u>	• • • • • • • • • • • • • • • • • • • •				
·•···							
•	•			y be ordered by the proper state officer.			
the works	shall include prope	er capping and control	valve to	th good practice and if the flow is artesian prevent the waste of ground water.			
line, adeq	uate to determine	water level elevation	in the wel	essure gauge or an access port for measuring l at all times. or other suitable measuring device, and shall			
keep a co	mplete record of the	e amount of ground w	ater witho	rawn.			
The	e priority date of th	is permit is	• • • • • • • • • • • • • • • • • • • •	July 18, 1957			
Act	tual construction we	ork shall begin on or b	efore	September 17, 1959 and shall			
thereafte	r be prosecuted wi	th reasonable diligenc	e and be	completed on or before October 1, 19.59			
Co	mplete application (of the water to the pro	posed use	shall be made on or before October 1, 19 60			
WI	TNESS my hand th	is 17th day of		September 1958			
			.•	LIWN A. Hanley STATE ENGINEER			
		the on,		, o			
	UND	ved in 1, Oreg M.		37.76			
704	GRO	t receiv at Salem U/Y		Ige GTATE Page			
G- 7 972	PERMIT APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON	This instrument was first received in the ce of the State Engineer at Salem, Oregon, he 18 day of July 57, at 10:30 o'clock A: M.	•	on page			
•	PERMIT PRIATE THE IS OF THE SOF	t was Ingine of	int:	September 17, 1958 Recorded in book No. ound Water Permits on Drainage Basin No. **ISTANIET** **IS			
Application No.	PI ROPRI ERS OF	ument wa State Engir day of	pplica	eptember 17, 19 Recorded in book N und Water Permits EMIS A, STANLET Drainage Basin No.			
Appli Perm	APPI	instra f the S	ed to a	ed: omben rrded Wate S. A.			
•	0.1	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 18 day of July 19.57, at 10.30 o'clock A·M.	Returned to applicant:	Approved: Saptember 17, 1958 Recorded in book No. Ground Water Permits on page IEMIS A. STANIEI Drainage Basin No. Z. pa			
	1	1 2 9 1	Ř	5 I			