

Permit No. 973

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Frank J Parent
(Name of applicant)
of Rte 2 Box 239 Milton Freewater, county of Umatilla,
(Residence Address)
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

Not corporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Between West Prong of Little Walla Walla and Little Mud Creek
(Name of stream) tributary of Walla Walla River

2. The amount of water which the applicant intends to apply to beneficial use is _____ cubic feet per second or 150 gallons per minute.

3. The use to which the water is to be applied is Sprinkler irrigation

4. The well or other source is located 1320 ft. E and 500 ft. S from the NW corner of Section 22
(N. or S.) (E. or W.) (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary.)
being on the North 45° East line of Sec. 22, Twp. 6N, R. 35E,
W. M., in the county of Umatilla

5. The 4" Main line to be 340 ft in length, terminating in the NW 1/4 of Sec. 22, Twp. 6N, R. 35E, W. M., the proposed location being shown throughout on the accompanying map.
(Casing or pipe size) (Smallest legal subdivision)

6. The name of the well or other works is "Drilled Well"

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

Not artesian

8. The development will consist of 1 Well having a diameter of 8 inches and an estimated depth of 100 feet. It is estimated that 50 feet of the well will require Steel casing. Depth to water table is estimated 28
(Give number of wells, tunnels, etc.) (Kind) (Feet)

CANAL SYSTEM OR PIPE LINE--

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(b) At _____ miles from headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(c) Length of pipe, 980 ft.; size at intake, 4" in.; in size at 340 ft. from intake 3 in.; size at place of use 3 in.; difference in elevation between intake and place of use, 0 ft. Is grade uniform? yes Estimated capacity, 150 Gal per MIN. sec. ft.

10. If pumps are to be used, give size and type Vertical turbine 8" Bore 5" - 50' column

Give horsepower and type of motor or engine to be used 7 1/2 Electric 3 Phase Motor

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development
Well is located 1250 ft West of West Prong of Little Walla Walla at approximately the same elevation

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
<u>6N</u>	<u>35 E</u>	<u>22</u>	<u>NW 1/4</u>	<u>12 1/2</u>
<u>6N</u>	<u>35 E</u>	<u>22</u>	<u>NW 4 of NW 4</u>	<u>9 Acres</u>
<u>6N</u>	<u>35 E</u>	<u>22</u>	<u>NE 4 of NW 4</u>	<u>6 Acres</u>

(If more space required, attach separate sheet)

Character of soil Yakima Gravelly. loam
Kind of crops raised Pasture, Alfalfa, & Corners

MUNICIPAL SUPPLY—

973

13. To supply the city of not city
to _____ county, having a present population of _____
and an estimated population of _____ in 19_____

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

14. Estimated cost of proposed works, \$ 2500

15. Construction work will begin on or before Oct 1955

16. Construction work will be completed on or before Apr 1956

17. The water will be completely applied to the proposed use on or before July 1956

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

Supplemental to right from Spring Branch fed by West Frong of Little Wallawalla River
Frank J. Parent
(Signature of applicant)

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____ correction

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____ August 19 _____, 19 58.

WITNESS my hand this _____ 19th day of _____ June _____, 19 58.

LEWIS A. STANLEY

STATE ENGINEER

By

James W. Carver, Jr.
JAMES W. CARVER, JR.

ASSISTANT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.19 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 4 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the amount of water allowed herein, together with the amount secured under any other right existing for the same lands shall not exceed the limitation allowed herein.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is June 13, 1958

Actual construction work shall begin on or before September 17, 1959 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1959

Complete application of the water to the proposed use shall be made on or before October 1, 1960

WITNESS my hand this 17th day of September, 1958

LEWIS A. STANLEY, STATE ENGINEER

Application No. G-1204
Permit No. G-973

PERMIT TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 13th day of June, 1958, at 1:00 o'clock P. M.

Returned to applicant:

Approved:

September 17, 1958

Recorded in book No. 4 of 973

Ground Water Permits on page

LEWIS A. STANLEY STATE ENGINEER

Drainage Basin No. 7 page 39