Permit No. G. 976

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

Suplimity	county of Marien				
(Postudiae Address)					
ste of	do hereby make application for a permit to appropriate the waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:				
If the applicant is a corporation, give date and place of incorporation					
1. Give name of nearest stream to	o which the well, tunnel or other source of water development is				
ituated Salem Ditch					
*	(Name of stream)tributary of				
	ne applicant intends to apply to beneficial use is 1.02 cubic				
3. The use to which the water is	to be applied is Irrigation				
4 Th	to and the from the				
_	ted ft. and ft. from the (N. or 8.)				
orner of SEC SMEET WITH	(Section or subdivision)				
(If prefere	able, give distance and bearing to section corner)				
(If there is more than one	e we'', each must be described. Use separate sheet if necessary)				
being within the	of Sec. , Twp. , R.				
W. M., in the county of Marion					
_	to be miles				
	(Smallest legal subdivision) of Sec. , Twp.				
	tion being shown throughout on the accompanying map.				
6. The name of the well or other	works is				
1	DESCRIPTION OF WORKS				
7. If the flow to be utilized is arte supply when not in use must be describ	esian, the works to be used for the control and conservation of the				
.					
	·				
8 The development will consist	of 3 infiltration trenches having description number of wells, tunnels, etc.)				
See Remark for	description number of wells, tunnels, etc.) n estimated depth of feet. It is estimated that				
	* COTTON OF CONTROL TO THE TOP OF				

U	٠.		•	
•	t OR PIPE LINE. t dimensions at ea		mel where materially changed	in size, stating miles fro
dgate. At hos	dgate: width on top	at water lis	w)	feet; width on botto
••••••••••••••••••••••••••••••••••••••	feet; depth of wate	:r,	feet; grade	feet fall per o
wand feet.		•		
(b) At	mil	es from heads	gate: width on top (at water lis	ne)
	feet; width on b	ottom	feet; depth of water	r fec
de	feet fall po	er one thouses	ud feet.	
(c) Length	of pipe,	ft.; s	ize at intake, in.,	; in size at
n intake	in.; al	ize at place of	use in.; diffe	rence in elevation betwe
ike and place o	of use,	ft. I	s grade uniform?	Estimated capaci
10. If num	ns are to be used. a	rive size and t	upe Xbrizontal Cen	trifugal 4 int
discho				
11. If the lural stream of	location of the well or stream channel,	, tunnel, or ot	her development work is less t tance to the nearest point on	each of such channels a
11. If the ural stream of difference in	location of the well or stream channel, elevation between on of area to be irr	, tunnel, or ot give the dis the stream b	her development work is less t	han one-fourth mile fron
11. If the laural stream of difference in	location of the well or stream channel, elevation between	, tunnel, or ot give the dis the stream b	her development work is less t tance to the nearest point on ed and the ground surface at	han one-fourth mile fron
11. If the large transfer of the large trans	location of the well or stream channel, elevation between on of area to be irr	, tunnel, or ot give the dis the stream b	her development work is less t tance to the nearest point on ed and the ground surface at	than one-fourth mile from each of such channels a the source of developme
11. If the ural stream of difference in 12. Locati	location of the well or stream channel, elevation between on of area to be irr	, tunnel, or ot give the dis the stream be t	her development work is less to tance to the nearest point on ed and the ground surface at the control of the c	Number Acres To Be Irrigated
11. If the ural stream of difference in 12. Locati	location of the well or stream channel, elevation between on of area to be irr	, tunnel, or ot give the dis the stream be t	her development work is less to tance to the nearest point on ed and the ground surface at the second surface	Number Acres To Be Irrigated
11. If the ural stream of difference in 12. Locati	location of the well or stream channel, elevation between on of area to be irr Range E. or W. of Willamette Meridian	tunnel, or ot give the disthe stream be give the distream be give the stream be given by the stream because of the stream becaus	her development work is less to tance to the nearest point on ed and the ground surface at the control of the c	Number Acres To Be Irrigated 7 - 4 - Forms 30.0 + 7.6
11. If the large stream of difference in 12. Locati	location of the well or stream channel, elevation between on of area to be irr Range E. or W. of Willamette Meridian	tunnel, or ot give the disthe stream be give the distream be give the stream be given by the stream because of the stream becaus	her development work is less to tance to the nearest point on ed and the ground surface at the control of the c	Number Acres To Be Irrigated 30.0 f 76 37.0
11. If the large stream of difference in 12. Locati	location of the well or stream channel, elevation between on of area to be irr Range E. or W. of Willamette Meridian	tunnel, or ot give the disthe stream be give the distream be give the stream be given by the stream because of the stream becaus	her development work is less to tance to the nearest point on ed and the ground surface at the control of the c	Number Acres To Be Irrigated 30.0 f 76 37.0
11. If the large stream of difference in 12. Locati	location of the well or stream channel, elevation between on of area to be irr Range E. or W. of Willamette Meridian	tunnel, or ot give the disthe stream be give the distream be give the stream be given by the stream because of the stream becaus	her development work is less to tance to the nearest point on ed and the ground surface at the control of the c	Number Acres To Be Irrigated 30.0 f 76 37.0
11. If the large stream of difference in 12. Locati	location of the well or stream channel, elevation between on of area to be irr Range E. or W. of Willamette Meridian	tunnel, or ot give the disthe stream be give the distream be give the stream be given by the stream because of the stream becaus	her development work is less to tance to the nearest point on ed and the ground surface at the control of the c	Number Acres To Be Irrigated 30.0 f 76 37.0
11. If the large stream of difference in 12. Locati	location of the well or stream channel, elevation between on of area to be irr Range E. or W. of Willamette Meridian	tunnel, or ot give the disthe stream be give the distream be give the stream be given by the stream because of the stream becaus	her development work is less to tance to the nearest point on ed and the ground surface at the control of the c	Number Acres To Be Irrigated 30.0 f 76 37.0

/// more more required attack connects should

Character of soil Grovely with black loam. (Perhaps a type of Clacomus from Type)
Kind of crops raised Grain, Gra, berrie.

ASSISTANT

county, hevin	g a present population of
d an estimated population of	• •
ANSWER QUESTIONS 1	A 1L 1A H AND 18 BY ALL CASES
14. Estimated cost of proposed works,	
16. Assumered dest of proposes works, (The and had a like this and sout
18. Construction work will begin on or	before I'm e dately ofter this epplicat
16. Countryction work will be completed	donor before Within 30 days after cousts
	ed to the proposed use on or before
18. If the ground water supply is suption for permit, permit, certificate or adj	plemental to an existing water supply, identify any applicated right to appropriate water, made or held by the
plicant.	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
	The state of applicants
Remarks: I propuse to con	struct in filts tron totaches, each
be alleast equal to	a length of 50' and width of rafeed
and depth lofect.	
	•
Well No. 1 is located W 36°30'W.	2112 ft from the S. E. corner of Section 5
T 9 S, R 1 %, being w Well No. 2 is located 320 ft S.	within the NET SET of Section 5 and 35 ft E. from the E 1/4 Corner of
Well No. 1 is located W 36°30'W, T 9 S, R 1 W, being w Well No. 2 is located 320 ft S. Section 5, T 9 S, R 1 Well No. 3 is located S 75°05'E, 5, T 9 S, R 1 W. being	wthin the NE SE SE of Section 5
Well No. 1 is located W 36°30'W, T 9 S, R 1 %, being well No. 2 is located 320 ft S. Section 5, T 9 S, R 1 Well No. 3 is located S 75°05'E, 5, T 9 S, R 1 W. being well No. 3 is located S 75°05'E, 5, T 9 S, R 1 W. being well No. 3 is located S 75°05'E, 5, T 9 S, R 1 W. being well no. 3 is located S 75°05'E, 5, T 9 S, R 1 W. being well no. 3 is located S 75°05'E, 5, T 9 S, R 1 W. being well no. 3 is located S 75°05'E, 5, T 9 S, R 1 W. being well no. 3 is located S 75°05'E, 5, T 9 S, R 1 W. being well no. 3 is located S 75°05'E, 5, T 9 S, R 1 W. being well no. 3 is located S 75°05'E, 5, T 9 S, R 1 W. being well no. 3 is located S 75°05'E, 5, T 9 S, R 1 W. being well no. 3 is located S 75°05'E, 5, T 9 S, R 1 W. being well no. 3 is located S 75°05'E, 5, T 9 S, R 1 W. being well no. 3 is located S 75°05'E, 5, T 9 S, R 1 W. being well no. 3 is located S 75°05'E, 5, T 9 S, R 1 W. being well no. 3 is located S 75°05'E, 5, T 9 S, R 1 W. being well no. 3 is located S 75°05'E, 5, T 9 S, R 1 W. being well no. 3 is located S 75°05'E, 5, T 9 S, R 1 W. being well no. 3 is located S 75°05'E, 5, T 9 S, R 1 W. being well no. 3 is located S 75°05'E, 5, T 9 S, R 1 W.	and 35 ft E. from the E 1/h Jorner of W, being within the NW4 SW4 of Section 4, 1320 ft from the E 1/h Corner of Section ang within the NW4 SW4 of Section h
Well No. 1 is located W 36°30'W, T 9 S, R 1 %, being well No. 2 is located 320 ft S. Section 5, T 9 S, R 1 Well No. 3 is located S 75°05'E, 5, T 9 S, R 1 W. being well No. 3 is located S 75°05'E, 5, T 9 S, R 1 W. being well No. 3 is located S 75°05'E, 5, T 9 S, R 1 W. being well no. 3 is located S 75°05'E, 5, T 9 S, R 1 W. being well no. 3 is located S 75°05'E, 5, T 9 S, R 1 W. being well no. 3 is located S 75°05'E, 5, T 9 S, R 1 W. being well no. 3 is located S 75°05'E, 5, T 9 S, R 1 W. being well no. 3 is located S 75°05'E, 5, T 9 S, R 1 W. being well no. 3 is located S 75°05'E, 5, T 9 S, R 1 W.	and 35 ft E. from the E 1/h Jorner of W, being within the NW4 SW4 of Section 4, 1320 ft from the E 1/h Corner of Section ang within the NW4 SW4 of Section 4
Well No. 1 is located W 36°30'W, T 9 S, R 1 %, being w Well No. 2 is located 320 ft S. Section 5, T 9 S, R 1 Well No. 3 is located S 75°05'E, 5, T 9 S, R 1 W. being TATE OF OREGON, County of Marion, Ss.	and 35 ft E. from the E 1/h Jorner of W, being within the NW SW of Section 4, 1320 ft from the E 1/h Corner of Section ng within the NW SW of Section 4
Well No. 1 is located W 36°30'W, T 9 S, R 1 %, being w Well No. 2 is located 320 ft S. Section 5, T 9 S, R 1 Well No. 3 is located S 75°05'E, 5, T 9 S, R 1 W. being TATE OF OREGON, County of Marion, Ss.	and 35 ft E. from the E 1/h Jorner of W, being within the NW SW of Section 4, 1320 ft from the E 1/h Corner of Section ng within the NW SW of Section 4
Well No. 1 is located W 36°30'W, T 9 S, R 1 %, being w Well No. 2 is located 320 ft S. Section 5, T 9 S, R 1 Well No. 3 is located S 75°05'E, 5, T 9 S, R 1 W. being TATE OF OREGON, County of Marion. This is to certify that I have examine	and 35 ft E. from the E 1/h Corner of W, being within the NW4 SW4 of Section h, 1320 ft from the E 1/h Corner of Section and within the NW4 SW4 of Section h
Well No. 1 is located W 36°30'W, T 9 S, R 1 %, being w Well No. 2 is located 320 ft S. Section 5, T 9 S, R 1 Well No. 3 is located S 75°05'E, 5, T 9 S, R 1 W. being TATE OF OREGON, County of Marion, This is to certify that I have examine that and and return the same for	and 35 ft E. from the E 1/h Jorner of W, being within the NW SW2 of Section 4, 1320 ft from the E 1/h Jorner of Section and within the NW2 SW2 of Section 4.
Well No. 1 is located W 36°30'W, T 9 S, R 1 %, being w Well No. 2 is located 320 ft S. Section 5, T 9 S, R 1 Well No. 3 is located S 75°05'E, 5, T 9 S, R 1 W. being TATE OF OREGON, County of Marion, This is to certify that I have examine that and data, and return the same for	and 35 ft E. from the E 1/4 Jorner of W, being within the NW4 SW4 of Section 4, 1320 ft from the E 1/4 Corner of Section and within the NW4 SW4 of Section 4.
Well No. 1 is located W 36°30'W, T 9 S, R 1 %, being w Well No. 2 is located 320 ft S. Section 5, T 9 S, R 1 Well No. 3 is located S 75°05'E, 5, T 9 S, R 1 W. being TATE OF OREGON, County of Marion, This is to certify that I have examine that is to certify that I have examine that and data, and return the same for In order to retain its priority, this ap	and 35 ft E. from the E 1/4 Corner of W, being within the NW SW of Section 4, 1320 ft from the E 1/4 Corner of Section and within the NW SW of Section 4.
Well No. 1 is located W 36°30'W, T 9 S, R 1 %, being w Well No. 2 is located 320 ft S. Section 5, T 9 S, R 1 Well No. 3 is located S 75°05'E, 5, T 9 S, R 1 W. being TATE OF OREGON, County of Marion, This is to certify that I have examine maps and data, and return the same for In order to retain its priority, this ap	and 35 ft E. from the E 1/4 Corner of W, being within the NW SW of Section 4, 1320 ft from the E 1/4 Corner of Section and within the NW SW of Section 4.
Well No. 1 is located W 36°30'W, T 9 S, R 1 H, being w Well No. 2 is located 320 ft S. Section 5, T 9 S, R 1 Well No. 3 is located S 75°05'E, 5, T 9 S, R 1 W. being TATE OF OREGON, County of Marion, This is to certify that I have examine maps and data, and return the same for In order to retain its priority, this applions on or before	and 35 ft E. from the E 1/4 Corner of W, being within the NW SW of Section 4 , 1320 ft from the E 1/4 Corner of Section and within the NW SW of Section 4 ed the foregoing application, together with the accompanying splication must be returned to the State Engineer, with corresponding 19
Well No. 1 is located W 36°30'W, T 9 S, R 1 W, being w Well No. 2 is located 320 ft S. Section 5, T 9 S, R 1 Well No. 3 is located S 75°05'E, 5, T 9 S, R 1 W. bein TATE OF OREGON, County of Marion, This is to certify that I have examine that is to certify that I have examine that and data, and return the same for In order to retain its priority, this applions on or before	and 35 ft E. from the E 1/4 Corner of W, being within the NW SW of Section 4, 1320 ft from the E 1/4 Corner of Section and within the NW SW of Section 4.
Well No. 1 is located W 36°30'W, T 9 S, R 1 W, being w Well No. 2 is located 320 ft S. Section 5, T 9 S, R 1 Well No. 3 is located S 75°05'E, 5, T 9 S, R 1 W. bein TATE OF OREGON, County of Marion, This is to certify that I have examine that is to certify that I have examine that and data, and return the same for In order to retain its priority, this applions on or before	and 35 ft E. from the E 1/4 Corner of W, being within the NW SW of Section 4 , 1320 ft from the E 1/4 Corner of Section and within the NW SW of Section 4 ed the foregoing application, together with the accompanying splication must be returned to the State Engineer, with corresponding 19

11

County of Merion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

•				er which can be applied to beneficial use and
source of az				other water users, from3_wells
The		pater is to be applied is		tion and supplemental irrigation
or its equit	valent for each acr	e irrigated and shall be	e further lin	1/80 of one cubic foot per second mited to a diversion of not to exceed 21
	•			season of each year; previded further with the amount secured under any
other ri	ght existing f	er the same lands	shall not	t exceed the limitation allowed
herein,				
The the works The line, adequ	well shall be case shall include prop- works constructed tate to determine permittee shall in	d as necessary in accor er capping and control l shall include an air li water level elevation i	dance with valve to prine and pre in the well eir, meter, c	or other suitable measuring device, and shall
		•		July 11, 1958
				September 17, 1959 and shall
thereafter	be prosecuted wi	th reasonable diligenc	e and be c	completed on or before October 1, 19.59
				shall be made on or before October 1, 19 60
WI	INESS my hand th	is 17th day of		LINTO A. STATE ENGINEER
Application No. G- 1050. Permit No. G- 976.	PERMIT TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON	This instrument was first received in the itee of the State Engineer at Salem, Oregon, the \mathcal{L} day of $\mathcal{L}_{M}\mathcal{L}_{M}$, $\mathcal{S}_{S,at}$ 3.30°0'clock $\mathcal{P}_{S,at}$. M.	turned to applicant:	Septembar 12, 1958 Recorded in book No. 4 of Ound Water Permits on page 92 V Drainage Basin No. 2 page 92 V

Applicat

1958, at 3.3 office of the Sta This instrun on the

Returned to app

Approved: September

Recorded in Ground Water

LEWIS A.

180 22