

RECEIVED

AUG 11 1958

STATE ENGINEER

SALEM, OREGON

Permit No. G-999

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

1. City of Ontario, Oregon

of Box 119, Ontario (Name of applicant), county of Malheur,

state of Oregon

do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1896 State of Oregon

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated. Snake River (Name of stream)

tributary of Columbia River

2. The amount of water which the applicant intends to apply to beneficial use is 2.25 cubic feet per second or gallons per minute.

3. The use to which the water is to be applied is municipal water supply

4. The well or other source is located 1115.0 ft. E. and 188.0 ft. N. from the S.E. corner of the NW $\frac{1}{4}$  of the NW $\frac{1}{4}$  of Sec. 11, T. 18 S., R. 47 E., W. M. (N. or S. E. or W.) (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)  
being within the NW $\frac{1}{4}$ , NW $\frac{1}{4}$  of Sec. 11, Twp. 18 S., R. 47 E., W. M., in the county of Malheur

5. The pipe lines (Canal or pipe line) to be one miles in length, terminating in the City Limits of Ontario, Oregon of Sec. 3, 4, 9, 10, Twp. 18 S. (Smallest legal subdivision)

R. 47 E., W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Municipal Well No. 3

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of one well having a 30" outside casing (Give number of wells, tunnels, etc.) diameter of 14" inside inches and an estimated depth of 80 feet. It is estimated that 80 feet of the well will require 14 inch casing. Depth to water table is estimated at 15' below the ground surface. (Inches) (Feet)

CANAL SERVICE CORP. LTD.

2. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) .....  
feet; width on bottom ..... feet; depth of water ..... feet;  
grade ..... feet fall per one thousand feet.

(c) Length of pipe, 200 ft. existing; size at intake, 8 in.; in size at ft.  
from intake in.; size at place of use 8 in.; difference in elevation between  
intake and place of use, 2 ft. Is grade uniform? yes. Estimated capacity,  
2.5 sec. ft.

10. If pumps are to be used, give size and type Layne-Bowler 1000 g.p.m. 210 ft.

1770 R.P.M., Model 12 G.M. Serial #22747 Verti-Line pump. (Turbine Type)

Give horsepower and type of motor or engine to be used 75 H.P. 220 V. U.S. Motor Type

C.F.S. 1800 R.P.M. 3 Phase.

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

Well is located 130 feet from Snake River. Elevation 2142.90 or approximately 15.64 above stream bed.

12. Location of area to be irrigated, or place of use Municipal Water System, Ontario, Oregon

(If more space required, attach separate sheet)

**Character of soil** .....

**Kind of crops raised** .....

~~City of Oregon, having a present population of \_\_\_\_\_  
and an estimated population of \_\_\_\_\_ on 12-31-~~

1650

## Answers questions 14, 15, 16, 17 AND 18 BY ALL CASES

14. Estimated cost of proposed works, \$ 10,000.00
15. Construction work will begin on or before \_\_\_\_\_
16. Construction work will be completed on or before \_\_\_\_\_
17. The water will be completely applied to the proposed use on or before 7-1-62
18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

CITY OF OREGON

By A. F. Blanchard City Clerk  
(Signature of authority)

Remarks: Coming to the growing population, greater use of domestic water, and the elimination of surface type lawn irrigation, it has become necessary to pump water directly into the domestic system and bypass the treatment plant. Water will be chlorinated at source.

STATE OF OREGON,  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for \_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before \_\_\_\_\_, 19\_\_\_\_\_

WITNESS my hand this \_\_\_\_\_ day of \_\_\_\_\_, 19\_\_\_\_\_

STATE ENGINEER

By \_\_\_\_\_

ASSISTANT

STATE OF OREGON.

PERMIT

County of Marion.

This is to certify that I have examined the foregoing application and do hereby grant the same,  
**SUBJECT TO EXISTING RIGHTS** and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and  
shall not exceed 2.25 cubic feet per second measured at the point of diversion from the well or  
source of appropriation, or its equivalent in case of rotation with other water users, from Municipal Well  
No. 3.

The use to which this water is to be applied is municipal.

If for irrigation, this appropriation shall be limited to ..... m. .... of one cubic foot per second  
or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed .....  
acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian  
the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring  
line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall  
keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is August 11, 1958.

Actual construction work shall begin on or before September 17, 1959 and shall  
thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1959.

Complete application of the water to the proposed use shall be made on or before October 1, 1960.

WITNESS my hand this 17th day of

September, 1958

*Lewis A. Stanley*  
STATE ENGINEER

Application No. G-1191  
999  
Permit No. G-

PERMIT

TO APPROPRIATE THE GROUND  
WATERS OF THE STATE  
OF OREGON

This instrument was first received in the  
office of the State Engineer at Salem, Oregon,  
on the 11th day of August  
1958, at 8:00 o'clock A.M.

Returned to applicant:

Approved:

September 17, 1958

Recorded in book No. 4 of  
Ground Water Permits on page 999

Lewis A. STANLEY

Drainage Basin No. /o page 27