Application for a Permit to Construct a Reservoir and to Store for Beneficial Use the Unappropriated Waters of the State of Oregon

	(Name of Applicant)
of	Tillamook (Mailing Address)
State o	of, do hereby make application for a permit to construct the
follow	ing described reservoir and to store the unappropriated waters of the State of Oregon, subject to
existir	ng rights.
	If the applicant is a corporation, give date and place of incorporation
	May 22, 1930 - Tillamook, Oregon
	1. The name of the proposed reservoir isCole Creek
	2. The name of the stream from which the reservoir is to be filled and the appropriation made is Cole Creek
tribut	ary of Kilchis River
	3. The amount of water to be stored is $2\frac{1}{2}$ million gals.
	4. The use to be made of the impounded water is Domestic, manufacturing and fire project (Irrigation, power, domestic supply, etc.)
	5. The location of the proposed reservoir will be in Sec. (Give sections or townships to be submerged)
	(Give sections or townships to be submerged) 1. S., R. 9 , W. M., in the county ofTillamook
	(a) State whether situated in channel of running stream and give character of material at outlet
	channel basin - clear water takeoff from concrete dam.
***************************************	(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give
	and dimensions
<i>name</i>	
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	6. The dam will be located in $SW_4^{\frac{1}{2}}NE_4^{\frac{1}{2}}$, Sec. 8,
	(Smallest legal subdivision) 1. S., R. 9. W., W. M. The maximum height will be 25 feet above stream bed or ground
_	e on center line of dam. The length on top will be 40 feet; length on
	r20
	er side; slope on back; height of dam above water line; height of dam above water line;
•	full2
without	charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

waves are as follows:	erete
	h dimensions are as follows: around (State whether over cr around the dam)
	proposed reservoir, with character of construction and dimensions
are as follows: 12" takeoff:	rom dam proper (State whether through or around the proposed dam)
	proposed reservoir, when full, will be3
feet.	Jeet, and approximate mean depin of water
11. The estimated cost of the pr	oposed work is \$
12. Construction work will begin	on or before completed
13. Construction work will be co	mpleted on or before
	TILLAMOOK COUNTY CREAMERY ASSOCIATION
	By (Sgd) Geo. R. Larson General Manager
STATE OF OREGON, County of Marion,	per W'C
This is to certify that I have exa	nined the foregoing application, together with the accompanying
maps and data, and return the same for	correction or completion as follows:
In order to retain its priority, t	his application must be returned to the State Engineer, with cor-
rections, on or before	, 19
WITNESS my hand this	, 19, 19
•	STATE ENGINEER

Remarks:
Estimated 2 million gals. storage capacity
Specifications, blueprints and reproducibles for this dam were filed
by Alex Stoyanov, Engineer, on October 8, 1948, and it is requested that they
considered as a part hereof.
<u>\</u>
<u> </u>
STATE OF OREGON,)
County of Marion, ss.
This is to certify that I have examined the foregoing application and do hereby grant the same,
subject to the following limitations and conditions: The right herein granted is limited to the
construction of Cole Creek Reservoir and the storage of water from Cole Creek, to be
appropriated under Application No. 24521, Permit No. 19354 for domestic, manufactur
and fire protection. The right hereunder shall be limited to the storage of 2,500,000 gallons
The priority date of this permit is March 17, 1950
Actual construction work shall begin on or beforeJune_30, 1951
and shall thereafter be prosecuted with reasonable diligence and be completed on or before
October 1, 1952
WITNESS my hand this30thday of, 1950
CHAS. E. STRICKLIN
O.K. F.S.

Application	No	R_21	<u> 520</u>)
Reservoir Pe	ermit	No	R_	1022

PERMIT

To construct a reservoir and store for beneficial use the unappropriated waters of the State of Oregon.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 17th day of March 19.50, at 1:00 o'clock P.M.					
Approved:					
June 30, 1950					
Recorded in Book Nod					
Reservoirs, on Page R-1022					
CHAS. E. STRICKLIN STATE ENGINEER					

STATE PRINTING DEPT.

Drainage Basin No. 1, page 6F Fees Paid \$15.00