

- * outlet pipe, or to provide other means to evacuate the stored water when determined by the Water Resources Director to be necessary to satisfy prior downstream rights.
- ** Range 32 East, WM, in the County of Umatilla.
- *** Dry Creek Pond - 4.0 feet; Blue Spring Pond - 2.0 feet; Upper Dry Creek Pond - 4.0 feet.
- **** Dry Creek Pond - 6.0 feet; Blue Spring Pond - 4.0 feet; Upper Dry Creek Pond - 10.0 feet.
- ***** Dry Creek Pond - 4:1; Blue Spring Pond - 5:1; Upper Dry Creek Pond - 4:1 feet.
- ***** Dry Creek Pond - 3:1; Blue Spring Pond - 4:1; Upper Dry Creek Pond - 3:1 feet.
- ***** Dry Creek Pond - 3.0 feet; Blue Spring Pond - 2.0 feet; Upper Dry Creek Pond - 2.0 feet.
- ***** Dry Creek Pond - 0.028 acre; Blue Spring Pond - 0.0281 acre; Upper Dry Creek Pond - 0.110074 acre; Junction Pond - 0.018939 acre.
- ***** Dry Creek Pond - 4.0 feet; Blue Spring Pond - 3.0 feet; Upper Dry Creek Pond - 6.0 feet; Junction Pond - 3.0 feet.
- ***** 0.022 af in Junction Pond.

The dimensions of the spillways are: The bottom width of the spillways will be: Dry Creek Pond - 4.0 feet; Blue Spring Pond - 3.0 feet; Upper Dry Creek Pond - 8.0 feet. The top width of the spillways will be: Dry Creek Pond - 10.0 feet; Blue Spring Pond - 8.0 feet; Upper Dry Creek Pond - 15.0 feet. The distance between the crests of the dams and the crests of the spillways will be: Dry Creek Pond - 3.0 feet; Blue Spring Pond - 2.0 feet; Upper Dry Creek Pond - 4.0 feet.

The locations and dimensions of the outlet conduits will be: None.

The dams is in the channel.

The dams will be earthfill construction.