## \*Reservoir Permit No. R-1064

## Application for a Permit to Construct a Reservoir and to Store for Beneficial Use the Unappropriated Waters of the State of Oregon

I, Coos Bay-North Bend Water Board (Name of Applicant)
of
State ofOregon , do hereby make application for a permit to construct the
following described reservoir and to store the unappropriated waters of the State of Oregon, subject to
existing rights.
If the applicant is a corporation, give date and place of incorporation Cities of Coos Bay
and North Bend acting through its authorized agents "The Water Board"
1. The name of the proposed reservoir is Upper Pony Creek Reservoir
2. The name of the stream from which the reservoir is to be filled and the appropriation made is  Pony Creek
tributary of Pony Slough and discharging into Coos Bay
3. The amount of water to be stored isacre feet.
4. The use to be made of the impounded water is Municipal  (Irrigation, power, domestic supply, etc.)
5. The location of the proposed reservoir will be in Secs. 28, 32, 33 and 5.  (Give sections or townships to be submerged)
Tp. 25 & 26S, R. 13W, W. M., in the county of Coos
(a) State whether situated in channel of running stream and give character of material at outlet
Reservoir is situated in channel of running stream. Material at outlet is
sandy clay.
(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give
name and dimensions
6. The dam will be located in SW/4 SW/4 , Sec. 28 (Smallest legal subdivision)
Tp. 25S , R. 13W , W. M. The maximum height will be 45 feet above stream bed or ground
surface on center line of dam. The length on top will be380 feet; length on
bottomfeet; width on topfeet; slope of front
or water side; slope on back; height of dam above water line (Feet horizontal to 1 vertical)
when full8feet.
* A different form of application should be used for the appropriation of stored water to beneficial use. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

7. The construction of dam, the material of which it is to be built, and method of protection frwaves are as follows: Earth fill as shown on complete plans submitted
waves are as follows: Bar bit lill as shown on complete plans builties
8. The location of wasteway with dimensions are as follows:  (State whether over cr around the dam)
Concrete spillway at one end of dam as shown on plans submitted
9. The location of outlet from the proposed reservoir, with character of construction and dimension
are as follows: 36 inch extra strength culvert pipe through base of dam as
(State whether through or around the proposed dam) shown on plans submitted
10. The area submerged by the proposed reservoir, when full, will beac
with a maximum depth of water offeet; and approximate mean depth of we
11. The estimated cost of the proposed work is \$ 155,000 including clearing
12. Construction work will begin on or before July 1950
13. Construction work will be completed on or before October 1950
Coos Bay-North Bend Water Board  (Name of applicant)
(Sgd) F. C. Hunt, Chairman
Chairman STATE OF OREGON, ]
County of Marion, ss.
This is to certify that I have examined the foregoing application, together with the accompany
maps and data, and return the same for correction or completion as follows:
maps and add, and resurn the same for correction or completion as jouous.
In order to retain its priority, this application must be returned to the State Engineer, with
rections, on or before,19
WITNESS my hand thisday of, 19, 19
STATE ENGINE

Remarks:
·
STATE OF OREGON, ss.
County of Marion, ss.
This is to certify that I have examined the foregoing application and do hereby grant the same,
subject to the following limitations and conditions: The right herein granted is limited to the
construction of Upper Pony Creek Reservoir and the storage of water from Pony Creek,
to be appropriated under Application No. 24923, Permit No. 19689 for municipal use.
The right hereunder shall be limited to the storage of1685.0 acre feet.
The priority date of this permit is June 26, 1950
Actual construction work shall begin on or before January 31, 1952
and shall thereafter be prosecuted with reasonable diligence and be completed on or before
October 1, 1952
WITNESS my hand this 31st day of January ,19 51
CHAS. E. STRICKLIN STATE ENGINEER

O K F.S

Application	No. R-24922
Reservoir Pe	ermit No R-1064

## **PERMIT**

To construct a reservoir and store for beneficial use the unappropriated waters of the State of Oregon.

This instrument was first received in the
$office\ of\ the\ State\ Engineer\ at\ Salem, Oregon,$
on the 26th day ofJune,
1950 , at 8:00 o'clock
Approved:
January 31, 1951
Recorded in Book Nol4 of
Reservoirs, on Page R-1064
CHAS. E. STRICKLIN STATE ENGINEER

STATE PRINTING DEPT.

Drainage Basin No. 17 page 10 D Fees Paid

Fees paid \$27.43