

\* Reservoir Permit No. R-1067

### Application for a Permit to Construct a Reservoir and to Store for Beneficial Use the Unappropriated Waters of the State of Oregon

I, Myrtle Point Veneer Co.  
(Name of Applicant)

of Norway, Oregon,  
(Mailing Address)

State of Oregon, do hereby make application for a permit to construct the following described reservoir and to store the unappropriated waters of the State of Oregon, subject to existing rights.

If the applicant is a corporation, give date and place of incorporation May 17, 1947, Seattle, Washington

1. The name of the proposed reservoir is Myrtle Point Veneer Co. Log Pond

2. The name of the stream from which the reservoir is to be filled and the appropriation made is Pump from the Coquille River.  
tributary of \_\_\_\_\_

3. The amount of water to be stored is 80 acre feet \_\_\_\_\_ acre feet.

4. The use to be made of the impounded water is log storage for veneer plant and  
(Irrigation, power, domestic supply, etc.) (manufacturing)

5. The location of the proposed reservoir will be in Sec. 32  
(Give sections or townships to be submerged)  
Tp. 28 S., R. 12 W., W. M., in the county of Coos.

(a) State whether situated in channel of running stream and give character of material at outlet  
Not in the channel of any stream.

(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give name and dimensions by pumping from the Coquille River.

6. The dam will be located in SW $\frac{1}{4}$ , SW $\frac{1}{4}$ , SE $\frac{1}{4}$ , SW $\frac{1}{4}$  & NE $\frac{1}{4}$ , SW $\frac{1}{4}$ , Sec. 32  
(Smallest legal subdivision)  
Tp. 28 S., R. 12 W., W. M. The maximum height will be 8 feet above stream bed or ground surface on center line of dam. The length on top will be 3356 feet; length on bottom 3356 feet; width on top 8 feet; slope of front or water side 1 on 3; slope on back 1 on 1 $\frac{1}{2}$ ; height of dam above water line when full 7 feet.  
(Feet horizontal to 1 vertical) (Feet horizontal to 1 vertical)

\* A different form of application should be used for the appropriation of stored water to beneficial use. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

7. The construction of dam, the material of which it is to be built, and method of protection from waves are as follows: clay loam. Protected by boom sticks

8. The location of wasteway with dimensions are as follows: Spillway to allow  
(State whether over or around the dam)  
flood water to enter and leave 80 feet wide.

9. The location of outlet from the proposed reservoir, with character of construction and dimensions, are as follows: Natural river sodded bank at point where flood water  
(State whether through or around the proposed dam)  
has entered and left field in the past.

10. The area submerged by the proposed reservoir, when full, will be 20 acres,  
with a maximum depth of water of 8 feet; and approximate mean depth of water  
4 feet.

11. The estimated cost of the proposed work is \$ 15000.00

12. Construction work will begin on or before August 5, 1950

13. Construction work will be completed on or before October 17, 1950

MYRTLE POINT VENEER COMPANY  
(Name of applicant)

(Sgd) O. C. Davenport  
O. C. Davenport, Manager

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction or completion as follows:

In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before \_\_\_\_\_, 19\_\_\_\_\_.

WITNESS my hand this \_\_\_\_\_ day of \_\_\_\_\_, 19\_\_\_\_\_.

STATE ENGINEER

Remarks: Amended Application.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: The right herein granted is limited to the construction of Myrtle Point Veneer Co. Log Pond and the storage of water from Coquille River, to be appropriated under App. No. 24929, Permit No. 19690, for log storage and manufacturing.

The right hereunder shall be limited to the storage of 80.0 acre feet.

The priority date of this permit is July 31, 1950

Actual construction work shall begin on or before January 31, 1952

and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1952

WITNESS my hand this 31st day of January, 19 51

CHAS. E. STRICKLIN

STATE ENGINEER

O K  
F.S

Application No. R-25061.....

Reservoir Permit No. R-1067.....

---

---

**PERMIT**

To construct a reservoir and store for beneficial use the unappropriated waters of the State of Oregon.

---

---

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 31st day of July 1950, at 8:00 o'clock A. M.

---

---

Approved:

January 31, 1951

Recorded in Book No. 4 of Reservoirs, on Page R-1067....

CHAS. E. STRICKLIN

STATE ENGINEER

---

---

STATE PRINTING DEPT.

Drainage Basin No. 17 page 11

Fees Paid \_\_\_\_\_

Fees paid \$15.00