\* Reservoir Permit No. R-1073

227

## Application for a Permit to Construct a Reservoir and to Store for Beneficial Use the Unappropriated Waters of the State of Oregon

	I, COOS BAY LUMBER COMPANY (Name of Applicant)
of	COOS BAY, OREGON (Mailing Address)
State	of, do hereby make application for a permit to construct the
•	ving described reservoir and to store the unappropriated waters of the State of Oregon, subject to
existi	ing rights.
	If the applicant is a corporation, give date and place of incorporation DELEWARE
,	JANUARY 20, 1915
	pond  1. The name of the proposed reservoir isJOHNSON_LOG_STORAGE_AND_SORTING_POND
*********	log pond 2. The name of the stream from which the reservoir is to be filled and the appropriation made is
	Coquille River, a tidal stream during the greater part of the year
tribu	tary of
	3. The amount of water to be stored isacre feet.
	4. The use to be made of the impounded water is log storage and sorting pond
	(Irrigation, power, domestic supply, etc.)  5. The location of the proposed reservoir will be in Sec. 24 T 28 S R 13 W & W <sup>1</sup> / <sub>2</sub> NW <sup>1</sup> / <sub>4</sub> Sec. 19
	(Give sections or townships to be submerged)
<i>Tp.</i>	28S , R. 12 W , W. M., in the county of COOS
	(a) State whether situated in channel of running stream and give character of material at outlet
	not located in channel of running stream
	(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give
name	and dimensions to be filled by winter flood water; pond level to be
	maintained by pumping from Coquille River with electric pump with capacity
	of 12000 gallons per minute.
	levee 6. The dam will be lecated in impound 81.8 acres in portion of aboves. description, (Smallest legal subdivision)
<i>Tp.</i>	, R, W. M. The maximum height will be 11 feet above stream bed or ground
surfa	levee ce on center line o <del>f dam.</del> The length on top will be feet; length on
botto	m feet; width on top feet; slope of front
or wa	ter side 3 to 1 ; slope on back 2 to 1 ; height of dam above water line (Feet horizontal to 1 vertical)
when	full 2 and 3 feet.
without	A different form of application should be used for the appropriation of stored water to beneficial use. Such forms can be secured t charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

7. The construction of dam, the material of which it is to be built, and method of protection from
waves are as follows: clay loam soil free of humus. Protection from wave action
to be by log boom held in place by piling
8. The location of wasteway with dimensions are as follows:  (State whether over or around the dam)  no wasteway
9. The location of outlet from the proposed reservoir, with character of construction and dimensions,
are as follows: no outlet to pond  (State whether through or around the proposed dam)
pond  10. The area submerged by the proposed reservoir, when full, will be 81.8 acres,
with a maximum depth of water of feet; and approximate mean depth of water feet.
11. The estimated cost of the proposed work is \$ .65,000.00
12. Construction work will begin on or before August 18, 1950
13. Construction work will be completed on or before October 15, 1950
COOS BAY LUMBER COMPANY (Name of applicant)
By: (Sgd) J. W. Forrester  General Manager.
STATE OF OREGON, ss. County of Marion,
This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for correction or completion as follows:
In order to retain its priority, this application must be returned to the State Engineer, with cor-
rections, on or before, 19,
WITNESS my hand this day of, 19, 19
STATE ENGINEER

Remarks:
<u> </u>
· · · · · · · · · · · · · · · · · · ·
SHARE OF OREGON )
STATE OF OREGON, County of Marion, ss.
This is to certify that I have examined the foregoing application and do hereby grant the same,
subject to the following limitations and conditions: The right herein granted is limited to the
construction of Johnson Log Storage and Sorting Pond and the storage of water from
Coquille River, to be appropriated under Application No. 25154, Permit No. 19786 for
log storage and sorting pond.  The right hereunder shall be limited to the storage of
The priority date of this permit is August 21, 1950
Actual construction work shall begin on or before January 31, 1952
and shall thereafter be prosecuted with reasonable diligence and be completed on or before
October 1, 1952
WITNESS my hand this 31st day of January ,19 51
CHAS. E. STRICKLIN
STATE ENGINEER

Application N	70. R <b>-25153</b>
Reservoir Per	mit No.R-1073

## **PERMIT**

To construct a reservoir and store for beneficial use the unappropriated waters of the State of Oregon.

This instrument was first received in the		
office of the State Engineer at Salem, Oregon, on the21day ofAug,		
Approved:		
January 31, 1951		
Recorded in Book No4of		
Reservoirs, on Page R-1073		
CHAS. E. STRICKLIN STATE ENGINEER		
STATE PRINTING DEPT.		
Drainage Basin No. 17 page 11		
Fees Paid		

Fees paid \$18.91