ASSIGNED, Sec. Misc. Rec. Vol. 2 , Page 6 79

\*Reservoir Permit No.\_\_\_\_

108

CERTIFICATE NO. 9 689

## APPLICATION FOR A PERMIT TO CONSTRUCT A RESERVOIR AND TO STORE FOR BENEFICIAL USE THE UNAPPROPRIATED WATERS OF THE STATE OF OREGON

<i>I</i> ,	Harriet L. V	04440						
•			(Name of	Applicant)	Malt	nomah		
	L Postonice i							
ate of	Oregon		., do here	by make a	pplication	for a perm	it to con	struct the
lowing desc	cribed reservoir and	l to store t	the unapp	propriated	waters of	the State of	of Orego	n, subjec
existing rig	ghts.							i
If the app	olicant is a corpora	tion, give	date and	place of in	icorporation	on		
1. The no	ume of the proposed	l reservoir	is					
2. The n	ame of the stream							
	Jilson	ı Creek						
3. The a	mount of water to	be stored i	s				eet.	
4. The us	se to be made of the	impounded	water is	Ir	rigation			
	ocation of the prop				ions 5 a	Irrigation, power nd 6 in Tp	. 10 S.	• R •
(a) S	5 Bact W. M.	ed in chan	nel of ru	nning stree	um and giv	e character o	of materi	al at outle
(a) S	5 East V. M.	ed in chan	nel of ru	nning stree	um and giv	e character o	of materi	al at outle
(a) S Not	5 East I. M.  tate whether situat in channel of r	ed in chan running st	nel of ru cream; e	nning stree	it is to be	e character o	of materi	al at outle
(a) S Not	5 East W. M.	ed in chan running st	nel of rucream; e	nning stree arth dam. state how e-quarter	it is to be	e character of filled. If the in len	of materi	al at outle
(a) S Not	5 East I. M.  tate whether situat in channel of r	ed in chan running st  of running Lyle dite	nel of rucream; e	nning stree arth dam. state how e-quarter	it is to be	e character of filled. If the in len	of materi	al at outle
(a) S Not	5 East I. M.  tate whether situat in channel of r	ed in chan running st  of running Lyle dite	nel of rucream; e	nning stree arth dam. state how e-quarter	it is to be	e character of filled. If the in len	of materi	al at outle
(a) S Not	5 East I. M.  tate whether situat in channel of r	ed in chan running st  of running Lyle dite	nel of rucream; e	nning stree arth dam. state how e-quarter	it is to be	e character of filled. If the in len	of materi	al at outle
(a) S Not	5 East I. M.  tate whether situat in channel of r	ed in chan running st  of running Lyle dite	nel of rucream; e	nning stree arth dam. state how e-quarter	it is to be	e character of filled. If the in len	of materi	al at outle
(a) S Not	5 East I. M.  tate whether situat in channel of r	ed in chan running st  of running Lyle ditc  2 feet or	nel of rucream; estream, ch; thre	nning street arth dams	it is to be	e character of	rough a	feed cana

Tp, R 15 E	$W.~M.~It~will~be$ feet; width on top $\frac{300}{feet}$ , feet,
(No. N. or S.) (No. E. or W.)	th on bottom 300 fact: width on ton 10 fact
	3 to 1 2 to 1 (Feet horizontal to 1 vertical)
slope on back(Feet horizon	; height of dam above water
line when full	p.m
7. The construction of dam, to	he material of which it is to be built, and method of protection from
	am riprapped with stone and brush.
wives are as jouous	
	······································
•	
8. The location of wasteway i	vith dimensions are as follows:
Around dam 5 feet in	(State whether over or around the dam)
	······································
•	
9. The location of outlet fr	om the proposed reservoir, with character of construction and
9. The location of outlet fr	om the proposed reservoir, with character of construction and in pipe and gate valve through the dam.
9. The location of outlet fr	om the proposed reservoir, with character of construction and
9. The location of outlet fr	om the proposed reservoir, with character of construction and in pipe and gate valve through the dam.  (State whether through or around the proposed dam)
9. The location of outlet fr	om the proposed reservoir, with character of construction and in pipe and gate valve through the dam.  (State whether through or around the proposed dam)
9. The location of outlet fr	om the proposed reservoir, with character of construction and in pipe and gate valve through the dam.  (State whether through or around the proposed dam)
9. The location of outlet fr	om the proposed reservoir, with character of construction and on pipe and gate valve through the dam.  (State whether through or around the proposed dam)
9. The location of outlet fr dimensions, are as follows: Iro  10. The area submerged by the in addition to area submers with a maximum depth of water of	om the proposed reservoir, with character of construction and on pipe and gate valve through the dam.  (State whether through or around the proposed dam)  proposed reservoir, when full, will be seed by existing reservoir; 10.8 ac es total feet, and approximate mean depth of
9. The location of outlet fr dimensions, are as follows:  10. The area submerged by the in addition to area submers with a maximum depth of water of  12. \frac{1}{4}	om the proposed reservoir, with character of construction and on pipe and gate valve through the dam.  (State whether through or around the proposed dam)  proposed reservoir, when full, will be set total feet, and approximate mean depth of feet.
9. The location of outlet fr dimensions, are as follows:  10. The area submerged by the in addition to area submers with a maximum depth of water of  12. \frac{1}{4}	om the proposed reservoir, with character of construction and in pipe and gate valve through the dam.  (State whether through or around the proposed dam)  proposed reservoir, when full, will be set to tal feet, and approximate mean depth of feet.  oposed work is \$ 5.000.
9. The location of outlet fr dimensions, are as follows:  10. The area submerged by the in addition to area submers with a maximum depth of water of  12. \frac{1}{4}	om the proposed reservoir, with character of construction and in pipe and gate valve through the dam.  (State whether through or around the proposed dam)  proposed reservoir, when full, will be set to tal feet, and approximate mean depth of feet.  oposed work is \$ 5.000.
9. The location of outlet fr dimensions, are as follows: Iro  10. The area submerged by the in addition to area submers with a maximum depth of water of  12. \frac{1}{4}  11. The estimated cost of the pr  12. Construction work will begin	om the proposed reservoir, with character of construction and on pipe and gate valve through the dam.  (State whether through or around the proposed dam)  proposed reservoir, when full, will be set total feet, and approximate mean depth of feet.  oposed work is \$ 5.000.
9. The location of outlet fr dimensions, are as follows:  10. The area submerged by the in addition to area submers with a maximum depth of water of water  11. The estimated cost of the pr 12. Construction work will begin 13. Construction work will be c	om the proposed reservoir, with character of construction and on pipe and gate valve through the dam.  (State whether through or around the proposed dam)  proposed reservoir, when full, will be
9. The location of outlet fr dimensions, are as follows: Iro  10. The area submerged by the in addition to area submers with a maximum depth of water of water 12 \frac{1}{4}  11. The estimated cost of the pr 12. Construction work will begin 13. Construction work will be construction.	om the proposed reservoir, with character of construction and on pipe and gate valve through the dam.  (State whether through or around the proposed dam)  proposed reservoir, when full, will be
9. The location of outlet fr dimensions, are as follows:  10. The area submerged by the in addition to area submers with a maximum depth of water of water  12. The estimated cost of the pr 12. Construction work will begin 13. Construction work will be constructed to the proposed	om the proposed reservoir, with character of construction and on pipe and gate valve through the dam.  (State whether through or around the proposed dam)  proposed reservoir, when full, will be 8.40 acres, red by existing reservoir; 10.8 acres total feet, and approximate mean depth of feet.  oposed work is \$ 5.000.  one year ompleted on or before Pive years  reservoir and storage works, prepared in accordance with the rules
9. The location of outlet fr dimensions, are as follows:  10. The area submerged by the in addition to area submers with a maximum depth of water of water.  11. The estimated cost of the pr 12. Construction work will begin 13. Construction work will be constructed to the proposed	om the proposed reservoir, with character of construction and on pipe and gate valve through the dam.  (State whether through or around the proposed dam)  proposed reservoir, when full, will be seed by existing reservoir; 10.8 acres total feet, and approximate mean depth of feet.  oposed work is \$ 5.000.  on on or before One year  ompleted on or before Five years  reservoir and storage works, prepared in accordance with the rules this application.  Harriet L. Veazie
9. The location of outlet fr dimensions, are as follows:  10. The area submerged by the in addition to area submerge with a maximum depth of water of water.  12. The estimated cost of the pr 12. Construction work will begin 13. Construction work will be constructed to the proposed	om the proposed reservoir, with character of construction and on pipe and gate valve through the dam.  (State whether through or around the proposed dam)  proposed reservoir, when full, will be 8.40 acres, ed by existing reservoir; 10.8 acres total feet, and approximate mean depth of feet.  oposed work is \$ 5.000. 0 on year on on or before Pive years  reservoir and storage works, prepared in accordance with the rules this application.  Harriet L. Verzie (Name of Applicant)
9. The location of outlet fr dimensions, are as follows:  10. The area submerged by the in addition to area submers with a maximum depth of water of water  11. The estimated cost of the pr 12. Construction work will begin 13. Construction work will be constructed to the proposed	om the proposed reservoir, with character of construction and on pipe and gate valve through the dam.  (State whether through or around the proposed dam)  proposed reservoir, when full, will be
9. The location of outlet fr dimensions, are as follows:  10. The area submerged by the in addition to area submers with a maximum depth of water of water  12. The estimated cost of the pr 12. Construction work will begin 13. Construction work will be constructed to the proposed	om the proposed reservoir, with character of construction and on pipe and gate valve through the dam.  (State whether through or around the proposed dam)  proposed reservoir, when full, will be 8.40 acres, ed by existing reservoir; 10.8 acres total feet, and approximate mean depth of feet.  oposed work is \$ 5.000. 0 on year on on or before Pive years  reservoir and storage works, prepared in accordance with the rules this application.  Harriet L. Verzie (Name of Applicant)
9. The location of outlet fr dimensions, are as follows:  10. The area submerged by the in addition to area submerg with a maximum depth of water of.  12. \frac{1}{4}  11. The estimated cost of the pr 12. Construction work will begin 13. Construction work will be constructed to the proposed of the Board of Control, accompany	om the proposed reservoir, with character of construction and in pipe and gate valve through the dam.  (State whether through or around the proposed dam)  proposed reservoir, when full, will be see total seed by existing reservoir; 10.8 acres total feet, and approximate mean depth of feet.  oposed work is \$ 5.000. °  In on or before Pive years  reservoir and storage works, prepared in accordance with the rules this application.  Harriet L. Veazie  (Name of Applicant)  by A. L. Veazie  Her Attorney in fact.
9. The location of outlet fr dimensions, are as follows:  10. The area submerged by the in addition to area submers with a maximum depth of water of.  12. \frac{1}{4}  11. The estimated cost of the pr 12. Construction work will begin 13. Construction work will be construction work will be considered as for the proposed of the Board of Control, accompany  Signed in the presence of us a	om the proposed reservoir, with character of construction and in pipe and gate valve through the dam.  (State whether through or around the proposed dam)  proposed reservoir, when full, will be seed by existing reservoir; 10.8 access total feet, and approximate mean depth of feet.  oposed work is \$ 5.000.  In on or before One year  ompleted on or before Five years  reservoir and storage works, prepared in accordance with the rules this application.  Harriet L. Veazie  (Name of Applicant)  by A. L. Veazie  Her Attorney in fact.
9. The location of outlet fr dimensions, are as follows:  10. The area submerged by the in addition to area submers with a maximum depth of water of.  12 \frac{1}{4}  11. The estimated cost of the pr 12. Construction work will begin 13. Construction work will be construction work will be constructed for the proposed of the Board of Control, accompany  Signed in the presence of us a  (1) L A Smith	om the proposed reservoir, with character of construction and in pipe and gate valve through the dam.  (State whether through or around the proposed dam)  proposed reservoir, when full, will be
9. The location of outlet fr dimensions, are as follows:  10. The area submerged by the in addition to area submerg with a maximum depth of water of.  12. \frac{1}{4}  11. The estimated cost of the pr 12. Construction work will begin 13. Construction work will be constructed to the proposed of the Board of Control, accompany  Signed in the presence of us a  (1) L Smith	om the proposed reservoir, with character of construction and on pipe and gate valve through the dam.  (State whether through or around the proposed dam)  proposed reservoir, when full, will be 8.40 acres, ed by existing reservoir; 10.8 acres total feet, and approximate mean depth of feet.  Oposed work is \$ 5.000.  One year  ompleted on or before Pive years  reservoir and storage works, prepared in accordance with the rules this application.  Harriet L. Veazie  (Name of Applicant) by A. L. Veazie  Her Attorney in fact.  s witnesses:  (Address of Witness)

•••••			
	·		
TATE OF OREGON,	)		
County of Marion	ss.		
County of Marion	,		
This is to certify that I ha	ive examined the	foregoing application, together with the accomp	ınuina
iaps and data, and return th	e same for correct	tion or completion, as follows:	
		<u> </u>	
· · · · · · · · · · · · · · · · · · ·		tion must be returned to the State Engineer,	with
In order to retain its pric	ority, this applica	tion must be returned to the State Engineer,	with
In order to retain its pric	ority, this applica	tion must be returned to the State Engineer,	with
In order to retain its pric	ority, this applica	tion must be returned to the State Engineer,	with
In order to retain its pric	ority, this applica	tion must be returned to the State Engineer,	
In order to retain its pric	ority, this applica	tion must be returned to the State Engineer,	
In order to retain its pric	ority, this applica	tion must be returned to the State Engineer,	
In order to retain its pric	ority, this applica	tion must be returned to the State Engineer,	
In order to retain its price or rections, on or before  WITNESS my hand this	ority, this applica	tion must be returned to the State Engineer,	
In order to retain its price orrections, on or before	ority, this applica	tion must be returned to the State Engineer,	
In order to retain its price or rections, on or before  WITNESS my hand this  STATE OF OREGON,  County of Marion	ss.	tion must be returned to the State Engineer,	ineer.
In order to retain its price or rections, on or before  WITNESS my hand this  STATE OF OREGON,  County of Marion	ss.	tion must be returned to the State Engineer,	ineer.
In order to retain its price or rections, on or before	ss.	tion must be returned to the State Engineer,	ineer.
In order to retain its price or rections, on or before	ss.  ave examined the ations and condition	tion must be returned to the State Engineer,	ineer.
In order to retain its price or rections, on or before	ss.  ave examined the ations and condition	tion must be returned to the State Engineer,	ineer.
In order to retain its price or rections, on or before	ss.  ave examined the ations and conditions and conditions are specifically as permit is May	tion must be returned to the State Engineer,	ineer.
In order to retain its price or rections, on or before	ss.  ave examined the ations and conditions are permit is May	tion must be returned to the State Engineer,	same,
In order to retain its price or rections, on or before	ss.  ave examined the ations and conditions and conditions are specifically as permit is May	tion must be returned to the State Engineer,	same,
In order to retain its price or rections, on or before	ss.  ave examined the ations and conditions and conditions are specifically as permit is May	tion must be returned to the State Engineer,	same,
In order to retain its price or rections, on or before	ss.  ave examined the ations and conditions and conditions and conditions are permit is May	tion must be returned to the State Engineer,	same,
In order to retain its price or rections, on or before	ss.  ave examined the ations and conditions and conditions and conditions are permit is May	tion must be returned to the State Engineer,	same,
In order to retain its price or rections, on or before	ss.  ave examined the ations and conditions and conditions and conditions are permit is May hall begin on or be attended with reasonal 2nd	tion must be returned to the State Engineer,	same,
In order to retain its price or rections, on or before	ss.  ave examined the ations and conditions and conditions and conditions are permit is May hall begin on or be attended with reasonal 2nd	tion must be returned to the State Engineer,	same,

	1.		TA.T	7 /		_
۱nn	lica	tion	No.	14	17	н

Reservoir Permit No.

108

444	PER	MIT		
To construct a reservoir and store for bene- ficial use the unappropriated waters of the State of Oregon				
Division No.	2	District No.		
This instru	ıment w	as first received in the		
office of the Sta	ate Engi	neer at Salem, Oregon,		
on the 6	day o	f May		
Returned t	o applic	ant for correction		
Corrected a	ipplicati	on received		
Approved				
Jur	1 2 19	11		
Recorded i	n Book	No. 1 of Reservoirs on		
Page108				
Jol	m H <b>L</b> e	wis		
	R	State Engineer		