

7. The construction of dam, the material of which it is to be built, and method of protection from waves are as follows: earth fill

8. The location of wasteway with dimensions are as follows: 12 ft wide
(State whether over or around the dam)

by 2 ft deep spillway around dam

9. The location of outlet from the proposed reservoir, with character of construction and dimensions, are as follows: 18" concrete pipe through bottom
(State whether through or around the proposed dam)

at dam

10. The area submerged by the proposed reservoir, when full, will be 1.95 acres, with a maximum depth of water of 8 feet; and approximate mean depth of water 4 feet.

11. The estimated cost of the proposed work is \$.....

12. Construction work will begin on or before one year from approval date

13. Construction work will be completed on or before two years

X Harold D. Munday
(Name of applicant)

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction or completion as follows:

In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

Application No. R. 25229

Reservoir Permit No. 1134

PERMIT

To construct a reservoir and store for beneficial use the unappropriated waters of the State of Oregon.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 25th day of September, 1953, at 10:15 o'clock A.M.

Approved:

November 16, 1953

Recorded in Book No. 4 of Reservoirs, on Page 1134

CHAS. E. STRICKLAND
STATE ENGINEER

Drainage Basin No. page 76-A-1

Fees Paid \$15.00

State Printing Dept. 31271