

STATE OF OREGON

COUNTY OF POLK

PERMIT TO CONSTRUCT A RESERVOIR AND TO  
STORE FOR BENEFICIAL USE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO:

DAN McCORMICK  
8325 BLANCHARD ROAD  
SHERIDAN, OREGON 97378

503-843-7363

to construct AN UNNAMED RESERVOIR and to store the waters of AN UNNAMED STREAM, a tributary of SOUTH YAMHILL RIVER, to be appropriated under Application 73426, Permit 51510 for RECREATION AND WILDLIFE HABITAT.

This permit is issued approving Reservoir Application R-72346. The date of priority is APRIL 24, 1992. The amount of water entitled to be stored each year is not more than 8.0 ACRE-FEET. **Water may be appropriated for storage only during the period November 1 through April 30 of each year.**

Use under this permit is limited to the reservoir area after April 30. This permit does not provide for appropriation of water for maintaining a suitable fresh water condition between June 1 and October 31.

The dam will be located as follows:

NE 1/4 NE 1/4, SECTION 14, T 6 S, R 6 W, W.M.

The total area proposed to be submerged by the reservoir, when full is **3.5 acre-feet**; the proposed maximum depth of the water is **13 feet** at the point where the draw will be excavated into a V-shape, but the average depth will be **2.29 feet**; the maximum height of the dam will be **9 feet**.

The use shall conform to such reasonable rotation system as may be ordered by the proper state officer.

The area to be submerged by the reservoir is located within:

NE 1/4 NE 1/4  
SECTION 14  
TOWNSHIP 6 SOUTH, RANGE 6 WEST, W.M.

The storage of water herein is subject to the installation and maintenance of a fully functional conduit /gate assembly having a minimum diameter of 8 inches.

Regulating devices shall be installed pursuant to ORS 540.310.

Measurement recording and reporting conditions:

- A. The Director may require the permittee to install a meter or other suitable measuring device as approved by the Director. If the Director notifies the permittee to install a meter or other measuring device, the permittee shall install such device within the period stated in the notice. Such installation period shall not be less than 90 days unless special circumstances warrant a shorter installation period. Once installed, the permittee shall maintain the meter or measuring device in good working order and shall allow the watermaster access to the meter or measuring device. The Director may provide an opportunity for the permittee to submit alternative measuring procedures for review and approval.

- B. The Director may require the permittee to keep and maintain a record of the amount (volume) of water used and may require the permittee to report water use on a periodic schedule as established by the Director. In addition, the Director may require the permittee to report general water use information, the periods of water use and the place and nature of use of water under the permit. The Director may provide an opportunity for the permittee to submit alternative reporting procedures for review and approval.

Actual construction work shall begin on or before February 4, 1995 and shall be completed on or before October 1, 1995. Complete application of water shall be made on or before October 1, 1996.

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

The permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The storage of water allowed herein may be made only at times when sufficient water is available to satisfy all prior rights, including prior rights for maintaining instream flows.

The Director of the Water Resources Department has found that the proposed use of water described by this permit, as conditioned, will not impair or be detrimental to the public interest.

Issued this date, February 4, 1994.

*/s/ Martha O. Pagel*

Water Resources Department  
For Martha O. Pagel  
Director