

STATE OF OREGON

COUNTY OF UNION

PERMIT TO CONSTRUCT A RESERVOIR AND TO  
STORE FOR BENEFICIAL USE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO:

OREGON DEPARTMENT OF FISH AND WILDLIFE  
PO BOX 59  
PORTLAND OREGON 97207

503-229-5701

to construct TEN UNNAMED RESERVOIRS TO BE MAINTAINED UNDER APPLICATION 69135, PERMIT 51560, and to store the waters of HOT LAKE DRAINAGE DITCH (EAST AND WEST BRANCH), AN UNNAMED STREAM (EAST AND WEST BRANCH) AND CATHERINE CREEK, for WILDLIFE USE.

This permit is issued approving Reservoir Application R-69563. The date of priority is MARCH 23, 1988 FOR 70.0 ACRE-FEET (AF) AND FEBRUARY 24, 1993 FOR 2.5 AF. The amount of water entitled to be stored each year is not more than 72.5 AF; BEING RESERVOIR 1 - 9.0 AF; RESERVOIR 2 - 4.0 AF; RESERVOIR 3 - 8.5 AF, ALL FROM EAST BRANCH UNNAMED CREEK; RESERVOIR 4 - 4.5 AF FROM WEST BRANCH UNNAMED CREEK, AND 4.5 AF FROM EAST BRANCH HOT LAKE DRAINAGE DITCH; RESERVOIR 5 - 3.75 AF FROM WEST BRANCH UNNAMED CREEK AND 3.75 AF FROM EAST BRANCH HOT LAKE DRAINAGE DITCH; RESERVOIR 6 - 3.5 AF FROM WEST BRANCH UNNAMED CREEK AND 3.5 AF FROM EAST BRANCH HOT LAKE DRAINAGE DITCH; RESERVOIR 7 - 7.0 AF FROM WEST BRANCH HOT LAKE DRAINAGE DISTRICT; RESERVOIR 8 - 9.0 AF FROM WEST BRANCH HOT LAKE DRAINAGE DITCH; RESERVOIR 9 - 5.0 AF FROM WEST BRANCH HOT LAKE DRAINAGE DITCH; RESERVOIR 10 - 6.5 AF FROM WEST BRANCH HOT LAKE DRAINAGE DITCH.

The dams will be located as follows:

RESERVOIR 1 - SE 1/4 SE 1/4; RESERVOIR 2 - NE 1/4 SE 1/4;;  
RESERVOIR 3 AND 4 - NW 1/4 SE 1/4; RESERVOIR 5 AND 6 - NE 1/4 SW 1/4;  
RESERVOIR 7, 8, 9 AND 10 - NW 1/4 SW 1/4, ALL IN SECTION 32, TOWNSHIP  
3 SOUTH, RANGE 39 EAST, W.M.

The total area proposed to be inundated, depth of water, and height of the dam for each reservoir is as follows:

	<u>SURFACE AREA</u>	<u>WATER DEPTH</u>	<u>DAM HEIGHT</u>
Reservoir 1	8.0 ACRES	2.5 FEET	4.0 FEET
Reservoir 2	2.5 ACRES	1.5 FEET	4.0 FEET
Reservoir 3	6.3 ACRES	2.0 FEET	4.0 FEET
Reservoir 4	7.0 ACRES	2.0 FEET	4.0 FEET
Reservoir 5	6.0 ACRES	1.5 FEET	4.0 FEET
Reservoir 6	5.0 ACRES	1.5 FEET	4.0 FEET
Reservoir 7	5.7 ACRES	1.5 FEET	4.0 FEET
Reservoir 8	6.7 ACRES	2.0 FEET	4.0 FEET
Reservoir 9	4.0 ACRES	1.5 FEET	4.0 FEET
Reservoir 10	5.8 ACRES	1.5 FEET	4.0 FEET

The maximum height of each the dams shall not exceed 4.0 feet.

The area to be submerged by the reservoir is located within:

RESERVOIR 8                      NE 1/4 SE 1/4  
   SE 1/4 SE 1/4  
   SECTION 31

RESERVOIR 1	NE 1/4 SE 1/4
RESERVOIR 2	NE 1/4 SE 1/4
RESERVOIR 3	NW 1/4 SE 1/4
RESERVOIR 4	NW 1/4 SE 1/4
RESERVOIR 5	NE 1/4 SW 1/4
RESERVOIR 6	NE 1/4 SW 1/4
RESERVOIR 7	SW 1/4 SW 1/4
RESERVOIR 8	NW 1/4 SW 1/4
	SW 1/4 SW 1/4
RESERVOIR 9	NW 1/4 SW 1/4
RESERVOIR 10	NW 1/4 SW 1/4

## SECTION 32

TOWNSHIP 3 SOUTH, RANGE 39 EAST, WM

The storage of water allowed herein is subject to the installation and maintenance of an outlet pipe, or to provide other means to pass water when determined necessary by the Water Resources Director to satisfy prior downstream rights.

## Measurement, recording and reporting conditions:

- A. Before water use may begin under this permit, the permittee shall install a meter or other suitable measuring device as approved by the Director. The permittee shall maintain the meter or measuring device in good working order.
- B. The permittee shall allow the watermaster access to the meter or measuring device; provided however, where the meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.
- C. The Director may require the permittee to keep and maintain a record of the amount (volume) of water used and may require the permittee to report water use on a periodic schedule as established by the Director. In addition, the Director may require the permittee to report general water use information, the periods of water use and the place and nature of use of water under the permit. The Director may provide an opportunity for the permittee to submit alternative reporting procedures for review and approval.

Actual construction work shall begin on or before DECEMBER 20, 1995 and shall be completed on or before October 1, 1996. Complete application of water shall be made on or before October 1, 1997.

The storage of water allowed herein is subject to the installation and maintenance of an outlet pipe, or the provision of other means to evacuate water when determined necessary by the Water Resources Director to satisfy prior downstream rights.

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

The permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The storage of water allowed herein may be made only at times when sufficient water is available to satisfy all prior rights, including prior rights for maintaining instream flows.

The Director of the Water Resources Department has found that the proposed use of water described by this permit, as conditioned, will not impair or be detrimental to the public interest.

Issued this date December 20, 1994.

*A. REED MARBUT*

*for* Water Resources Department  
Martha O. Pagel  
Director

Application R-69563  
Basin 8

Water Resources Department  
Volume 3  
CATHERINE CREEK & ALSO MISC.

PERMIT R-11512  
District 6