

STATE OF OREGON

COUNTY OF MARION

PERMIT TO STORE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO

MARION COUNTY SOLID WASTE
388 STATE STREET, SUITE 735
SALEM, OREGON 97301

The specific limits for the use are listed below along with conditions of use.

APPLICATION FILE NUMBER: R-72924

SOURCE OF WATER: LEACHATE FROM ASH LANDFILL

STORAGE FACILITY: UNNAMED RESERVOIR

PURPOSE OR USE OF THE STORED WATER: IRRIGATION, TO BE APPROPRIATED UNDER APPLICATION S-72925, PERMIT 51922

MAXIMUM VOLUME ALLOWED: 45.0 ACRE-FEET EACH YEAR

PERIOD OF USE: YEAR-ROUND

DATE OF PRIORITY: OCTOBER 30, 1992

The area submerged by the reservoir, when full, will be 3.75 acres and the maximum depth of water will be 12.0 feet. The maximum height of the dam shall not exceed 15.0 feet.

DAM LOCATION: SE 1/4 SW 1/4, SECTION 31, TOWNSHIP 4 SOUTH, RANGE 1 WEST, W.M.; 820 FEET NORTH AND 2350 FEET EAST FROM THE SW 1/4 CORNER OF SECTION 31

THE AREA TO BE SUBMERGED BY THE RESERVOIR IS LOCATED AS FOLLOWS:

SE 1/4 SW 1/4
SECTION 31
TOWNSHIP 4 SOUTH, RANGE 1 WEST, W.M.

Measurement, recording and reporting conditions:

- A. Before water use may begin under this permit, the permittee shall install a meter or other suitable measuring device as approved by the Director. The permittee shall maintain the meter or measuring device in good working order.

- B. The permittee shall allow the watermaster access to the meter or measuring device; provided however, where the meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.
- C. The Director may require the permittee to keep and maintain a record of the amount (volume) of water used and may require the permittee to report water use on a periodic schedule as established by the Director. In addition, the Director may require the permittee to report general water use information, the periods of water use and the place and nature of use of water under the permit. The Director may provide an opportunity for the permittee to submit alternative reporting procedures for review and approval.

The outlet gate shall be cycled at least once each year and shall be fully operational at all times.

The embankment and lagoon shall be maintained according to the approved asbuilt drawings on file with the Oregon Water Resources Department, stamped and dated on December 17, 1993. Routine maintenance of the embankment shall be performed as necessary to remove trees, brush, debris, and burrowing animals, or to repair areas of erosion.

STANDARD CONDITIONS

The storage of water allowed herein is subject to the installation and maintenance of an fully functional conduit/gate assembly having a minimum diameter of 8 inches.

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.


By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The use of water allowed herein may be made only at times when sufficient water is available to satisfy all prior rights, including prior rights for maintaining instream flows.

The Director finds that the proposed use(s) of water described by this permit, as conditioned, will not impair or be detrimental to the public interest.

Actual construction work shall begin within one year from permit issuance and shall be completed on or before October 1, 1998. The reservoir shall be filled and complete application of the water to the use shall be made on or before October 1, 1999.

Issued January 17, 1996



Water Resources Department

for Martha O. Pagel

Director

Application R-72924 Water Resources Department
Basin 02 Volume 15A Senecal Creek & Misc
JWG MGMT.CODES 2AD, 2AW, 2BD, 2BW

PERMIT R-11627
District 16