

Reservoir Permit No. 1168

Application for a Permit to Construct a Reservoir and to Store for Beneficial Use the Unappropriated Waters of the State of Oregon

I, Perkins Veneer Company (Name of Applicant)

of 315 West Broadway, Eugene (Mailing Address)

State of Oregon, do hereby make application for a permit to construct the following described reservoir and to store the unappropriated waters of the State of Oregon, subject to existing rights.

If the applicant is a corporation, give date and place of incorporation January 4, 1951, Eugene, Oregon

1. The name of the proposed reservoir is Log Pond

2. The name of the stream from which the reservoir is to be filled and the appropriation made is Deer Creek

tributary of South Umpqua

3. The amount of water to be stored is 15 acre feet.

4. The use to be made of the impounded water is Log Storage (Irrigation, power, domestic supply, etc.)

5. The location of the proposed reservoir will be in Sec. 15, T. 27 South, Range 5 West (Give sections or townships to be submerged)

Tp. , R. , W. M., in the county of Douglas

(a) State whether situated in channel of running stream and give character of material at outlet Located at base of hill at road side--gravel, clay

(b) If not in channel of running stream, state how it is to be filled. If through a feed canal, give name and dimensions by pump and discharge pipe line

6. The dam will be located in SW 1/4 SE 1/4, Sec. 15 (Smallest legal subdivision)

Tp. 27 S, R. 5W, W. M. The maximum height will be 11 feet above stream bed or ground surface on center line of dam. The length on top will be 1300 feet; length on bottom 1300 feet; width on top 10 feet; slope of front or water side 2 1/2:1 (Feet horizontal to 1 vertical); slope on back 2 1/2:1 (Feet horizontal to 1 vertical); height of dam above water line when full 2 feet.

* A different form of application should be used for the appropriation of stored water to beneficial use. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.



7. The construction of dam, the material of which it is to be built, and method of protection from waves are as follows: clay core wall with shale and sandstone and silt logs to provide wave protection

8. The location of wasteway with dimensions are as follows: (State whether over or around the dam) trickle spillway 8" corrugated metal pipe thru the dam located at western end of pond

9. The location of outlet from the proposed reservoir, with character of construction and dimensions, are as follows: 24" corrugated steel pipe 24" valve located at western end (State whether through or around the proposed dam)

10. The area submerged by the proposed reservoir, when full, will be 2.5 acres, with a maximum depth of water of 6 feet; and approximate mean depth of water 6 feet.

11. The estimated cost of the proposed work is \$ 15,000

12. Construction work will begin on or before 6-1-51

13. Construction work will be completed on or before 7-1-52

..... (Name of applicant) John L. Perkins

STATE OF OREGON, } ss. County of Marion, }

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction or completion as follows:

In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

Application No. R-25937
Reservoir Permit No. 1111

PERMIT

To construct a reservoir and store for beneficial use the unappropriated waters of the State of Oregon.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 14th day of May, 1951, at 8:00 o'clock A.M.

Approved: November 16, 1951

Recorded in Book No. 4 of
Reservoirs, on Page 1168

CHAS. E. STRICKLAND
STATE ENGINEER

Drainage Basin No. 16 page 13

Fees Paid \$15.00
State Printing Dept. 31871